

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [Learn more](#)

Don't show againDismiss

Welcome to Cloud Shell! Type `"help"` to get started, or type `"gemini"` to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use `'gcloud config set project [PROJECT_ID]'`.
You can view your projects by running `'gcloud projects list'`.

```
akashakash24153@cloudshell:~$ uname
linux
akashakash24153@cloudshell:~$ uptime
03:42:56 up 6 min,  0 user,  load average: 1.24, 0.37, 0.13
akashakash24153@cloudshell:~$ hostname
cs-1043699111133-default
akashakash24153@cloudshell:~$ dmesg
dmesg: read kernel buffer failed: Operation not permitted
akashakash24153@cloudshell:~$ free
              total        used        free      shared  buff/cache   available
Mem:           8138096       2549404       3982748          1168       1854136       5588692
Swap:              0              0              0
```

```
akashakash24153@cloudshell:~$
```

26°C
Mostly clear

Search

ENG
IN

09:13
15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show againDismiss

top - 03:44:22 up 8 min, 0 user, load average: 0.69, 0.47, 0.19
Tasks: 34 total, 1 running, 33 sleeping, 0 stopped, 0 zombie
%Cpu(s): 3.8 us, 3.8 sy, 0.0 ni, 94.6 id, 7.7 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 7947.4 total, 3688.7 free, 2673.7 used, 1027.3 buff/cache
Mem swap: 0.0 total, 0.0 free, 0.0 used, 5273.6 avail Mem

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
1	root	20	0	4324	3424	3140	S	0.0	0.0	0:00.07	bash
9	syslog	20	0	222140	3892	2532	S	0.0	0.0	0:00.01	rsyslogd
25	root	20	0	38768	28012	10904	S	0.0	0.3	0:00.61	python
26	root	20	0	6196	2668	2428	S	0.0	0.0	0:00.00	logger
67	root	10	-10	12024	4016	2904	S	0.0	0.0	0:00.00	sshd
349	root	20	0	2021836	84336	60752	S	0.0	1.0	0:00.40	dockerd
423	root	20	0	1233692	13636	8260	S	0.0	0.2	0:00.25	editor-proxy
425	root	20	0	16328	6456	5532	S	0.0	0.1	0:00.02	sudo
448	root	20	0	1226100	2684	1976	S	0.0	0.0	0:00.00	tmux-agent
456	root	20	0	1793224	46812	31904	S	0.0	0.6	0:00.30	containerd
519	root	10	-10	13996	9716	8336	S	0.0	0.1	0:00.03	sshd
608	root	10	-10	13996	9860	8488	S	0.0	0.1	0:00.03	sshd
652	root	20	0	2696	1536	1440	S	0.0	0.0	0:00.00	sleep
654	akashak+	10	-10	14256	6456	4796	S	0.0	0.1	0:00.00	sshd
655	akashak+	10	-10	14256	6456	4800	S	0.0	0.1	0:00.01	sshd
656	akashak+	10	-10	7340	3660	3412	S	0.0	0.0	0:00.00	bash
659	akashak+	10	-10	7604	4280	3676	S	0.0	0.1	0:00.00	bash
662	akashak+	10	-10	7340	3600	3348	S	0.0	0.0	0:00.00	bash
663	akashak+	10	-10	7340	3660	3400	S	0.0	0.0	0:00.00	start-shell.sh
664	akashak+	10	-10	6880	3520	3224	S	0.0	0.0	0:00.00	tmux
666	akashak+	10	-10	7016	2784	2248	S	0.0	0.0	0:00.01	tmux
667	akashak+	10	-10	8796	5908	4040	S	0.0	0.1	0:00.08	bash
691	root	20	0	9196	4096	3720	S	0.0	0.1	0:00.00	runuser
704	akashak+	20	0	4324	3272	3008	S	0.0	0.0	0:00.01	sh
727	akashak+	20	0	11.3g	105984	50876	S	0.0	1.3	0:04.68	node
1366	akashak+	20	0	1048516	61152	47468	S	0.0	0.8	0:00.27	node
1462	akashak+	20	0	42.6g	881724	62008	S	0.0	10.8	0:32.39	node
1502	akashak+	20	0	1016392	62368	46380	S	0.0	0.8	0:00.29	node
1514	akashak+	20	0	1061132	75856	48212	S	0.0	0.9	0:00.77	node
1525	akashak+	20	0	1869664	76860	52072	S	0.0	0.9	0:00.33	cloudcode_cli
1536	akashak+	20	0	31.7g	573244	60484	S	0.0	7.0	0:10.22	node

26°C
Mostly clear

Search

ENG
IN

09:14
15-05-2026

SID	USER	PRI	UT	WST	RSS	SHR	CPUR	MEMK	TIME	Command
156	akashakash	10	-10	7280	2376	3288	0	1.3	0.0	tmux new-session -A -D -s cloudshell -s 700079314
461	root	20	0	1751M	43356	13984	0	0.7	0.6	0:00.07 containerd --config /var/run/docker/containerd/containerd.toml
1514	akashakash	20	0	1036M	78556	4212	0	0.7	0.9	0:00.58 /google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-cloud-shell/out/bootstrap-fork --ty
1944	akashakash	10	-10	8668	5104	3820	0	0.7	0.1	0:00.04 /usr/sbin/rsyslogd
11	syslog	20	0	216M	3892	2532	0	0.0	0.0	0:00.00 /usr/sbin/rsyslogd
12	syslog	20	0	216M	3892	2532	0	0.0	0.0	0:00.00 /usr/sbin/rsyslogd
25	root	20	0	3876M	20012	10904	0	0.3	0.0	0:00.61 /usr/bin/python /usr/bin/supervisord -n -c /google/devshell/supervisord.conf --pidfile=/var/run/supervisor.pid --logfile=/var/
26	root	20	0	6196	2668	2428	0	0.9	0.0	0:00.00 logger -t supervisord
67	root	10	-10	12024	4016	2904	0	0.0	0.0	0:00.00 sshd: /usr/sbin/sshd -p 22 -o AuthorizedKeysFile=/etc/ssh/keys/authorized_keys [listener] 0 of 10-60 startups
349	root	20	0	1974M	84428	6008	0	1.0	0.0	0:00.25 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
393	root	20	0	1974M	84428	6008	0	1.0	0.0	0:00.03 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
394	root	20	0	1974M	84428	6008	0	1.0	0.0	0:00.00 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
395	root	20	0	1974M	84428	6008	0	1.0	0.0	0:00.00 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
396	root	20	0	1974M	84428	6008	0	1.0	0.0	0:00.00 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
413	root	20	0	1974M	84428	6008	0	1.0	0.0	0:01.01 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
423	root	20	0	1205M	13924	8260	0	0.2	0.0	0:00.14 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
425	root	20	0	1432M	4456	532	0	0.1	0.0	0:00.02 sudo /google/devshell/tmux-agent
433	root	20	0	1205M	13924	8260	0	0.2	0.0	0:00.04 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
434	root	20	0	1205M	13924	8260	0	0.2	0.0	0:00.00 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
435	root	20	0	1205M	13924	8260	0	0.2	0.0	0:00.04 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
448	root	20	0	1197M	2684	976	0	0.0	0.0	0:00.00 /google/devshell/tmux-agent
451	root	20	0	1197M	2684	976	0	0.0	0.0	0:00.00 /google/devshell/tmux-agent
452	root	20	0	1197M	2684	976	0	0.0	0.0	0:00.00 /google/devshell/tmux-agent
453	root	20	0	1197M	2684	976	0	0.0	0.0	0:00.00 /google/devshell/tmux-agent
454	root	20	0	1205M	13924	8260	0	0.2	0.0	0:00.00 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
456	root	20	0	1751M	43356	13984	0	0.6	0.0	0:00.07 containerd --config /var/run/docker/containerd/containerd.toml
457	root	20	0	1974M	84428	6008	0	1.0	0.0	0:00.00 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
458	root	20	0	1751M	43356	13984	0	0.6	0.0	0:00.05 containerd --config /var/run/docker/containerd/containerd.toml
459	root	20	0	1751M	43356	13984	0	0.6	0.0	0:00.03 containerd --config /var/run/docker/containerd/containerd.toml

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

666 akashak+ 10 -10 7148 2888 2288 s 0.3 0.0 0:00.02 tmux

1462 akashak+ 20 0 42.6g 981724 62008 s 0.3 10.8 0:32.40 node

1 root 20 0 4324 3424 3140 s 0.0 0.0 0:00.07 bash

9 syslog 20 0 222140 3892 2532 s 0.0 0.0 0:00.01 rsyslogd

25 root 20 0 38768 28012 10904 s 0.0 0.3 0:00.61 python

26 root 20 0 6196 2668 2428 s 0.0 0.0 0:00.00 logger

67 root 10 -10 12024 4016 2904 s 0.0 0.0 0:00.00 sshd

349 root 20 0 2021836 84428 60808 s 0.0 1.0 0:00.41 dockerd

423 root 20 0 1234268 13924 8269 s 0.0 0.2 0:00.25 editor-proxy

425 root 20 0 16328 6456 5532 s 0.0 0.1 0:00.02 sudo

448 root 20 0 1226100 2684 1976 s 0.0 0.0 0:00.00 tmux-agent

456 root 20 0 1793224 46356 31984 s 0.0 0.6 0:00.33 containeerd

519 root 10 -10 13996 9716 8336 s 0.0 0.1 0:00.03 sshd

608 root 10 -10 13996 9860 8488 s 0.0 0.1 0:00.03 sshd

652 root 20 0 2696 1536 1440 s 0.0 0.0 0:00.00 sleep

654 akashak+ 10 -10 14256 6456 4796 s 0.0 0.1 0:00.00 sshd

655 akashak+ 10 -10 14256 6456 4800 s 0.0 0.1 0:00.01 sshd

656 akashak+ 10 -10 7340 3660 3412 s 0.0 0.0 0:00.00 bash

659 akashak+ 10 -10 7604 4280 3676 s 0.0 0.1 0:00.00 bash

662 akashak+ 10 -10 7340 3600 3348 s 0.0 0.0 0:00.00 bash

663 akashak+ 10 -10 7340 3660 3400 s 0.0 0.0 0:00.00 start-shell.sh

664 akashak+ 10 -10 6880 3520 3224 s 0.0 0.0 0:00.00 tmux

667 akashak+ 10 -10 8796 5908 4040 s 0.0 0.1 0:00.08 bash

691 root 20 0 9196 4096 3720 s 0.0 0.1 0:00.00 runuser

704 akashak+ 20 0 4324 3272 3008 s 0.0 0.0 0:00.01 sh

727 akashak+ 20 0 11.3g 105984 50876 s 0.0 1.3 0:04.70 node

1366 akashak+ 20 0 1048516 61152 47468 s 0.0 0.8 0:00.27 node

1502 akashak+ 20 0 1016392 62372 46380 s 0.0 0.8 0:00.29 node

1514 akashak+ 20 0 1061132 75856 48212 s 0.0 0.9 0:00.78 node

1525 akashak+ 20 0 1869664 76860 52072 s 0.0 0.9 0:00.33 cloudcode_cli

1536 akashak+ 20 0 31.4g 216948 60484 s 0.0 2.7 0:10.62 node

akashakash24153@cloudshell:~\$ htop

akashakash24153@cloudshell:~\$ lsb_release

-bash: \$'\224': command not found

akashakash24153@cloudshell:~\$ arch

x86_64

akashakash24153@cloudshell:~\$

akashakash24153@cloudshell:~\$

25°

Search

ENG IN

09:15 15-05-2026

Cloud Shell

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

akashakash24153@cloudshell:~\$ ls
myfolder 8820908-cloudshell.txt
akashakash24153@cloudshell:~\$ cd myfolder
akashakash24153@cloudshell:~/myfolder\$ pwd
/home/akashakash24153/myfolder
akashakash24153@cloudshell:~/myfolder\$ mkdir linux
akashakash24153@cloudshell:~/myfolder\$ ls
linux
akashakash24153@cloudshell:~/myfolder\$ touch linux1
akashakash24153@cloudshell:~/myfolder\$ ls
linux linux1
akashakash24153@cloudshell:~/myfolder\$ touch demo.py
akashakash24153@cloudshell:~/myfolder\$ ls
demo.py linux linux1
akashakash24153@cloudshell:~/myfolder\$ touch main
akashakash24153@cloudshell:~/myfolder\$ ls
demo.py linux linux1 main
akashakash24153@cloudshell:~/myfolder\$ rm linux1
akashakash24153@cloudshell:~/myfolder\$ ls
demo.py linux main
akashakash24153@cloudshell:~/myfolder\$ cp main linux
akashakash24153@cloudshell:~/myfolder\$ ls
demo.py linux main
akashakash24153@cloudshell:~/myfolder\$ mv linux demo.py
mv: cannot overwrite non-directory 'demo.py' with directory 'linux'
akashakash24153@cloudshell:~/myfolder\$ mv demo.py test.py
akashakash24153@cloudshell:~/myfolder\$ ls
linux main test.py
akashakash24153@cloudshell:~/myfolder\$ ln test.py demo.py

25° Search

ENG IN 09:28 15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

```
akashakash24153@cloudshell:~/myfolder$ pwd
/home/akashakash24153/myfolder
akashakash24153@cloudshell:~/myfolder$ mkdir linux
akashakash24153@cloudshell:~/myfolder$ ls
linux
akashakash24153@cloudshell:~/myfolder$ touch linux1
akashakash24153@cloudshell:~/myfolder$ ls
linux linux1
akashakash24153@cloudshell:~/myfolder$ touch demo.py
akashakash24153@cloudshell:~/myfolder$ ls
demo.py linux linux1
akashakash24153@cloudshell:~/myfolder$ touch main
akashakash24153@cloudshell:~/myfolder$ ls
demo.py linux linux1 main
akashakash24153@cloudshell:~/myfolder$ rm linux1
akashakash24153@cloudshell:~/myfolder$ ls
demo.py linux main
akashakash24153@cloudshell:~/myfolder$ cp main linux
akashakash24153@cloudshell:~/myfolder$ ls
demo.py linux main
akashakash24153@cloudshell:~/myfolder$ mv linux demo.py
mv: cannot overwrite non-directory 'demo.py' with directory 'linux'
akashakash24153@cloudshell:~/myfolder$ mv demo.py test.py
akashakash24153@cloudshell:~/myfolder$ ls
linux main test.py
akashakash24153@cloudshell:~/myfolder$ ln test.py demo.py
akashakash24153@cloudshell:~/myfolder$ ls
demo.py linux main test.py
akashakash24153@cloudshell:~/myfolder$
```

25° Search

ENG IN 09:29 15-05-2026

Cloud Shell

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

akashakash24153@cloudshell:~\$ cd myfolder
akashakash24153@cloudshell:~/myfolder\$ touch file.txt
akashakash24153@cloudshell:~/myfolder\$ ls
demo.py file.txt linux main test.py
akashakash24153@cloudshell:~/myfolder\$ nano file.txt
akashakash24153@cloudshell:~/myfolder\$ more file.txt
nums = [1,3,2,4]

def one_bit_diff(a, b):
 x = a ^ b
 return x != 0 and (x & (x - 1)) == 0

def valid_gray(nums):
 if nums[0] != 0:
 return False

 if len(nums) != len(set(nums)):
 return False


 for i in range(len(nums) - 1):
 if not one_bit_diff(nums[i], nums[i + 1]):
 return False

 if not one_bit_diff(nums[0], nums[-1]):
 return False

 return True

26° Search

ENG IN 09:33 15-05-2026



Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

PROBLEMS OUTPUT DEBUG CONSOLE

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

bash

Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [Learn more](#)

Don't show again Dismiss

```
print(str(valid_gray(nums)).lower())
akashakash24153@cloudshell:~/myfolder$ tail file.txt
for i in range(len(nums) - 1):
    if not one_bit_diff(nums[i], nums[i + 1]):
        return False

if not one_bit_diff(nums[0], nums[-1]):
    return False

return True

print(str(valid_gray(nums)).lower())
akashakash24153@cloudshell:~/myfolder$ head file.txt
nums = [1,3,2,4]

def one_bit_diff(a, b):
    x = a ^ b
    return x != 0 and (x & (x - 1)) == 0

def valid_gray(nums):
    if nums[0] != 0:
        return False
akashakash24153@cloudshell:~/myfolder$ ls
demo.py file.txt linux main test.py
akashakash24153@cloudshell:~/myfolder$ gedit
-bash: gedit: command not found
akashakash24153@cloudshell:~/myfolder$ sed
```

25° Search

ENG IN 09:33 15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

Search

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

PROBLEMS OUTPUT DEBUG CONSOLE

bash

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

```
akashakash24153@cloudshell:~/myFolder$ sed
Usage: sed [OPTION]... (script-only-if-no-other-script) [input-file]...

-n, --quiet, --silent
    suppress automatic printing of pattern space
--debug
    annotate program execution
-e script, --expression=script
    add the script to the commands to be executed
-f script-file, --file=script-file
    add the contents of script-file to the commands to be executed
--follow-symlinks
    follow symlinks when processing in place
-i[SUFFIX], --in-place[=SUFFIX]
    edit files in place (makes backup if SUFFIX supplied)
-l N, --line-length=N
    specify the desired line-wrap length for the 'l' command
--posix
    disable all GNU extensions.
-E, -r, --regexp-extended
    use extended regular expressions in the script
    (for portability use POSIX -E).
-s, --separate
    consider files as separate rather than as a single,
    continuous long stream.
--sandbox
    operate in sandbox mode (disable e/r/w commands).
-u, --unbuffered
    load minimal amounts of data from the input files and flush
```

25°

Search

ENG IN

09:34 15-05-2026

The screenshot shows a Cloud Shell terminal window. The terminal prompt is `akashakash24153@cloudshell:~/myfolder$`. The user has executed the command `lsattr file.txt`, and the output is as follows:

```

File: file.txt
Size: 454          Blocks: 8          IO Block: 4096   regular file
Device: 8,17      Inode: 131618      Links: 1
Access: (0664/-rw-rw-r--)  Uid: ( 1000/akashakash24153)   Gid: ( 1000/akashakash24153)
Access: 2026-05-15 04:00:38.199954103 +0000
Modify: 2026-05-15 04:01:30.694087211 +0000
Change: 2026-05-15 04:01:30.694087211 +0000
Birth: 2026-05-15 04:00:38.199954103 +0000
akashakash24153@cloudshell:~/myfolder$ lsattr file.txt
-----g----- file.txt
akashakash24153@cloudshell:~/myfolder$ sudo chattr +i file.txt
akashakash24153@cloudshell:~/myfolder$ ls
demo.py  file.txt  linux  main  test.py
akashakash24153@cloudshell:~/myfolder$

```

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

PROBLEMS OUTPUT DEBUG CONSOLE

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

```
akashakash24153@cloudshell:~/myfolder$ ifconfig
docker0: flags=4099<UP,BROADCAST,MULTICAST> mtu 1460
    inet 172.17.0.1 netmask 255.255.0.0 broadcast 172.17.255.255
    ether 82:90:34:2e:4b:23 txqueuelen 0 (Ethernet)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 0 bytes 0 (0.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1460
    inet 10.88.0.4 netmask 255.255.0.0 broadcast 10.88.255.255
    ether ae:33:89:6d:1c:65 txqueuelen 1000 (Ethernet)
    RX packets 19999 bytes 11610958 (11.6 MB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 16429 bytes 36691956 (36.6 MB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 18987 bytes 82005889 (82.0 MB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 18987 bytes 82005889 (82.0 MB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

akashakash24153@cloudshell:~/myfolder$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
```

25° Search

ENG IN 09:37 15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

Search

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

PROBLEMS

OUTPUT

DEBUG CONSOLE

bash

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

tcp	0	0	0.0.0.0:9711	0.0.0.0:*	LISTEN
tcp	0	0	localhost:40441	0.0.0.0:*	LISTEN
tcp	0	0	0.0.0.0:ssh	0.0.0.0:*	LISTEN
tcp	0	0	localhost:46900	localhost:970	ESTABLISHED
tcp	0	0	localhost:ssh	localhost:44160	ESTABLISHED
tcp	0	0	localhost:47306	localhost:ssh	TIME_WAIT
tcp	0	0	localhost:971	localhost:54514	ESTABLISHED
tcp	0	0	cs-1043699111133-137760	sr-in-r101.1e100.https	ESTABLISHED
tcp	0	0	localhost:48792	localhost:ssh	ESTABLISHED
tcp	0	0	localhost:46890	localhost:970	ESTABLISHED
tcp	196	0	localhost:44160	localhost:ssh	ESTABLISHED
tcp	0	0	localhost:54496	localhost:971	ESTABLISHED
tcp	0	0	localhost:971	localhost:54496	ESTABLISHED
tcp	0	0	localhost:54514	localhost:971	ESTABLISHED
tcp	0	0	localhost:ssh	localhost:48792	ESTABLISHED
tcp6	0	0	:::922	:::*	LISTEN
tcp6	0	0	:::900	:::*	LISTEN
tcp6	0	0	:::980	:::*	LISTEN
tcp6	0	0	:::981	:::*	LISTEN
tcp6	0	0	:::970	:::*	LISTEN
tcp6	0	0	:::ssh	:::*	LISTEN
tcp6	0	0	cs-1043699111133-de:980	10.111.157.14:39712	ESTABLISHED
tcp6	0	0	localhost:970	localhost:46890	ESTABLISHED
tcp6	0	0	localhost:970	localhost:46900	ESTABLISHED
tcp6	0	0	cs-1043699111133-de:980	10.111.157.12:34074	ESTABLISHED
tcp6	0	734	cs-1043699111133-de:980	10.111.157.12:45576	ESTABLISHED
tcp6	0	0	cs-1043699111133-de:980	10.111.157.12:60986	ESTABLISHED
tcp6	0	0	cs-1043699111133-de:980	10.111.157.12:60982	ESTABLISHED
tcp6	0	0	cs-1043699111133-de:980	10.111.157.14:55284	ESTABLISHED

25°

Search

ENG IN

09:40 15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

Search

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

bash + + + + +

NO FOLDER OPENED

OUTLINE

TERMINAL

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

```
unix 3      [ ]      STREAM  CONNECTED  31996
unix 3      [ ]      STREAM  CONNECTED  31688
unix 2      [ ACC ]    STREAM  LISTENING  21171    /var/run/docker/containerd/containerd-debug.sock
unix 2      [ ]      DGRAM    CONNECTED  20124
unix 2      [ ACC ]    STREAM  LISTENING  21172    /var/run/docker/containerd/containerd.sock.ttrpc
unix 2      [ ACC ]    STREAM  LISTENING  21173    /var/run/docker/containerd/containerd.sock

akashakash24153@cloudshell:~/myfolder$ sudo apt install traceroute
-bash: sudo: command not found
akashakash24153@cloudshell:~/myfolder$ curl https://example.com
<!doctype html><html lang="en"><head><title>Example Domain</title><meta name="viewport" content="width=device-width, initial-scale=1"><style>body{background:#eee;width:60vw;margin:15vh auto;font-family:system-ui,sans-serif}h1{font-size:1.5em}div{opacity:0.8}a{link,a:visited{color:#348}</style></head><body><div><h1>Example Domain</h1><p>This domain is for use in documentation examples without needing permission. Avoid use in operations.</p><p><a href="https://iana.org/domains/example">Learn more</a></p></div></body></html>
akashakash24153@cloudshell:~/myfolder$ nslookup google.com
Server:      169.254.169.254
Address:     169.254.169.254#53


Non-authoritative answer:
Name:   google.com
Address: 74.125.130.113
Name:   google.com
Address: 74.125.130.138
Name:   google.com
Address: 74.125.130.101
Name:   google.com
Address: 74.125.130.100
Name:   google.com
Address: 74.125.130.102
Name:   google.com
Address: 74.125.130.139
```

25°

Search

ENG IN

09:41 15-05-2026



Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

Search

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

PROBLEMS

OUTPUT

DEBUG CONSOLE

bash

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [Learn more](#)

Don't show again Dismiss

```
akashakash24153@cloudshell:~/myfolder$ df
Filesystem            1K-blocks    Used Available Use% Mounted on
overlay               98831908 76305788 22509736  78% /
tmpfs                  65536      0    65536   0% /dev
/dev/sdb1             98831908 76305788 22509736  78% /root
/dev/disk/by-id/google-home-part1 5018272 156324 4583472   4% /home
/dev/root             2019696 1288424 731272   64% /usr/lib/modules
shm                    65536      0    65536   0% /dev/shm
akashakash24153@cloudshell:~/myfolder$ du -h
4.0K    ./linux
12K     .
akashakash24153@cloudshell:~/myfolder$ sudo mkfs.ext4 /dev/sdb1
mkfs2fs 1.47.0 (5-Feb-2023)
/dev/sdb1 is apparently in use by the system; will not make a filesystem here!
akashakash24153@cloudshell:~/myfolder$ mount
overlay on / type overlay (rw,relatime,lowerdir=206/fs:199/fs:198/fs:196/fs:193/fs:192/fs:190/fs:189/fs:188/fs:187/fs:185/fs:184/fs:183/fs:182/fs:181/fs:180/fs:179/fs:178/fs:177/fs:176/fs:175/f
a:174/fs:173/fs:172/fs:163/fs:162/fs:161/fs:160/fs:157/fs:156/fs:155/fs:152/fs:151/fs:148/fs:146/fs:143/fs:142/fs:141/fs:140/fs:139/fs:138/fs:137/fs:136/fs:133/fs:132/fs:128/fs:126/fs:125/fs:12
3/fs:119/fs:118/fs:116/fs:114/fs:110/fs:107/fs:106/fs:105/fs:104/fs:102/fs:99/fs:97/fs:95/fs:94/fs:91/fs:90/fs:85/fs:84/fs:83/fs:82/fs:80/fs:78/fs:69/fs:68/fs:67/fs:66/fs:65/fs:64/fs:63/fs:62/f
s:6/fs,upperdir=/var/lib/containerd/io.containerd.snapshotter.v1.gcfs/snapshotter/snapshots/318/fs,workdir=/var/lib/containerd/io.containerd.snapshotter.v1.gcfs/snapshotter/snapshots/318/work)
proc on /proc type proc (rw,nosuid,nodev,noexec,relatime)
tmpfs on /dev type tmpfs (rw,nosuid,size=65536k,mode=755)
devpts on /dev/pts type devpts (rw,nosuid,noexec,relatime,gid=5,mode=620,ptmxmode=666)
mqueue on /dev/mqueue type mqueue (rw,nosuid,nodev,noexec,relatime)
sysfs on /sys type sysfs (ro,nosuid,nodev,noexec,relatime)
cgroup on /sys/fs/cgroup type cgroup2 (rw,nosuid,nodev,noexec,relatime)
/dev/sda1 on /root type ext4 (rw,relatime,commit=30)
/dev/disk/by-id/google-home-part1 on /home type ext4 (rw,noatime,journal_checksum,errors=remount-ro,data=ordered)
/dev/dm-0 on /usr/lib/modules type ext2 (ro,relatime)
/dev/sda1 on /etc/hosts type ext4 (rw,relatime,commit=30)
```

25°

Search

ENG IN

09:43 15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

PROBLEMS OUTPUT DEBUG CONSOLE

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [Learn more](#)

Don't show again Dismiss

```
/dev/disk/by-id/google-home-part1 on /home type ext4 (rw,noatime,journal_checksum,errors=remount-ro,data=ordered)
/dev/dm-0 on /usr/lib/modules type ext2 (ro,relatime)
/dev/sda1 on /etc/hosts type ext4 (rw,relatime,commit=30)
/dev/sda1 on /etc/hostname type ext4 (rw,relatime,commit=30)
/dev/sda1 on /etc/resolv.conf type ext4 (rw,relatime,commit=30)
shm on /dev/shm type tmpfs (rw,relatime,size=65536k)
/dev/sda1 on /var/config/tmux type ext4 (ro,relatime,commit=30)
/dev/sda1 on /etc/ssh/keys type ext4 (rw,relatime,commit=30)
/dev/sda1 on /var/lib/docker type ext4 (rw,relatime,commit=30)
/dev/sda1 on /run/google/devshell type ext4 (rw,relatime,commit=30)
none on /sys/kernel/security type securityfs (rw,relatime)
akashakash24153@cloudshell:~/myfolder$ sudo mount /dev/sdb1
mount: /dev/sdb1: can't find in /etc/fstab.
akashakash24153@cloudshell:~/myfolder$ sudo bikid
sudo: bikid: command not found
akashakash24153@cloudshell:~/myfolder$ sudo blkid
/dev/sdb1: UUID="b9f0e455-8c03-483b-a0d6-629a47561fb9" BLOCK_SIZE="4096" TYPE="ext4" PARTUUID="5245a676-01"
/dev/dm-0: LABEL="ROOT-A" SEC TYPE="ext2" BLOCK_SIZE="4096" TYPE="ext4"
/dev/sda4: PARTLABEL="KERN-B" PARTUUID="76f23ba4-cdd3-1143-91d2-9a5f7372c111"
/dev/sda2: PARTLABEL="KERN-A" PARTUUID="2762baa5-16a2-5944-b00a-f19370ca3be5"
/dev/sda12: SEC TYPE="msdos" LABEL="PATROOT="EFI-SYSTEM" LABEL="EFI-SYSTEM" UUID="78E5-F6D0" BLOCK_SIZE="512" TYPE="vfat" PARTLABEL="EFI-SYSTEM" PARTUUID="1b9d2508-4204-1a41-81b8-2ddc3bf9b40"
/dev/sda9: PARTLABEL="reserved" PARTUUID="9634bb25-70d7-1a45-8b09-3648a7de5fe8"
/dev/sda10: PARTLABEL="reserved" PARTUUID="9f5dc8da-5cc5-f44e-8289-f69f69e82b1d"
/dev/sda7: PARTLABEL="ROOT-C" PARTUUID="9bf2b5b6-84ac-a94a-b087-360efbfff48b7"
/dev/sda5: PARTLABEL="ROOT-B" PARTUUID="969395aa-4a21-b54f-a5ae-3d373a0d8005"
/dev/sda3: LABEL="ROOT-A" SEC TYPE="ext2" BLOCK_SIZE="4096" TYPE="ext4" PARTLABEL="ROOT-A" PARTUUID="cald3ffc-74bb-3a4c-872a-8923bf79698a"
/dev/sda1: LABEL="STATE" UUID="912dbcb2-9534-4465-baa2-481409599ab8" BLOCK_SIZE="4096" TYPE="ext4" PARTLABEL="STATE" PARTUUID="3154d2f0-8b5c-4447-a5e0-0c5002398a44"
/dev/sda11: PARTLABEL="RWFW" PARTUUID="bfed8244-2507-ec48-adfc-b7aa9c3bbbae"
/dev/sda8: LABEL="OEM" UUID="7c475393-34ab-4c9b-aabb-a9cea72447d4" BLOCK_SIZE="4096" TYPE="ext4" PARTLABEL="OEM" PARTUUID="d2d9c06d-32cf-1b49-a5e8-e9c15ebb7dc5"
```

25° Search

ENG IN 09:43 15-05-2026

Cloud Shell

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

- NO FOLDER OPENED
- OUTLINE
- TERMINAL

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

NAME MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS

sda	8:0	0	100G	0	disk	
-sda1	8:1	0	95.8G	0	part	/run/google/devshell
						/var/lib/docker
						/etc/ssh/keys
						/var/config/tmux
						/etc/resolv.conf
						/etc/hostname
						/etc/hosts
						/root
-sda2	8:2	0	16M	0	part	
-sda3	8:3	0	2G	0	part	
-sda4	8:4	0	16M	0	part	
-sda5	8:5	0	2G	0	part	
-sda6	8:6	0	512B	0	part	
-sda7	8:7	0	512B	0	part	
-sda8	8:8	0	16M	0	part	
-sda9	8:9	0	512B	0	part	
-sda10	8:10	0	512B	0	part	
-sda11	8:11	0	8M	0	part	
-sda12	8:12	0	32M	0	part	
sdb	8:16	0	5G	0	disk	
-sdb1	8:17	0	5G	0	part	/home

akashakash24153@cloudshell:~/myfolder\$ sudo tune2fs -l /dev/sda1

tune2fs 1.47.0 (5-Feb-2023)

Filesystem volume name: STATE

Last mounted on: /var

Filesystem UUID: 9f2d0cb8-9534-4465-bea2-481409599ab8

Filesystem magic number: 0xEF53

25° Search

ENG IN 09:43 15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

bash

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Free blocks: 5636223
Free inodes: 4791636
First block: 0
Block size: 4096
Fragment size: 4096
Group descriptor size: 64
Reserved GDT blocks: 609
Blocks per group: 32768
Fragments per group: 32768
Inodes per group: 8160
Inode blocks per group: 510
Flex block group size: 16
Filesystem created: Fri May 8 10:15:28 2026
Last mount time: Fri May 15 03:36:22 2026
Last write time: Fri May 15 03:36:22 2026
Mount count: 6
Maximum mount count: -1
Last checked: Thu Nov 19 11:00:00 2009
Check interval: 0 (<none>)
Lifetime writes: 77 GB
Reserved blocks uid: 0 (user root)
Reserved blocks gid: 0 (group root)
First inode: 11
Inode size: 256
Required extra isize: 32
Desired extra isize: 32
Journal inode: 8
Default directory hash: half_md4
Directory Hash Seed: 239222de-2248-4ca5-8d76-167546212650

25° Search

ENG IN 09:44 15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

bash

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Tasks: 38 total, 1 running, 37 sleeping, 0 stopped, 0 zombie
%Cpu(s): 28.6 us, 23.8 sy, 0.0 ni, 42.9 id, 0.0 wa, 0.0 hi, 0.0 si, 4.8 st
MiB Mem : 7947.4 total, 4606.4 free, 2188.1 used, 1393.3 buff/cache
MiB Swap: 0.0 total, 0.0 free, 0.0 used, 5759.3 avail Mem

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
1	root	20	0	4324	3424	3140	S	0.0	0.0	0:00.08	bash
9	syslog	20	0	222140	3892	2532	S	0.0	0.0	0:00.04	rsyslogd
25	root	20	0	38768	27716	10608	S	0.0	0.3	0:00.99	python
26	root	20	0	6196	2668	2428	S	0.0	0.0	0:00.00	logger
67	root	10	-10	12024	4016	2904	S	0.0	0.0	0:00.02	sshd
349	root	20	0	2021836	80028	56768	S	0.0	1.0	0:00.73	dockerd
423	root	20	0	1234268	12344	8269	S	0.0	0.2	0:00.81	editor-proxy
425	root	20	0	16328	6456	5532	S	0.0	0.1	0:00.02	sudo
448	root	20	0	1226100	2684	1976	S	0.0	0.0	0:00.00	tmux-agent
456	root	20	0	1793224	45460	31948	S	0.0	0.6	0:02.96	containerd
652	root	20	0	2696	1536	1440	S	0.0	0.0	0:00.00	sleep
666	akashak+	10	-10	7808	3520	2248	S	0.0	0.0	0:00.29	tmux
667	akashak+	10	-10	8912	5920	4040	S	0.0	0.1	0:00.14	bash
691	root	20	0	9196	4096	3720	S	0.0	0.1	0:00.00	runuser
704	akashak+	20	0	4324	3272	3008	S	0.0	0.0	0:00.01	sh
727	akashak+	20	0	11.3g	149572	51128	S	0.0	1.8	0:08.59	node
1514	akashak+	20	0	1136400	78404	48340	S	0.0	1.0	0:03.74	node
1567	akashak+	20	0	8924	5928	3924	S	0.0	0.1	0:00.03	bash
2016	akashak+	10	-10	8796	5804	3936	S	0.0	0.1	0:00.05	bash
2401	akashak+	10	-10	8796	5832	3956	S	0.0	0.1	0:00.09	bash
2772	root	10	-10	13996	9728	8348	S	0.0	0.1	0:00.02	sshd
2776	akashak+	10	-10	14256	6368	4708	S	0.0	0.1	0:00.00	sshd

akashakash24153@cloudshell:~/myfolder\$

25° Search

ENG IN 09:44 15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

bash

You can view your projects by running 'gcloud projects list'.
akashakash24153@cloudshell:~\$ folder

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

0.0% Tasks: 38, 103 lib, 0 klib, 1 running
0.0% Load average: 0.04 0.08 0.08
1.91G/7.76G Uptime: 00:38:21
0K/0M

PID	USER	PPID	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	COMMAND
3895	sshd	10	-10	3432	4532	1752	R	133.3	0.1	0:00.01	httpd
1	root	20	0	4324	3424	3140	S	0.0	0.0	0:00.07	/bin/bash /google/scripts/onrun.sh sleep infinity
9	syslog	20	0	216M	3892	2532	S	0.0	0.0	0:00.00	/usr/sbin/rsyslogd
10	syslog	20	0	216M	3892	2532	S	0.0	0.0	0:00.01	/usr/sbin/rsyslogd
11	syslog	20	0	216M	3892	2532	S	0.0	0.0	0:00.00	/usr/sbin/rsyslogd
12	syslog	20	0	216M	3892	2532	S	0.0	0.0	0:00.01	/usr/sbin/rsyslogd
25	root	20	0	38768	27716	10608	S	0.0	0.3	0:01.00	/usr/bin/python /usr/bin/supervisord -n -c /google/devshell/supervisord.conf --pidfile=/var/run/supervisor.pid --logfile=/var/
26	root	20	0	8196	2668	2428	S	0.0	0.0	0:00.00	logger -t supervisord
67	root	10	-10	12024	4016	2904	S	0.0	0.0	0:00.02	sshd: /usr/sbin/sshd -p 22 -c AuthorizedKeysFile=/etc/ssh/keys/authorized_keys [listener] 0 of 10-60 startups
349	root	20	0	1974M	80028	56768	S	0.0	1.0	0:00.25	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
393	root	20	0	1974M	80028	56768	S	0.0	1.0	0:00.09	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
394	root	20	0	1974M	80028	56768	S	0.0	1.0	0:00.00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
395	root	20	0	1974M	80028	56768	S	0.0	1.0	0:00.00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
396	root	20	0	1974M	80028	56768	S	0.0	1.0	0:00.00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
413	root	20	0	1974M	80028	56768	S	0.0	1.0	0:00.01	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
423	root	20	0	1205M	12344	8260	S	0.0	0.2	0:00.27	/google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
425	root	20	0	16328	4456	3532	S	0.0	0.1	0:00.02	sudo /google/devshell/tmux-agent
433	root	20	0	1205M	12344	8260	S	0.0	0.2	0:00.15	/google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
434	root	20	0	1205M	12344	8260	S	0.0	0.2	0:00.00	/google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
435	root	20	0	1205M	12344	8260	S	0.0	0.2	0:00.14	/google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content

F1 Help F2 Setup F3 Search F4 Filter F5 Tree F6 PortBox F7 View F8 Nice F9 Kill P10 Quit

25° Search ENG IN 09:44 15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

```
423 root      20    0 1234268 12344 8260 s 0.0 0.2 0:00.81 editor-proxy
425 root      20    0 16328 6456 5532 s 0.0 0.1 0:00.02 sudo
448 root      20    0 1226100 2684 1976 s 0.0 0.0 0:00.00 tmux-agent
456 root      20    0 1793224 45460 31948 s 0.0 0.6 0:02.96 containerd
652 root      20    0 2696 1536 1440 s 0.0 0.0 0:00.00 sleep
666 akashak+  10  -10 7808 3520 2248 s 0.0 0.0 0:00.29 tmux
667 akashak+  10  -10 8912 5920 4040 s 0.0 0.1 0:00.14 bash
691 root      20    0 9196 4096 3720 s 0.0 0.1 0:00.00 runuser
704 akashak+  20    0 4324 3272 3008 s 0.0 0.0 0:00.01 sh
727 akashak+  20    0 11.3g 149572 51128 s 0.0 1.8 0:08.59 node
1514 akashak+ 20    0 1136400 78404 48340 s 0.0 1.0 0:03.74 node
1567 akashak+ 20    0 8924 5928 3924 s 0.0 0.1 0:00.03 bash
2016 akashak+ 10  -10 8796 5804 3936 s 0.0 0.1 0:00.05 bash
2401 akashak+ 10  -10 8796 5832 3956 s 0.0 0.1 0:00.09 bash
2772 root      10  -10 13996 9728 8348 s 0.0 0.1 0:00.02 sshd
2776 akashak+ 10  -10 14256 6368 4708 s 0.0 0.1 0:00.00 sshd
akashakash24153@cloudshell:~/myfolder$ htop
akashakash24153@cloudshell:~/myfolder$ htop
akashakash24153@cloudshell:~/myfolder$ vmstat
procs-----memory-----swap-----io-----system-----cpu-----
 r b swpd free buff cache si so bi bo in cs us sy id wa st gu
1 0 0 4708704 78240 1349412 0 0 748 110 802 6 5 2 93 0 0 0
akashakash24153@cloudshell:~/myfolder$ free
total        used        free      shared  buff/cache   available
Mem:      8138096      2248124      4708704        1148       1427692       5889972
Swap:              0              0
akashakash24153@cloudshell:~/myfolder$ uptime
04:15:00 up 38 min, 0 user, load average: 0.06, 0.06, 0.09
akashakash24153@cloudshell:~/myfolder$
```

25° Search

ENG IN 09:45 15-05-2026

Cloud Shell

Ask Gemini

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

```
727 akashak+ 20 0 11.3g 149572 51128 s 0.0 1.8 0:08.59 node
1514 akashak+ 20 0 1136400 78404 48340 s 0.0 1.0 0:03.74 node
1567 akashak+ 20 0 8924 5928 3924 s 0.0 0.1 0:00.03 bash
2016 akashak+ 10 -10 8796 5804 3936 s 0.0 0.1 0:00.05 bash
2401 akashak+ 10 -10 8796 5832 3956 s 0.0 0.1 0:00.09 bash
2772 root 10 -10 13996 9728 8318 s 0.0 0.1 0:00.02 sshd
2776 akashak+ 10 -10 14256 6368 4708 s 0.0 0.1 0:00.00 sshd

akashakash24153@cloudshell:~/myfolder$ htop
akashakash24153@cloudshell:~/myfolder$ htop
akashakash24153@cloudshell:~/myfolder$ vmstat
procs-----memory-----swap-----io-----system-----cpu-----
 r b swpd free buff cache si so bi bo in cs us sy id wa st gu
 1 0 0 4708704 78240 1349412 0 0 748 110 802 6 5 2 93 0 0 0
akashakash24153@cloudshell:~/myfolder$ free
total used free shared buff/cache available
Mem: 8138096 2248124 4708704 1148 1427692 5889972
Swap: 0 0 0
akashakash24153@cloudshell:~/myfolder$ uptime
04:15:00 up 38 min, 0 user, load average: 0.09, 0.09, 0.09
akashakash24153@cloudshell:~/myfolder$ sudo useradd akash
akashakash24153@cloudshell:~/myfolder$ ls
demo.py file.txt linux main test.py
akashakash24153@cloudshell:~/myfolder$ sudo userdel akash
akashakash24153@cloudshell:~/myfolder$ groups
akashakash24153 adm sudo docker
akashakash24153@cloudshell:~/myfolder$ sudo groupadd developers
akashakash24153@cloudshell:~/myfolder$ ls
demo.py file.txt linux main test.py
akashakash24153@cloudshell:~/myfolder$
```

25° Search

ENG IN 09:46 15-05-2026

Cloud Shell

shell.cloud.google.com/?show=ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

NO FOLDER OPENED

OUTLINE

TERMINAL

You can view your projects by running 'gcloud projects list'.

akashakash24153@cloudshell:~\$ folder

cloudshell

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

demo.py file.txt linux main test.py

```
akashakash24153@cloudshell:~/myfolder$ sudo userdel akash
akashakash24153@cloudshell:~/myfolder$ groups
akashakash24153 adm sudo docker
akashakash24153@cloudshell:~/myfolder$ sudo groupadd developers
akashakash24153@cloudshell:~/myfolder$ ls
demo.py file.txt linux main test.py
akashakash24153@cloudshell:~/myfolder$ bzip2 file.txt
bzip2: I/O or other error, bailing out. Possible reason follows.
bzip2: Operation not permitted
Input file = file.txt, output file = file.txt.bz2
akashakash24153@cloudshell:~/myfolder$ bunzip2 file.txt.bz2
bunzip2: Output file file.txt already exists.
akashakash24153@cloudshell:~/myfolder$ tar -cvf archive.tar folder/
tar: folder: Cannot stat: No such file or directory
tar: Exiting with failure status due to previous errors
akashakash24153@cloudshell:~/myfolder$ tar -xvzf archive.tar.gz
tar (child): archive.tar.gz: Cannot open: No such file or directory
tar (child): Error is not recoverable: exiting now
tar: Child returned status 2
tar: Error is not recoverable: exiting now
akashakash24153@cloudshell:~/myfolder$ zip archive.zip file.txt
-bash: zip.archive.zip.file.txt: command not found
akashakash24153@cloudshell:~/myfolder$ unzip archive.zip
unzip: cannot find or open archive.zip, archive.zip.zip or archive.zip.3TP.
akashakash24153@cloudshell:~/myfolder$ lzma file.txt
lzma: file.txt: Cannot remove: Operation not permitted
akashakash24153@cloudshell:~/myfolder$
```

25° Search

ENG IN 09:48 15-05-2026