



# GIT AND GITHUB TASK-1

COGNIZANCE



NAME:  
AKASHVARMA.M  
BRANCH:  
CSE AIE



```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 ~  
$ cd c:  
  
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c  
$ mkdir cognizance  
  
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c  
$ cd cognizance  
  
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance  
$ touch Task-1  
  
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance  
$ cd Task-1  
  
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1  
$ touch tfile.txt  
  
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1  
$ git status  
fatal: not a git repository (or any of the parent directories): .git  
  
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1  
$ git init  
Initialized empty Git repository in C:/cognizance/Task-1/.git/  
  
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)  
$ git status  
On branch master  
  
No commits yet  
  
Untracked files:  
  (use "git add <file>..." to include in what will be committed)  
    tfile.txt  
  
nothing added to commit but untracked files present (use "git add" to track)  
  
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)  
$ git add .
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git config --global user.email "akashvarmam2303@gmail.com"
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git config --global user.name "Akashvarma-M"
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
```

```
$ git commit
```

```
hint: Waiting for your editor to close the file... unix2dos: converting file C:/cognizance/Task-1/.git/COMMIT_EDITMSG to DOS format...
```

```
dos2unix: converting file C:/cognizance/Task-1/.git/COMMIT_EDITMSG to Unix format...
```

```
[master (root-commit) 37fdeca] first commit
```

```
1 file changed, 4 insertions(+)
```

```
create mode 100644 tfile.txt
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
```

```
$ git branch prein
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
```

```
$ git remote add origin https://github.com/Akashvarma-M/cognizance.git
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
```

```
$ git push origin master
```

```
Enumerating objects: 3, done.
```

```
Counting objects: 100% (3/3), done.
```

```
Writing objects: 100% (3/3), 245 bytes | 81.00 KiB/s, done.
```

```
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
```

```
To https://github.com/Akashvarma-M/cognizance.git
```

```
* [new branch]      master -> master
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
```

```
$ git checkout prein
```

```
Switched to branch 'prein'
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (prein)
$ git clone https://github.com/yasha702/cognizance
Cloning into 'cognizance'...
remote: Enumerating objects: 44, done.
remote: Counting objects: 100% (44/44), done.
remote: Compressing objects: 100% (28/28), done.
remote: Total 44 (delta 11), reused 18 (delta 0), pack-reused 0
Receiving objects: 100% (44/44), 5.69 KiB | 529.00 KiB/s, done.
Resolving deltas: 100% (11/11), done.
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (prein)
$ git checkout -b proin
Switched to a new branch 'proin'
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
$ git checkout master
Switched to branch 'master'
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git push origin master
Everything up-to-date
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git checkout prein
Switched to branch 'prein'
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (prein)
$ git status
On branch prein
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  cognizance/
```

```
nothing added to commit but untracked files present (use "git add" to track)
```



```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (prein)
$ git commit -a "branch commit"
fatal: paths 'branch commit ...' with -a does not make sense

nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (prein)
$ git add .
warning: adding embedded git repository: cognizance
hint: You've added another git repository inside your current repository.
hint: Clones of the outer repository will not contain the contents of
hint: the embedded repository and will not know how to obtain it.
hint: If you meant to add a submodule, use:
hint:
hint:   git submodule add <url> cognizance
hint:
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:
hint:   git rm --cached cognizance
hint:
hint: See "git help submodule" for more information.

nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (prein)
$ git status
On branch prein
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   cognizance

nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (prein)
$ git commit -m "branch commit"
[prein c075252] branch commit
1 file changed, 1 insertion(+)
create mode 160000 cognizance
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (prein)
$ git push origin prein
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 273 bytes | 136.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'prein' on GitHub by visiting:
remote:   https://github.com/Akashvarma-M/cognizance/pull/new/prein
remote:
To https://github.com/Akashvarma-M/cognizance.git
 * [new branch]      prein -> prein
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git fetch
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 707 bytes | 13.00 KiB/s, done.
From https://github.com/Akashvarma-M/cognizance
 c075252..a96d6b2  prein      -> origin/prein
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git checkout proin
Switched to branch 'proin'
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
$ get init
bash: get: command not found
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
$ git init
Reinitialized existing Git repository in C:/cognizance/Task-1/.git/
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
$ git status
On branch proin
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    cognizance/
    main.txt
    tsk.txt
```

nothing added to commit but untracked files present (use "git add" to track)

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
$ git add tsk.txt
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
$ git status
On branch proin
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   tsk.txt
```

```
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    cognizance/
    main.txt
```



```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
```

```
$ git commit -m "merge commit"
```

```
[proin 29e5a13] merge commit
```

```
1 file changed, 1 insertion(+)
```

```
create mode 100644 tsk.txt
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
```

```
$ git push origin proin
```

```
Enumerating objects: 4, done.
```

```
Counting objects: 100% (4/4), done.
```

```
Delta compression using up to 4 threads
```

```
Compressing objects: 100% (2/2), done.
```

```
Writing objects: 100% (3/3), 298 bytes | 149.00 KiB/s, done.
```

```
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
```

```
remote:
```

```
remote: Create a pull request for 'proin' on GitHub by visiting:
```

```
remote:      https://github.com/Akashvarma-M/cognizance/pull/new/proin
```

```
remote:
```

```
To https://github.com/Akashvarma-M/cognizance.git
```

```
* [new branch]      proin -> proin
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
```

```
$ git remote add origin https://github.com/Akashvarma-M/cognizance.git
```

```
error: remote origin already exists.
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
```

```
$ git checkout master
```

```
Switched to branch 'master'
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
```

```
$ git merge proin
```

```
Updating 37fdeca..29e5a13
```

```
Fast-forward
```

```
tsk.txt | 1 +
```

```
1 file changed, 1 insertion(+)
```

```
create mode 100644 tsk.txt
```



```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git add main.txt
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ ls
cognizance/  main.txt  tfile.txt  tsk.txt
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   main.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    cognizance/
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git ls-files
main.txt
tfile.txt
tsk.txt
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git reset main.txt
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ ls
cognizance/  main.txt  tfile.txt  tsk.txt
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
$ git ls-files
tfile.txt
tsk.txt
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (proin)
$ git pull https://github.com/Keerthana1208/Cognizance.git
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 11 (delta 0), reused 4 (delta 0), pack-reused 0
Unpacking objects: 100% (11/11), 726.48 KiB | 1013.00 KiB/s, done.
From https://github.com/Keerthana1208/Cognizance
 * branch            HEAD       -> FETCH_HEAD
fatal: refusing to merge unrelated histories
```

```
nmura_aj5b5a@DESKTOP-6109ALH MINGW64 /c/cognizance/Task-1 (master)
```

```
$ git config --list --show-origin
```

```
file:C:/Program Files/Git/etc/gitconfig diff.astextplain.textconv=astextplain
file:C:/Program Files/Git/etc/gitconfig filter.lfs.clean=git-lfs clean -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:C:/Program Files/Git/etc/gitconfig filter.lfs.process=git-lfs filter-process
file:C:/Program Files/Git/etc/gitconfig filter.lfs.required=true
file:C:/Program Files/Git/etc/gitconfig http.sslbackend=openssl
file:C:/Program Files/Git/etc/gitconfig http.sslcainfo=C:/Program Files/Git/mingw64/ssl
/certs/ca-bundle.crt
file:C:/Program Files/Git/etc/gitconfig core.autocrlf=true
file:C:/Program Files/Git/etc/gitconfig core.fscache=true
file:C:/Program Files/Git/etc/gitconfig core.symlinks=false
file:C:/Program Files/Git/etc/gitconfig core.editor=notepad
file:C:/Program Files/Git/etc/gitconfig pull.rebase=false
file:C:/Program Files/Git/etc/gitconfig credential.helper=manager-core
file:C:/Program Files/Git/etc/gitconfig credential.https://dev.azure.com.usehttppath=true
file:C:/Program Files/Git/etc/gitconfig init.defaultbranch=master
file:C:/Users/nmura_aj5b5a/.gitconfig user.name=Akashvarma-M
file:C:/Users/nmura_aj5b5a/.gitconfig user.email=akashvarmam2303@gmail.com
file:./git/config core.repositoryformatversion=0
file:./git/config core.filemode=false
file:./git/config core.bare=false
file:./git/config core.logallrefupdates=true
file:./git/config core.symlinks=false
file:./git/config core.ignorecase=true
file:./git/config remote.origin.url=https://github.com/Akashvarma-M/cognizance.git
file:./git/config remote.origin.fetch=+refs/heads/*:refs/remotes/origin/*
```