```sql
CREATE VIEW department_view AS
SELECT Dept_name, Dept_id
FROM department;
```

Output

Action Output

#	Time	Action
6	10:34:36	Alter table EMPLOYEE ADD FOREIGN key
7	10:34:46	CREATE DATABASE Company_db
8	10:36:23	insert into department (Dept_id,Dept_name)
9	10:36:23	insert into department (Dept_id,Dept_name)
10	10:36:23	insert into department (Dept_id,Dept_name)
11	10:36:23	insert into department (Dept_id,Dept_name)
12	10:36:54	CREATE VIEW department_view AS SELE
13	10:37:20	CREATE VIEW department_view AS SELE
14	10:37:28	CREATE VIEW department_view AS SELE

```sql
CREATE VIEW department_view AS
SELECT Dept_name, Dept_id
FROM department;

SELECT * FROM department_view;
```

Result Grid | Filter Rows:

Dept_name	Dept_id
CS	1
IT	2
ECS	3
AIDS	4

```sql
CREATE VIEW high_salary_employees AS
SELECT name, salary
FROM employees
WHERE salary > 40000;


SELECT * FROM high_salary_employees;
```

Result Grid | Filter Rows: | Export

name	salary
GUDDU	45000
YAtin	42000
devendras	47000
party	41000

```sql
CREATE VIEW salary_increment AS
SELECT name, salary, salary + 5000 AS new_salary
FROM employees;

SELECT * FROM salary_increment;
```

Result Grid | Filter Rows: | Export: | Wrap Cell

name	salary	new_salary
Akash	40000	45000
ganesh	35000	40000
GUDDU	45000	50000
YAtin	42000	47000
HEIREN	38000	43000
Fullchand	36000	41000
devendras	47000	52000
party	41000	46000
Vikas	39000	44000
Jiva	37000	42000

```sql
CREATE VIEW employee_salary_view AS
SELECT name, salary
FROM employees
ORDER BY salary DESC;

SELECT * FROM employee_salary_view;
```

Result Grid | Filter Rows: | Export

name	salary
devendras	47000
GUDDU	45000
YAtin	42000
party	41000
Akash	40000
Vikas	39000
HEIREN	38000
Jiva	37000
Fullchand	36000
ganesh	35000

```sql
SELECT e.emp_id, e.name, d.dept_name, e.salary
FROM employees e
JOIN departments d
ON e.dept_id = d.dept_id;

SELECT * FROM employee_department_view ;
```

Result Grid | Filter Rows: | Export: | Wrap

emp_id	name	dept_name	salary
1	Akash	IT	40000
2	ganesh	HR	35000
3	GUDDU	Finance	45000
4	YAtin	IT	42000
5	HEIREN	Marketing	38000
6	Fullchand	HR	36000
7	devendras	Finance	47000
8	party	IT	41000
9	Vikas	Marketing	39000
10	Jiva	HR	37000

```sql
CREATE VIEW full_employee_view AS
SELECT e.name, d.dept_name, p.project_name, e.salary
FROM employees e
JOIN departments d ON e.dept_id = d.dept_id
JOIN projects p ON e.emp_id = p.emp_id;

SELECT * FROM  full_employee_view ;
```

sult Grid | Filter Rows: | Export: | Wrap Cell Cont

name	dept_name	project_name	salary
Akash	IT	Website Development	40000
ganesh	HR	Mobile App	35000
GUDDU	Finance	Database Design	45000
YAtin	IT	HR Management System	42000
HEIREN	Marketing	Marketing Campaign	38000
Fullchand	HR	Payroll System	36000
devendras	Finance	Financial Analysis	47000
party	IT	Inventory System	41000
Vikas	Marketing	Customer Portal	39000
Jiva	HR	Sales Dashboard	37000

```sql
CREATE VIEW high_salary_view AS
SELECT e.name, d.dept_name, e.salary
FROM employees e
JOIN departments d ON e.dept_id = d.dept_id
WHERE e.salary > 40000;

SELECT * FROM high_salary_view;
SET SQL_SAFE_UPDATES = 0;
```

Result Grid | Filter Rows: | Export: | Wrap C

name	dept_name	salary
GUDDU	Finance	45000
YAtin	IT	42000
devendras	Finance	47000
party	IT	41000

```sql
UPDATE full_employee_view
SET dept_name = 'IT'
WHERE name = 'Mohmamd alii';

Select * From full_employee_view ;
```

Result Grid | Filter Rows: | Export:

name	dept_name	project_name	salary
Akash	IT	Website Development	40000
ganesh	HR	Mobile App	35000
GUDDU	Finance	Database Design	45000
YAtin	IT	HR Management System	42000
HEIREN	Marketing	Marketing Campaign	38000
Fullchand	HR	Payroll System	36000
devendras	Finance	Financial Analysis	47000
party	IT	Inventory System	41000
Vikas	Marketing	Customer Portal	39000
Jiva	HR	Sales Dashboard	37000

ull_employee_view 8

```sql
CREATE TRIGGER before_insert_salary
BEFORE INSERT
ON employees
FOR EACH ROW
BEGIN
IF NEW.salary < 30000 THEN
SET NEW.salary = 30000;
END IF;
END //
```

ult Grid | Filter Rows: | Edit:

emp_id	name	dept_id	salary
4	YAtin	101	42000
5	HEIREN	104	38000
6	Fullchand	102	36000
7	devendras	103	47000
8	party	101	41000
9	Vikas	104	39000
10	Jiva	102	37000
11	Gyan gam...	101	30000

```
DELIMITER ;
INSERT INTO employees VALUES
(11,'Gyan gaming',101,20000);

Select * from employees;
```

esult Grid | Filter Rows:

emp_id	name	dept_id	salary
4	YAtin	101	42000
5	HEIREN	104	38000
6	Fullchand	102	36000
7	devendras	103	47000
8	party	101	41000
9	Vikas	104	39000
10	Jiva	102	37000
11	Gyan gam...	101	30000

```
CREATE TRIGGER after_employee_insert
AFTER INSERT
ON employees
FOR EACH ROW
BEGIN
INSERT INTO emp_log(emp_id, message)
VALUES(NEW.emp_id, 'New employee inserted');
END //

DELIMITER ;
```

```

INSERT INTO employees VALUES
(12,'Sneha',102,35000);

SELECT * FROM emp_log;
```

Result Grid | Filter Rows:

log_id	emp_id	message
1	12	New employee inserted
NULL	NULL	NULL

```

CREATE TRIGGER before_update_salary
BEFORE UPDATE
ON employees
FOR EACH ROW
BEGIN
IF NEW.salary < OLD.salary THEN
SET NEW.salary = OLD.salary;
END IF;
END //
```

```
UPDATE employees
SET salary = 20000
WHERE emp_id = 1;
SELECT * FROM employees;
```

Result Grid | Filter Rows:

emp_id	name	dept_id	salary
1	Akash	101	20000
2	ganesh	102	35000
3	GUDDU	103	45000
4	YAtin	101	42000
5	HEIREN	104	38000
6	Fullchand	102	36000
7	devendras	103	47000
8	party	101	41000

```
UPDATE employees
SET salary = 90000
WHERE emp_id = 5;
SELECT * FROM employees;
```

Result Grid | Filter Rows:

emp_id	name	dept_id	salary
5	HEIREN	104	90000
6	Fullchand	102	36000
7	devendras	103	47000
8	party	101	41000
9	Vikas	104	39000
10	Jiva	102	37000
11	Gyan gam...	101	30000
12	Sneha	102	35000
15	Rahul	101	20000
NULL	NULL	NULL	NULL

```
UPDATE employees
SET salary = 48000
WHERE emp_id = 1;

SELECT * FROM update_log;
```

sult Grid | Filter Rows: | Edit:

log_id	emp_id	old_salary	new_salary	message
1	1	48000	48000	Employee salary updated
NULL	NULL	NULL	NULL	NULL

```
208 • UPDATE employees
209   SET salary = 87000
210   WHERE emp_id = 11;
211
212 • SELECT * FROM update_log;
213
214
```

Result Grid | Filter Rows: | Edit:

log_id	emp_id	old_salary	new_salary	message
1	1	48000	48000	Employee salary updated
2	11	30000	87000	Employee salary updated
NULL	NULL	NULL	NULL	NULL

```
35 • DELETE FROM employees
36   WHERE emp_id = 2;
37
38 • SELECT * FROM employee_backup;
39
```

esult Grid | Filter Rows:

emp_id	name	dept_id	salary
2	ganesh	102	35000

```
DELETE FROM employees
WHERE emp_id = 8;
```

```
258
259 • SHOW TRIGGERS;
260
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Trigger	Event	Table	Statement	Timing	Created	sql_mode	Define
before_insert_salary	INSERT	employees	BEGIN IF NEW.salary < 30000 THEN SET NEW....	BEFORE	2026-03-10 11:34:01.88	ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE...	root@lc
after_employee_insert	INSERT	employees	BEGIN INSERT INTO emp_log(emp_id, message...	AFTER	2026-03-10 11:44:00.37	ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE...	root@lc
after_employee_update	UPDATE	employees	BEGIN INSERT INTO update_log(emp_id, old_sa...	AFTER	2026-03-10 11:48:27.91	ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE...	root@lc
before_employee_delete	DELETE	employees	BEGIN IF OLD.salary > 45000 THEN SIGNAL SQ...	BEFORE	2026-03-10 11:50:35.91	ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE...	root@lc
after_employee_delete	DELETE	employees	BEGIN INSERT INTO employee_backup(emp_id,...	AFTER	2026-03-10 11:49:53.31	ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE...	root@lc

toggle