

RADIOLOGY EXAMINATION REPORT



Patient Name : Nawal Hosni Mohamed Ali Ahmed
MRN : 10827382 Age/Sex : 32Y/F
Requested By : Dr. Omnia Ashraf Lofty Procedure Date : 20-06-2026 15:42:34
Mohammed Mosalam
Facility : MEDCARE HOSPITAL

Thyroid Ultrasonography

Clinical Findings: Check-up

Findings:

- The thyroid gland is showing a diffuse homogenous parenchymal echo pattern. It measures:

-Isthmus 0.23 cm

-Right lobe 1.6 x 1.5 x 3.4 cm with a volume of 3.7 cc.

-Left lobe 1.5 x 1.4 x 3.7 cm with a volume of 3.9 cc.

Lower pole: shows a solid well-defined hypoechoic nodule measuring 0.7 x 0.8 x 0.7 cm with a punctate microcalcifications. Minimal peripheral vascularity detected on Doppler. **TIRADS 5**

- No cystic changes could be detected.
- Color Doppler interrogation of the examined thyroid parenchyma revealed normal vascularity.
- No evidence of tracheal deviation.
- No evidence of retrosternal extension.
- Normal sonographic appearance of submandibular and parotid glands.
- Bilateral periauricular and submandibular cervical lymphadenopathy with preserved fatty hilum.

Impression:

-Left lower pole solitary thyroid nodule **TIRADS 5** for clinical and laboratory correlation.

-Bilateral non-pathological cervical lymphadenopathy with preserved fatty hilum.

Sonographic TIRADS (ACR) classification is as follows:

TIRADS 1 – normal thyroid gland

TIRADS 2 – benign lesions

TIRADS 3 – mildly suspicious (FNA if ≥ 2.5 cm, Follow up if ≥ 1.5 cm).



TIRADS 4 – moderately suspicious (FNA if $\geq 1.5\text{cm}$, Follow up if $\geq 1\text{cm}$).
TIRADS 5 – highly suspicious (FNA if $\geq 1\text{ cm}$, Follow up if $\geq 0.5\text{ cm}$).

*****End of Report*****

<i>* This is a digitally signed valid document</i>		Signature	Date / Time
Digitally validated and reported by	Dr. Eman Abdelwahed	<i>Eman Abdelwahed</i>	20-06-2026
Transcribed By	#TRANSCRI#	-	-

Page 1 of 1

