



# **Appl Containerization and Orchestration Lab**

## **Experiment 2**

**AIM : Working with Docker (Basic Commands)**

**Submitted by-**

**Akhand Pratap Singh**

**Submitted to:**

**Mr. Hitesh Kumar Sharma**

## Steps to Complete :

### 1. Search a redis image on Dockerhub

Command : **docker search redis**

```
alpha@Akhands-MacBook-Pro ~ % docker search redis
```

NAME	DESCRIPTION	STARS	OFFICIAL	AUTOMATED
redis	Redis is an open source key-value store that...	11263	[OK]	
bitnami/redis	Bitnami Redis Docker Image	229		[OK]
bitnami/redis-sentinel	Bitnami Docker Image for Redis Sentinel	39		[OK]
bitnami/redis-cluster		34		
rapidfort/redis	RapidFort optimized, hardened image for Redi...	15		
rapidfort/redis-cluster	RapidFort optimized, hardened image for Redi...	15		
circleci/redis	CircleCI images for Redis	14		[OK]
redis/redis-stack	redis-stack installs a Redis server with add...	11		
ubuntu/redis	Redis, an open source key-value store. Long...	11		
bitnami/redis-exporter		9		
redis/redis-stack-server	redis-stack-server installs a Redis server w...	9		
clearlinux/redis	Redis key-value data structure server with t...	4		
ibmcom/redis-ha		1		
bitnami/redis-sentinel-exporter		1		
ibmcom/ibm-cloud-databases-redis-operator	Container image for the IBM Operator for Red...	1		
vmware/redis-photon		0		
greenbone/redis-server	A redis service container image for the Gree...	0		
cimg/redis		0		
ibmcom/redis-ppc64le		0		
rancher/redislabs-ssl		0		
drud/redis	redis	0		[OK]
corpusops/redis	https://github.com/corpusops/docker-images/	0		
blackflysolutions/redis	Redis container for Drupal and CiviCRM	0		
ibmcom/redisearch-ppc64le		0		
rapidfort/redis6-ib	RapidFort optimized, hardened image for Redi...	0		

```
alpha@Akhands-MacBook-Pro ~ % docker run -d redis
```

### 2. Run Docker Container of Redis Image in background

Command: **docker run -d redis**

Command: **docker ps**

```
alpha — -zsh — 120x24
```

Last login: Thu Aug 25 08:54:03 on ttys000

```
alpha@Akhands-MacBook-Pro ~ % docker run -d redis
05ade0a7ee0d2a3dd5fd19893194ede98a36ca8ccbd66354d19abad13d71aacb
alpha@Akhands-MacBook-Pro ~ % docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
05ade0a7ee0d	redis	"docker-entrypoint.s..."	15 seconds ago	Up 14 seconds	6379/tcp	interesting_mcnulty
6a1d134ae56c	redis	"docker-entrypoint.s..."	9 hours ago	Up 9 hours	6379/tcp	peaceful_mclean

```
alpha@Akhands-MacBook-Pro ~ %
```

### 3. Run Docker PS and Docker PS -a

```
alpha — -zsh — 120x24
Last login: Thu Aug 25 08:54:03 on ttys000
alpha@Akhands-MacBook-Pro ~ % docker run -d redis
05ade0a7ee0d2a3dd5fd19893194ede98a36ca8ccbd66354d19abad13d71aacb
alpha@Akhands-MacBook-Pro ~ % docker ps
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS        PORTS          NAMES
05ade0a7ee0d   redis    "docker-entrypoint.s..." 15 seconds ago Up 14 seconds 6379/tcp       interesting_mcnulty
6a1d134ae56c   redis    "docker-entrypoint.s..." 9 hours ago    Up 9 hours    6379/tcp       peaceful_mclean
alpha@Akhands-MacBook-Pro ~ % docker ps -a
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS        PORTS          NAMES
05ade0a7ee0d   redis    "docker-entrypoint.s..." 3 minutes ago  Up 3 minutes  6379/tcp       interestin
g_mcnulty
2a8b4bc7d68b   redis    "docker-entrypoint.s..." 9 hours ago    Exited (0) 9 hours ago          clever_kha
yyam
6a1d134ae56c   redis    "docker-entrypoint.s..." 9 hours ago    Up 9 hours    6379/tcp       peaceful_m
clean
af244004d354   webgoat/webgoat "java -Duser.home=/h..." 28 hours ago   Created                                peaceful_b
ell
alpha@Akhands-MacBook-Pro ~ %
```

#### 4. Run Docker Container and take its console

Command: **docker run -it redis /bin/bash**

```
alpha — com.docker.cli • docker run -it redis /bin/bash — 120x24
alpha@Akhands-MacBook-Pro ~ % docker run -it redis /bin/bash
root@17b725b9955d:/data# pwd
/data
root@17b725b9955d:/data# ls
root@17b725b9955d:/data#
```

#### 5. Create a Docker Volume and connect it

Command: **docker run -it -v myvol:/data redis /bin/bash**

```
alpha — com.docker.cli • docker run -it -v myvol:/data redis /bin/bash — 8...
[alpha@Akhands-MacBook-Pro ~ % docker run -it -v myvol:/data redis /bin/bash ]
[root@94c7498a8975:/data# ls ]
[root@94c7498a8975:/data# mkdir helloworld ]
[root@94c7498a8975:/data# ls ]
helloworld ]
[root@94c7498a8975:/data# ls ]
helloworld ]
root@94c7498a8975:/data#
```