


Bank Transaction Database (MongoDB)


K.Sai Akhil

2520030021

1) Create database and add collections



2)Insert Data into Customers



3) Insert data in transactions

ORGANIZATION KARUTURI SAI AKHIL... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookdb
 - customers
 - transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#)

25 1 - 15 of 15

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectId('6a8ee8361aac61d...')	1001	101	"Deposit"	25000
2	ObjectId('6a8ee8421aac61d...')	1002	101	"Withdrawal"	10000
3	ObjectId('6a8ee84b1aac61d...')	1003	102	"Deposit"	50000
4	ObjectId('6a8ee8551aac61d...')	1004	102	"Withdrawal"	15000
5	ObjectId('6a8ee85f1aac61d...')	1005	103	"Deposit"	30000
6	ObjectId('6a8ee86a1aac61d...')	1006	103	"Withdrawal"	5000
7	ObjectId('6a8ee871aac61d...')	1007	104	"Deposit"	100000
8	ObjectId('6a8ee87e1aac61d...')	1008	104	"Withdrawal"	25000
9	ObjectId('6a8ee8871aac61d...')	1009	105	"Deposit"	15000

ORGANIZATION KARUTURI SAI AKHIL... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookdb
 - customers
 - transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#)

25 1 - 15 of 15

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32
7	ObjectId('6a8ee8731aac61d...')	1007	104	"Deposit"	100000
8	ObjectId('6a8ee87e1aac61d...')	1008	104	"Withdrawal"	25000
9	ObjectId('6a8ee8871aac61d...')	1009	105	"Deposit"	15000
10	ObjectId('6a8ee8921aac61d...')	1010	106	"Deposit"	75000
11	ObjectId('6a8ee89b1aac61d...')	1011	106	"Withdrawal"	20000
12	ObjectId('6a8ee8a51aac61d...')	1012	107	"Deposit"	40000
13	ObjectId('6a8ee8af1aac61d...')	1013	107	"Withdrawal"	12000
14	ObjectId('6a8ee8ba1aac61d...')	1014	108	"Deposit"	150000
15	ObjectId('6a8ee8c51aac61d...')	1015	108	"Withdrawal"	30000

4) find active users

ORGANIZATION KARUTURI SAI AKHIL... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookdb
 - customers
 - transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

[Generate query](#) [Explain](#) [Reset](#) [Find](#) [Options](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#)

25 1 - 7 of 7

	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a8ee7841aac61d...')	101	"Sai Akhil"	"Hyderabad"	"Savings"
2	ObjectId('6a8ee7901aac61d...')	102	"Priya Sharma"	"Vijayawada"	"Current"
3	ObjectId('6a8ee79f1aac61d...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"
4	ObjectId('6a8ee7ab1aac61d...')	104	"Sneha Rao"	"Warangal"	"Savings"
5	ObjectId('6a8ee7c21aac61d...')	106	"Anjali Singh"	"Hyderabad"	"Savings"
6	ObjectId('6a8ee7cd1aac61d...')	107	"Rahul Verma"	"Bengaluru"	"Current"
7	ObjectId('6a8ee7d91aac61d...')	108	"Keena Devi"	"Chennai"	"Savings"

5) Find customers with balance greater than 100000:

ORGANIZATION: KARUTURI SAI AKHIL... PROJECT: Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookdb
 - customers
 - transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 4 of 4

	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a8ee7901aac61d...')	102	"Priya Sharma"	"Vijayawada"	"Current"
2	ObjectId('6a8ee7ab1aac61d...')	104	"Sneha Rao"	"Warangal"	"Savings"
3	ObjectId('6a8ee7c21aac61d...')	106	"Anjali Singh"	"Hyderabad"	"Savings"
4	ObjectId('6a8ee7d91aac61d...')	108	"Meena Devi"	"Chennai"	"Savings"

Alert System Status: All Good

6) FIND HYDERABAD CUSTOMERS

ORGANIZATION: KARUTURI SAI AKHIL... PROJECT: Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookdb
 - customers
 - transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 3 of 3

	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a8ee7841aac61d...')	101	"Sai Akhil"	"Hyderabad"	"Savings"
2	ObjectId('6a8ee79f1aac61d...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"
3	ObjectId('6a8ee7c21aac61d...')	106	"Anjali Singh"	"Hyderabad"	"Savings"

Alert System Status: All Good

7) Find savings account customers

ORGANIZATION: KARUTURI SAI AKHIL... PROJECT: Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookdb
 - customers
 - transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a8ee7841aac61d...')	101	"Sai Akhil"	"Hyderabad"	"Savings"
2	ObjectId('6a8ee79f1aac61d...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"
3	ObjectId('6a8ee7ab1aac61d...')	104	"Sneha Rao"	"Warangal"	"Savings"
4	ObjectId('6a8ee7c21aac61d...')	106	"Anjali Singh"	"Hyderabad"	"Savings"
5	ObjectId('6a8ee7d91aac61d...')	108	"Meena Devi"	"Chennai"	"Savings"

8) Find ATM transactions

ORGANIZATION KARUTURI SAI AKHIL... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookdb
 - customers
 - transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectId('6a8ee8421aac61d...')	1002	101	"Withdrawal"	10000
2	ObjectId('6a8ee8551aac61d...')	1004	102	"Withdrawal"	15000
3	ObjectId('6a8ee86a1aac61d...')	1006	103	"Withdrawal"	5000
4	ObjectId('6a8ee87e1aac61d...')	1008	104	"Withdrawal"	25000
5	ObjectId('6a8ee89b1aac61d...')	1011	106	"Withdrawal"	20000
6	ObjectId('6a8ee8af1aac61d...')	1013	107	"Withdrawal"	12000
7	ObjectId('6a8ee8c51aac61d...')	1015	108	"Withdrawal"	30000

Alert System Status: All Good

9) FIND DEPOSITS GREATER THAN 50000

ORGANIZATION KARUTURI SAI AKHIL... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookdb
 - customers
 - transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-3 of 3

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectId('6a8ee8731aac61d...')	1007	104	"Deposit"	100000
2	ObjectId('6a8ee8921aac61d...')	1010	106	"Deposit"	75000
3	ObjectId('6a8ee8ba1aac61d...')	1014	108	"Deposit"	150000

Alert System Status: All Good

10) FIND HYDERABAD CUSTOMERS WITH HIGH BALANCE

ORGANIZATION KARUTURI SAI AKHIL... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookdb
 - customers
 - transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-1 of 1

	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a8ee7c21aac61d...')	106	"Anjali Singh"	"Hyderabad"	"Savings"

11) SORT CUSTOMERS BY BALANCE

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bookdb

customers

transactions

bookflow

local

sample_mflix

customers customers transactions

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8 Aggregations Schema Indexes 1 Validation

Sort

Generate aggregation

Explain

Run

Options

Untitled - modified

SAVE

+ CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

WIZARD

Stage 1 \$sort

```
1
2 * {
3   "balance": -1
4 }
5
6
7
```

Output preview after \$sort stage (Sample of 8 documents)

b*

```
{
  "_id": ObjectId("6a8ee7ab1aac61d4e17ad573"),
  "customer_id": 184,
  "name": "Sneha Rao",
  "city": "Warangal",
  "account_type": "Savings",
  "balance": 210000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a8ee7c"),
  "customer_id": 186,
  "name": "Anjali Singh",
  "city": "Hyderabad",
  "account_type": "Savings",
  "balance": 175000,
  "status": "Active"
}
```