

StringeeX Django

Migration Guide

From: stringeex_django → To: stringeex_django_new

2 New API Endpoints	1 File Modified (views.py)	1 File Modified (urls.py)
Dashboard UI Redesign	New Sidebar + Filters	New Font & Design System
Date Filtering Added	end_time_ms Exposed	api_chart_daily Removed

Table of Contents

1	Overview of Changes	3
2	File-by-File Changes	4
2.1	calls/views.py	4
2.2	calls/urls.py	6
2.3	calls/templates/calls/dashboard.html	7
3	New Features in Detail	8
3.1	api_hourly_breakdown — Hourly Breakdown Endpoint	8
3.2	api_team_list — Team / Pool / Agent Lists	9
3.3	Date Filtering (?date=) in api_calls	9
3.4	end_time_ms Exposed in api_calls	10
4	Removed Features	10
5	Dashboard UI Redesign	11
6	Step-by-Step Migration Checklist	12
7	Quick Reference: API Endpoints	13

1. Overview of Changes

This guide documents every difference between **stringeex_django** (original) and **stringeex_django_new** (updated), and provides step-by-step instructions for migrating your local codebase. No database migrations or model changes are required — all changes are in the API layer and the frontend template.

High-Level Summary

Change	Detail
+ api_hourly_breakdown	Brand-new endpoint. Returns per-agent, per-hour call breakdowns for a given date.
+ api_team_list	Brand-new endpoint. Returns all distinct TLs, Pools, and Agents for populating sidebar filters.
~ api_calls	Extended with an optional <code>?date=</code> filter and now also returns <code>end_time_ms</code> in each row.
~ api_stats	Code cleaned up (docstring removed, whitespace compacted). Behaviour unchanged.
~ api_agent_summary	Code cleaned up. Behaviour unchanged.
- api_chart_daily	Removed entirely. No replacement — the new UI no longer uses this chart.
~ urls.py	Two new URL patterns added for the two new endpoints. <code>api_chart_daily</code> removed.
~ dashboard.html	Complete visual redesign: new fonts, sidebar navigation, KPI strip, hourly breakdown table, date picker.

2. File-by-File Changes

2.1 calls/views.py

New import added at the top of the file:

```
from collections import defaultdict
```

This import is required by **api_hourly_breakdown** which uses nested **defaultdicts** to accumulate per-agent, per-hour statistics. Add this line directly after the existing imports section in your **views.py**.

Comments / docstrings removed

All section-header comments (e.g. # ■■ Main Dashboard ■■■■■■) and the multi-line docstrings inside **api_stats**, **api_calls**, and **api_agent_summary** have been removed. The functions themselves are **unchanged** in behaviour — this is purely a code style / readability change.

api_calls — New ?date= filter + end_time_ms field

The **api_calls** view now accepts an optional **?date=YYYY-MM-DD** query parameter. When provided it filters records to only those whose **start_time_ms** falls within that UTC calendar day (00:00:00 → 23:59:59). When omitted the endpoint behaves exactly as before (returns all records, respecting the other existing filters).

```
date_str = request.GET.get('date', '').strip()
if date_str:
    try:
        td = datetime.strptime(date_str, '%Y-%m-%d')
        day_start_ms = int(datetime(td.year, td.month, td.day, 0, 0, 0, tzinfo=timezone.utc).timestamp()
            * 1000)
        day_end_ms = int(datetime(td.year, td.month, td.day, 23, 59, 59, tzinfo=timezone.utc).timestamp()
            * 1000)
        qs = qs.filter(start_time_ms__gte=day_start_ms, start_time_ms__lte=day_end_ms)
    except ValueError:
        pass
```

Additionally, **end_time_ms** is now included in every row returned by **api_calls**. In the original code this field was silently dropped. No model change is required — the field already exists on **CallRecord**.

```
'end_time_ms': r.end_time_ms, # ← newly included
```

api_agent_summary — queue_secs inline

The intermediate variable **queue_secs** was removed. Its calculation (**max(dur_secs - talk_secs, 0)**) is now inlined directly into the dict. Functionally identical — you do **not** need to change anything else.

api_chart_daily — REMOVED

The entire **api_chart_daily** view has been deleted from **views.py**. The new dashboard does not render a Chart.js daily-calls graph and no longer needs this data. If you have any external consumers of **/api/chart/daily/**, they must be updated before deploying.

Two brand-new views added

See Section 3 for full documentation of the two new views. They are appended to **views.py** before the existing **api_calls** view in the updated file.

2.2 calls/urls.py

Three changes were made to **calls/urls.py**: two new URL patterns were added and one was removed.

Remove this URL:

```
path('api/chart/daily/', views.api_chart_daily, name='api_chart_daily'),
```

Add these two URLs:

```
path('api/hourly-breakdown/', views.api_hourly_breakdown, name='api_hourly_breakdown'),  
path('api/team-list/', views.api_team_list, name='api_team_list'),
```

Complete updated urlpatterns block for reference:

```
urlpatterns = [  
    path('', views.dashboard, name='dashboard'),  
    path('api/stats/', views.api_stats, name='api_stats'),  
    path('api/calls/', views.api_calls, name='api_calls'),  
    path('api/agent-summary/', views.api_agent_summary, name='api_agent_summary'),  
    path('api/hourly-breakdown/', views.api_hourly_breakdown, name='api_hourly_breakdown'),  
    path('api/team-list/', views.api_team_list, name='api_team_list'),  
    path('api/last-sync/', views.api_last_sync, name='api_last_sync'),  
]
```

2.3 calls/templates/calls/dashboard.html

The dashboard template has been **completely rewritten**. The original 483-line file has grown to 1165 lines. Rather than a line-by-line patch, the safest migration strategy is to **replace the file entirely** with the version from `stringeex_django_new`.

Change	Detail
Title changed	StringeeX Live Dashboard → StringeeX · Live Call Dashboard
Chart.js removed	The Chart.js CDN script tag is gone. The daily-calls chart has been dropped.
Google Fonts added	DM Mono, Syne, and Instrument Sans are loaded from fonts.googleapis.com.
Color palette	Dark GitHub-style palette replaced with a deep navy/teal design system. New CSS variables: --ink, --ink2, --ink3, --accent (#64ffda), --amber, --rose, --violet, --sky.
Layout	Single-column layout replaced with a sticky Topbar + Sidebar + Main content shell. Sidebar is 260 px wide with agent list, TL / Pool filters, date picker, and agent search.
KPI display	Card grid replaced with a horizontal KPI strip spanning the full width.
New: Hourly table	An hourly breakdown table is the centrepiece of the main area. It calls the new <code>/api/hourly-breakdown/</code> endpoint with <code>?date=</code> and filter params.
New: Sidebar agents	The sidebar fetches <code>/api/team-list/</code> on load and renders a clickable agent list grouped by TL with call count badges. Clicking an agent filters all data.
Background grid	A CSS <code>::before</code> pseudo-element draws a subtle teal grid across the page background.
Topbar	New sticky topbar with logo, live badge (animated dot), sync countdown bar, and refresh button.
Font families	Syne (headings), Instrument Sans (body/UI), DM Mono (numbers/code).

Action: Copy the entire `dashboard.html` from `stringeex_django_new/calls/templates/calls/` and overwrite the file in your project. No partial patching is recommended given the scope of changes.

3. New Features in Detail

3.1 api_hourly_breakdown

GET /api/hourly-breakdown/

Returns a breakdown of call activity for every agent, bucketed by hour of day, for a specified date. This powers the main hourly-breakdown table in the new dashboard.

Query Parameters

Change	Detail
?tl=<name>	Filter to a specific Team Leader (case-insensitive). Optional.
?pool=<name>	Filter to a specific Pool (case-insensitive). Optional.
?agent=<email>	Filter to a single agent by account_name. Optional.
?date=YYYY-MM-DD	The date to report on. Defaults to today (UTC) when omitted. Optional.

Important behaviour notes:

- Calls with **end_call_reason** of "404 Not Found" or "CAN_NOT_MAKE_CALL" are **excluded** from the results — this is the only endpoint that applies this filter automatically.
- **unique_dials** counts distinct customer_number values per agent per hour, giving a more accurate picture of reach than raw call count.

Response shape:

```
{
  "date": "2026-05-10",
  "hours": [8, 9, 10, 11, ...], // sorted list of hours that had calls
  "rows": [
    {
      "account_name": "agent@example.com",
      "full_name": "John Doe",
      "employee_code": "EMP001",
      "pool": "Pool A",
      "tl": "Jane Smith",
      "vertical": "Sales",
      "hourly": {
        "8": { "calls": 12, "unique_dials": 10, "duration": 3600, "talk_duration": 2800 },
        "9": { "calls": 8, "unique_dials": 7, "duration": 2400, "talk_duration": 1900 }
      },
      "totals": { "calls": 20, "unique_dials": 17, "duration": 6000, "talk_duration": 4700 }
    }
  ],
  "hour_totals": {
    "8": { "calls": 120, "unique_dials": 98, "duration": 36000, "talk_duration": 28000 }
  }
}
```

3.2 api_team_list

GET /api/team-list/

Returns three distinct sorted lists used to populate the sidebar filter controls in the new dashboard: all unique TL names, all unique Pool names, and all distinct agents (with their account_name, full_name, tl, and pool).

Response shape:

```
{
  "tls": ["Alice TL", "Bob TL", ...],
  "pools": ["Pool A", "Pool B", ...],
  "agents": [
    { "account_name": "a@b.com", "full_name": "Agent Name", "tl": "Alice TL", "pool": "Pool A" },
    ...
  ]
}
```

No query parameters. Null / empty tl, pool, and account_name values are excluded from all three lists. The endpoint is called once on dashboard load.

3.3 Date Filtering (?date=) in api_calls

GET /api/calls/?date=YYYY-MM-DD

The existing **api_calls** endpoint now accepts an optional **?date=YYYY-MM-DD** parameter. When present it adds a filter: **start_time_ms between (day start UTC) and (day end UTC)**. All other existing parameters (?limit, ?offset, ?direction, ?search, ?agent, ?tl, ?connected) continue to work exactly as before and can be combined with ?date=.

If the date string cannot be parsed as YYYY-MM-DD the filter is silently ignored and all records matching the other filters are returned.

3.4 end_time_ms Exposed in api_calls

Each record returned by **api_calls** now includes the **end_time_ms** field (millisecond epoch timestamp of when the call ended). This field already existed on the **CallRecord** model but was omitted from the API response in the original version.

4. Removed Features

api_chart_daily (GET /api/chart/daily/)

This endpoint has been **completely removed** in the updated project. It returned 30-day rolling totals (total calls, connected, inbound, outbound) per calendar day, intended to feed a Chart.js bar/line chart on the dashboard.

What to do if you still need this data:

1. Keep the view function in your local views.py and the URL entry in urls.py — the database and model are unchanged so it will continue to work.
2. Alternatively, re-implement the chart in the new dashboard by fetching /api/calls/ with a date range loop on the frontend, or by creating a new dedicated endpoint.
3. If no consumers need it, simply delete the view and URL pattern as done in the updated project.

Also removed: Chart.js CDN script tag from dashboard.html — if you add the chart back, re-add: `<script src="https://cdn.jsdelivr.net/npm/chart.js@4.4.0/dist/chart.umd.min.js"></script>`

5. Dashboard UI Redesign

The new dashboard is a full-page three-region layout with a sticky topbar, a collapsible sidebar, and a scrollable main content area.

Layout Regions

Change	Detail
Topbar (60 px)	Sticky, blurred backdrop. Logo + live badge on the left; sync countdown bar + refresh button on the right. z-index: 100.
Sidebar (260 px)	Fixed-width left panel. Contains: date picker, TL filter (select), Pool filter (select), agent search input, and a scrollable grouped agent list loaded from <code>/api/team-list/</code> .
Main content	Takes remaining width. Contains KPI strip (6 metrics) at top, then the hourly breakdown table. Scrollable independently of sidebar.

Design System (CSS variables)

Change	Detail
--ink / --ink2 / --ink3	Background layers: #0a0c12, #141720, #1d2130
--border / --border2	Border colours: #262c3d, #2f3650
--dim / --muted / --text / --bright	Text hierarchy from dimmest to brightest
--accent (#64ffda)	Primary teal accent — active states, live badge, highlight borders
--amber (#ffd166)	Warning / caution colour
--rose (#ff6b9d)	Error / negative colour
--violet (#a78bfa)	Secondary accent
--sky (#38bdf8)	Info / link colour
--r: 12px	Standard border-radius

JavaScript behaviour changes

- On load: calls `/api/team-list/` to build sidebar agent list, then calls `/api/stats/` and `/api/hourly-breakdown/` with today's date.
- Auto-refresh: every 5 minutes (same as before), with a visual countdown bar in the topbar.
- Date picker: changing the date re-fetches hourly breakdown and call records for that day.
- Agent click: clicking an agent in the sidebar sets the agent filter and refreshes all panels.
- Chart.js: no longer imported or used — remove any references if you added custom charts.

6. Step-by-Step Migration Checklist

Follow these steps in order. All changes are in-place file edits — no new dependencies, no database migrations.

Step 1	Back up your project Before making any changes, create a copy of your project folder or commit your current state to Git.
Step 2	Open calls/views.py Add "from collections import defaultdict" to the imports section at the top of the file.
Step 3	Add api_hourly_breakdown to views.py Copy the entire api_hourly_breakdown function from stringeex_django_new/calls/views.py and paste it before the api_calls function in your views.py.
Step 4	Add api_team_list to views.py Copy the entire api_team_list function from the new views.py and paste it after api_hourly_breakdown.
Step 5	Update api_calls in views.py Add the date_str block (see Section 3.3) after the "qs = CallRecord.objects.all()" line. Also add "end_time_ms": r.end_time_ms to the dict inside the for loop.
Step 6	Remove api_chart_daily from views.py Delete the entire api_chart_daily function (roughly 40 lines). If you need to keep it, skip this step.
Step 7	Update calls/urls.py Remove the api_chart_daily path entry. Add the two new path entries for api_hourly_breakdown and api_team_list (see Section 2.2).
Step 8	Replace dashboard.html Copy stringeex_django_new/calls/templates/calls/dashboard.html and overwrite your existing dashboard.html. Do not attempt a manual merge — replace the whole file.
Step 9	Run the dev server python manage.py runserver — open the dashboard and verify: (a) the sidebar loads with agents, (b) the KPI strip shows data, (c) the hourly table renders for today.
Step 10	Smoke-test the API endpoints In your browser or with curl, verify: /api/team-list/, /api/hourly-breakdown/, /api/calls/?date=YYYY-MM-DD, and /api/stats/ all return 200 with valid JSON.

7. Quick Reference: API Endpoints

Endpoint	Status	Key Parameters	Returns
GET /api/stats/	Unchanged	?days, ?agent, ?tl	Overall KPI metrics
GET /api/calls/	Updated	?date, ?limit, ?offset, ?direction, ?search, ?agent, ?tl, ?connected	Paginated call records (now includes end_time_ms)
GET /api/agent-summary/	Unchanged	?days, ?tl	Per-agent aggregated summary
GET /api/hourly-breakdown/	NEW	?date, ?tl, ?pool, ?agent	Per-agent, per-hour breakdown for a given date
GET /api/team-list/	NEW	(none)	All distinct TLs, Pools, Agents
GET /api/last-sync/	Unchanged	(none)	Timestamp of the most recent sync
GET /api/chart/daily/	REMOVED	—	30-day rolling call counts (no longer available)

Files Changed vs. Unchanged

File	Status
calls/views.py	MODIFIED — add import, 2 new views, update api_calls, remove api_chart_daily
calls/urls.py	MODIFIED — 2 new paths added, 1 removed
calls/templates/calls/dashboard.html	REPLACED — full rewrite, copy from new project
calls/models.py	UNCHANGED
calls/migrations/*	UNCHANGED — no new migrations needed
calls/stringeex_service.py	UNCHANGED
calls/team_lookup.py	UNCHANGED
calls/admin.py	UNCHANGED
calls/management/commands/sync_calls.py	UNCHANGED
stringeex_django/settings.py	UNCHANGED
requirements.txt	UNCHANGED — no new packages required