

SR.	ITEM NAME & SPECIFICATION	COMPANY	CODE	CUSTOMER RATE
C.I. SUBMERSIBLE PARTS [Total: 143 items]				
>> V-3 C.I. SUBMERSIBLE PARTS (7 items)				
1	V-3 / 2-NRV	J.K. Spares	—	—
2.1	Length-80, Dip-33, Collar-70, 4 Hole & 3 Hole, Threading-1.25/1.5	J.K. Spares	—	—
2.2	Length-80, Dip-33, Collar-42, 4 Hole, Threading-1.25/1.5	J.K. Spares	—	—
3	V-3 Upper Housing - 3 Hole / 4 Hole / 42 MM Collar	J.K. Spares	—	—
4	V-3 Upper Housing with Connective	J.K. Spares	—	—
5	V-3 Lower Housing - 3 Hole	J.K. Spares	—	—
6	V-3 Motor Base Threading Type	J.K. Spares	—	—
>> V-4 C.I. SUBMERSIBLE PARTS (105 items)				
1	V-4 NRV 1" Threading 1.25/1.5 MM	J.K. Spares	—	—
2	V-4 NRV 1.25" Threading 1.25/1.5 MM	J.K. Spares	—	—
3	V-4 NRV 1.5" Threading 1.25/1.5 MM	J.K. Spares	—	—
4	V-4 NRV 2" Threading 1.25/1.5 MM	J.K. Spares	—	—
5	V-4 NRV 1"/1.25"/1.5" 86.5MM OD Threading	J.K. Spares	—	—
6	V-4 NRV 2" 86.5MM OD Threading	J.K. Spares	—	—
7	V-4 NRV CRI Type	J.K. Spares	—	—
8	V-4 NRV Texmo 1.25	J.K. Spares	—	—
9	V-4 NRV KSB 81/16 1.25" / 1.5" 82MM / 86MM	J.K. Spares	—	—
10	V-4 NRV {ECO} 1" / 1.25" / 1.5"	J.K. Spares	—	—
11	V-4 NRV Varuna 1.25" / 1.5" 82MM / 86MM	J.K. Spares	—	—
12.1	V-4 Suction LENGTH-95, DIP-35, BUSH-30/36, COLLAR-56, PCD-71MM	J.K. Spares	—	—
12.10	V-4 Suction LENGTH-97, DIP-42, BUSH-30, COLLAR-87, 76PCD, 86.5mm Thread	J.K. Spares	—	—
12.11	V-4 Suction LENGTH-105, DIP-44, BUSH-30, COLLAR-58, 76PCD, 86.5mm Thread	J.K. Spares	—	—
12.12	V-4 Suction LENGTH-120, DIP-58, BUSH-30, COLLAR-55, 71PCD	J.K. Spares	—	—
12.13	V-4 Suction LENGTH-120, DIP-58, BUSH-36, COLLAR-55, 71PCD	J.K. Spares	—	—
12.14	V-4 Suction LENGTH-120, DIP-52, BUSH-30, COLLAR-87, 71PCD / 76PCD	J.K. Spares	—	—
12.15	V-4 Suction LENGTH-120, DIP-52, BUSH-36, COLLAR-87, 71PCD / 76PCD	J.K. Spares	—	—
12.16	V-4 Suction LENGTH-80, DIP-31, BUSH-30, COLLAR-55, 71PCD	J.K. Spares	—	—
12.17	V-4 Suction K.S.B. LENGTH-85, COLLAR-82/87, PCD-76 WITHOUT THREAD	J.K. Spares	—	—
12.18	V-4 Suction K.S.B. BUSH - LENGTH-98, DIP-28, BUSH-30, COLLAR-87, PCD-76	J.K. Spares	—	—
12.19	V-4 Suction K.S.B. BUSH - LENGTH-98, DIP-28, BUSH-36, COLLAR-87, PCD-76	J.K. Spares	—	—
12.2	V-4 Suction LENGTH-95, DIP-42, BUSH-36, COLLAR-87, PCD-71MM / 76MM	J.K. Spares	—	—
12.20	V-4 Suction K.S.B. BUSH - LENGTH-98, DIP-35, BUSH-30, COLLAR-55, PCD-76	J.K. Spares	—	—
12.21	V-4 Suction K.S.B. BUSH - LENGTH-98, DIP-35, BUSH-36, COLLAR-55, PCD-76	J.K. Spares	—	—
12.22	V-4 Suction LENGTH-95, DIP-35, BUSH-36, COLLAR-87, PCD-71MM	J.K. Spares	—	—
12.23	V-4 Suction K.S.B. - LENGTH-85, COLLAR-86/87, PCD-76 WITHOUT THREAD	J.K. Spares	—	—

SR.	ITEM NAME & SPECIFICATION	COMPANY	CODE	CUSTOMER RATE
12.24	V-4 Suction TEXMO - PCD-76 WITHOUT THREAD	J.K. Spares	—	—
12.25	V-4 Suction LENGTH-92, DIP-40, BUSH 30, COLLAR-87, PCD-71MM	J.K. Spares	—	—
12.26	V-4 Suction LENGTH-108, DIP 45, BUSH-30, COLLAR-42, PCD-71MM	J.K. Spares	—	—
12.27	V-4 Suction LENGTH-100, DIP-31, BUSH-30, COLLAR-87, PCD-71MM	J.K. Spares	—	—
12.28	V-4 Suction K.S.B. BUSH LENGTH 120 DIP 77 BUSH-30 COLLAR-87 PCD-76 WITHOUT THREAD	J.K. Spares	—	—
12.29	V-4 Suction LENGTH-92, DIP-12, BUSH-36, COLLAR-55	J.K. Spares	—	—
12.3	V-4 Suction LENGTH-95, DIP-42, BUSH-30, COLLAR-87, PCD-71MM / 76MM	J.K. Spares	—	—
12.30	V-4 Suction LENGTH-105, DIP-53, BUSH-30, COLLAR-87, 3 Hole (3 LAG)	J.K. Spares	—	—
12.31	V-4 Suction LENGTH-115, DIP-53, BUSH-30, COLLAR-87 GANGA TYPE THREAD 1.25/1.5	J.K. Spares	—	—
12.32	V-4 Suction K.S.B. BUSH 3 LAG 4 Hole, LENGTH 97 DIP 41 BUSH-30, COLLAR 87, PCD-76MM	J.K. Spares	—	—
12.33	V-4 Suction LENGTH-75 WITHOUT BUSH, COLLAR-87, PCD-76MM	J.K. Spares	—	—
12.34	V-4 Suction V-4 SUCTION (CRI TYPE)	J.K. Spares	—	—
12.35	V-4 Suction KSB LENGTH 115 4LAG 4HOLE BUSH-30 DIP-60 PCD-76MM	J.K. Spares	—	—
12.36	V-4 Suction 92MM LENGTH BUSH -30 DIP 12 COLLAR 55 PCD 71 THREAD 82.8MM	J.K. Spares	—	—
12.37	V-4 Suction KSB LENGTH 85 COLLAR 85/87 PCD 76 MM	J.K. Spares	—	—
12.38	V-4 Suction LUBY LENGTH 88 WITHOUT BUSH THREAD 87MM LH PCD76 MM	J.K. Spares	—	—
12.39	V-4 Suction LUBY LENGTH 88 WITHOUT BUSH THREAD 86.5MM LH PCD76 MM	J.K. Spares	—	—
12.4	V-4 Suction LENGTH-95, DIP-39, BUSH-36, COLLAR-55, PCD-71MM	J.K. Spares	—	—
12.40	V-4 Suction ANGAL LENGTH 107 DIP-37 BUSH -32 THREAD 83.2 PCD-76 MM	J.K. Spares	—	—
12.41	V-4 Suction LUBY LENGTH 88 WITHOUT BUSH THREAD 83MM LH 76PCD MM	J.K. Spares	—	—
12.42	V-4 Suction VARUNA LENGTH 72MM WITHOUT THREAD COLLAR 81/87 PCD-76 MM	J.K. Spares	—	—
12.43	V-4 Suction VARUNA LENGTH 72MM WITHOUT THREAD COLLAR 86/87 PCD-76 MM	J.K. Spares	—	—
12.44	V-4 Suction TEXMO LENGTH 77 OLD MODAL	J.K. Spares	—	—
12.45	V-4 Suction TEXMO LENGTH-120MM COLLAR 81/87 BUSH-26 DIP-72 / PCD-76 MM	J.K. Spares	—	—
12.46	V-4 Suction POLAD LENGTH 110 BUSH 36 DIP 42 THREAD 87.5MM PCD -76 MM	J.K. Spares	—	—
12.47	V-4 Suction LENGTH 110MM BUSH 30 DIP 58 COLLAR 87 THREAD 82.8MM PCD-76 MM	J.K. Spares	—	—
12.48	V-4 Suction LENGTH 105MM BUSH -30 DIP 50 PLAN 50MM COLLAR PCD 71 MM	J.K. Spares	—	—
12.49	V-4 Suction LENGTH 96 BUSH 30 DIP 45 PLAN 50MM COLLAR PCD 71 MM	J.K. Spares	—	—
12.5	V-4 Suction LENGTH-105, DIP-45, BUSH-30, COLLAR-87, PCD-71MM	J.K. Spares	—	—
12.50	V-4 Suction CROMPTON IP LENGTH 77MM PCD76 MM	J.K. Spares	—	—
12.51	V-4 Suction TERO IP LENGTH 75MM 81/86 PCD 76 MM	J.K. Spares	—	—
12.52	V-4 Suction KILOSKAR LENGTH 103 BUSH 30 DIP 44 COLLAR 86/87 PCD76 MM	J.K. Spares	—	—
12.53	V-4 Suction KILOSKAR LENGTH 103 BUSH 30 DIP 44 COLLAR 81/87 PCD76 MM	J.K. Spares	—	—
12.54	V-4 Suction ANGAL LENGTH-95 DIP-30 BUSH-30 THREAD 83.2 PCD-76 MM	J.K. Spares	—	—

SR.	ITEM NAME & SPECIFICATION	COMPANY	CODE	CUSTOMER RATE
12.6	V-4 Suction LENGTH-81, DIP-12, BUSH-36/30, COLLAR-55, PCD-71MM	J.K. Spares	—	—
12.7	V-4 Suction LENGTH-94, DIP-41, BUSH-28, COLLAR-54, PCD-71MM	J.K. Spares	—	—
12.8	V-4 Suction LENGTH-95, DIP-39, BUSH-30, COLLAR-55, PCD-71MM	J.K. Spares	—	—
12.9	V-4 Suction LENGTH-78, DIP-41, BUSH-30, COLLAR-50 MM PLAN PCD-71MM	J.K. Spares	—	—
13.1	V-4 Connective 45 x 56 x 43 Length	J.K. Spares	—	—
13.2	V-4 Connective 48 x 88 x 43 Length	J.K. Spares	—	—
13.3	V-4 Connective 55 x 55 x 40 Length	J.K. Spares	—	—
13.4	V-4 Connective 48 x 54 x 40 Length	J.K. Spares	—	—
13.5	V-4 Connective 55 x 55 x 45 Length	J.K. Spares	—	—
13.6	V-4 Connective 48 x 58 x 43 Length Falcon	J.K. Spares	—	—
14.1	V-4 Upper Housing Upper Housing Collar 45mm/48mm/55mm Bush-36/32	J.K. Spares	—	—
14.10	V-4 Upper Housing Upper Housing Texmo Paval {GI}	J.K. Spares	—	—
14.2	V-4 Upper Housing Upper Housing Without Connective 3 Hole / 4 Hole 50mm Collar	J.K. Spares	—	—
14.3	V-4 Upper Housing Upper Housing With Connective Bush 36mm 32mm	J.K. Spares	—	—
14.4	V-4 Upper Housing Upper Housing Texmo	J.K. Spares	—	—
14.5	V-4 Upper Housing Upper Housing Tero	J.K. Spares	—	—
14.6	V-4 Upper Housing Upper Housing Varuna Vandan	J.K. Spares	—	—
14.7	V-4 Upper Housing Upper Housing Lubi Paval {CI}	J.K. Spares	—	—
14.8	V-4 Upper Housing Upper Housing KSB Paval {CI}	J.K. Spares	—	—
14.9	V-4 Upper Housing Upper Housing CRI Paval {GI}	J.K. Spares	—	—
15.1	V-4 Lower Housing Lower Housing 3-Hole 86mm Threading 36/32	J.K. Spares	—	—
15.10	V-4 Lower Housing Lower Housing Texmo Paval {GI}	J.K. Spares	—	—
15.2	V-4 Lower Housing Lower Housing 4-Hole Press Type	J.K. Spares	—	—
15.3	V-4 Lower Housing Lower Housing 4-Hole 88mm Threading 36mm	J.K. Spares	—	—
15.4	V-4 Lower Housing Lower Housing 6-Hole 85.5mm Threading 36	J.K. Spares	—	—
15.5	V-4 Lower Housing Lower Housing Varuna Vandan	J.K. Spares	—	—
15.6	V-4 Lower Housing Lower Housing Texmo	J.K. Spares	—	—
15.7	V-4 Lower Housing Lower Housing Lubi Paval {CI}	J.K. Spares	—	—
15.8	V-4 Lower Housing Lower Housing KSB Paval {CI}	J.K. Spares	—	—
15.9	V-4 Lower Housing Lower Housing CRI Paval {GI}	J.K. Spares	—	—
16.1	V-4 Motor Base Motor Base Falcon	J.K. Spares	—	—
16.2	V-4 Motor Base Motor Base Jalganga	J.K. Spares	—	—
16.3	V-4 Motor Base Motor Base 85mm Threading 60mm Dip	J.K. Spares	—	—
16.4	V-4 Motor Base Motor Base 4-Hole Press Type 53mm Dip	J.K. Spares	—	—
16.5	V-4 Motor Base Motor Base 86.5mm, 65mm Dip	J.K. Spares	—	—
16.6	V-4 Motor Base Motor Base 84.5mm 53mm Dip	J.K. Spares	—	—
16.7	V-4 Motor Base Motor Base Texmo	J.K. Spares	—	—

SR.	ITEM NAME & SPECIFICATION	COMPANY	CODE	CUSTOMER RATE
16.8	V-4 Motor Base Motor Base Plat Texmo	J.K. Spares	—	—
17	V-4 Q Type Bowl	J.K. Spares	—	—
18	V-4 Q Type NRV 2"	J.K. Spares	—	—
19	V-4 Q Suction	J.K. Spares	—	—
20	V-4 Patti Type Bowl	J.K. Spares	—	—
21	V-4 Middai Bush 30mm Length 30mm	J.K. Spares	—	—
22	V-4 Dol Bush 30mm Length 25mm	J.K. Spares	—	—
>> V-5 C.I. SUBMERSIBLE PARTS (6 items)				
1	NRV 1.25" / 1.5" / 2", 98.5MM THREAD	J.K. Spares	—	—
2	SUCTION LENGTH 102 MM DIP 51 COLLAR 60 MM THREAD 98.5 MM	J.K. Spares	—	—
3	CONNECTIVE COLLAR 55 IP 60 LENGTH 50	J.K. Spares	—	—
4	UPPER HOUSING COLLAR 55 BUSH 45mm	J.K. Spares	—	—
5	LOWER HOUSING BUSH-45 MM 3-HOLE THREAD-104	J.K. Spares	—	—
6	MOTOR BASE THREAD-102, DIP-75	J.K. Spares	—	—
>> S.S. PUMP PARTS (14 items)				
1	S.S. Pump Suction	J.K. Spares	—	—
2	S.S. Pump Suction Topaland Type	J.K. Spares	—	—
3	S.S. Pump NRV 2" / 2.5" 110mm Length	J.K. Spares	—	—
4	S.S. Pump NRV 2" / 2.5" 125mm Length	J.K. Spares	—	—
5	S.S. Pump NRV Topland Type	J.K. Spares	—	—
6	Connective	J.K. Spares	—	—
7	Upper Housing	J.K. Spares	—	—
8	Lower Housing / Threading & Press Type	J.K. Spares	—	—
9	Lower Housing Falcon Type	J.K. Spares	—	—
10	Motor Base 1.5mm Thread / 2mm Thread	J.K. Spares	—	—
11	Motor Base Press Type	J.K. Spares	—	—
12	Motor Base Falcon Type	J.K. Spares	—	—
13	Upper Housing Taro	J.K. Spares	—	—
14	Lower Housing Taro	J.K. Spares	—	—
>> DECCAN TYPE PARTS (11 items)				
15	Deccan Type Lower Housing Heavy	J.K. Spares	—	—
16	Deccan Type Lower Housing Light	J.K. Spares	—	—
17	Deccan Type Suction Heavy	J.K. Spares	—	—
18	Deccan Type Suction Light	J.K. Spares	—	—
19	Deccan Type NRV 2"	J.K. Spares	—	—
20	Deccan Type NRV 2.5"	J.K. Spares	—	—
21	Deccan Type NRV K Type 2"	J.K. Spares	—	—
22	Deccan Type NRV K Type 2.5"	J.K. Spares	—	—

SR.	ITEM NAME & SPECIFICATION		COMPANY	CODE	CUSTOMER RATE
23	Deccan Type DOL		J.K. Spares	—	—
24	Deccan Type Motor Base Heavy		J.K. Spares	—	—
25	Deccan Type Motor Base Light		J.K. Spares	—	—
IMPELLERS (OPENWELL & MONO BLOCK) [Total: 7 items]					
>> OPENWELL IMPELLER (7 items)					
1	Openwell Impeller 0.5 HP	15 x 113 x 35 x 6 x 7	J.K. Spares	—	—
2	Openwell Impeller 1 HP	20 x 142 x 50 x 8 x 5	J.K. Spares	—	—
2	Openwell Impeller HP	20X158X65X8X7	J.K. Spares	—	—
3	Openwell Impeller 1 HP	20 x 158 x 50 x 8 x 5	J.K. Spares	—	—
4	Openwell Impeller 1.5HP	20 X158X55X8X6	J.K. Spares	—	—
5	Openwell Impeller 1.5 HP	20 x 158 x 60 x 8 x 6	J.K. Spares	—	—
6	Openwell Impeller 2 HP	20X155X60X4X8	J.K. Spares	—	—