Day-2

```
19/08/2025
import java.util.Scanner;
class Insurance {
public static void main(String[] args) {
Scanner in = new Scanner(System.in);
System.out.println("Enter the Marital status (M/U):");
char Marital = in.next().charAt(0);
if (Marital == 'u' || Marital == 'U') {
System.out.println("Enter the Gender (M/F):");
char Gender = in.next().charAt(0);
System.out.println("Enter the Age:");
int Age = in.nextInt();
if ((Gender == 'M' || Gender == 'm') && Age >= 30) {
System.out.println("You are Eligible for Insurance");
} else if ((Gender == 'F' || Gender == 'f') && Age >= 25) {
System.out.println("You are Eligible for Insurance");
} else {
System.out.println("You are not Eligible for insurance");
} else if (Marital == 'm' || Marital == 'M') {
System.out.println("You are Eligible for Insurance");
System.out.println("Invalid Input");
import java.util.Scanner;
class NumberRepetition {
public static void main(String[] args) {
int i, j, rows;
System.out.println("Enter the number of rows: ");
rows = in.nextInt();
for (i = 0; i \le rows; i++) {
for (j = 0; j \le i; j++) {
System.out.print(i);
System.out.println("");
Sample Input/Output:
Enter the number of rows:
5
0
11
222
3333
44444
555555
```

import java.util.Scanner;
class RightAlignedTriangle {

```
public static void main(String[] args) {
int i, j, n;
System.out.println("Enter the number of rows: ");
Scanner in = new Scanner(System.in);
n = in.nextInt();
for (i = 0; i \le n; i++) {
for (j = 0; j \le n; j++) {
if ((i + j) < n)
System.out.print(" ");
else
System.out.print("*");
System.out.println("");
Enter the number of rows:
5
*
**
***
****
****
*****
import java.util.Scanner;
class SequentialNumbers {
public static void main(String[] args) {
int rows, i, j;
System.out.println("Enter the number of rows: ");
Scanner in = new Scanner(System.in);
rows = in.nextInt();
for (i = 1; i \le rows; i++) {
for (j = 1; j <= i; j++) {
System.out.print(j);
System.out.println("");
Sample Input/Output:
Enter the number of rows:
5
1
12
123
1234
12345
class Continuous Numbers {
public static void main(String[] args) {
int number = 1, i, j;
for (i = 1; i <= 5; i++) {
for (j = 1; j \le i; j++) {
System.out.print(" " + number);
number++;
```

```
System.out.println("");
}
Output:
1
23
456
78910
11 12 13 14 15
import java.util.Scanner;
class CenteredTriangle {
public static void main(String[] args) {
System.out.println("Enter the number of rows: ");
Scanner in = new Scanner(System.in);
int n = in.nextInt();
for (int i = 1; i <= n; i++) {
// Print leading spaces for centering
for (int k = 1; k <= (n - i); k++) {
System.out.print(" ");
}
// Print numbers
for (j = 1; j \le i; j++) {
System.out.print(" " + i);
}
System.out.println("");
}
Sample Input/Output:
Enter the number of rows:
5
1
22
333
4444
```

}