

Exercise 06 – Open and Close the Application

Objective

By the end of this exercise, you will be able to use Tricentis Standard Modules to open and close an HTML application.

Why is this important?

Opening the SUT is the recommended first step in the automation process. Closing it is the recommended final step. Usually, during testing, you will need to open and close the applications several times.

Key elements



TestStep

Instructions

- 1. Duplicate TestCaseFolder "Exercise 05 Create TestCase Structure" and name it "Exercise 06 Open and Close the Application".
- 2. View both the **Modules** Section and the **TestCases** Section together on your screen.
- 3. Within the Modules Section, navigate to: Standard Modules >> TBox XEngines >> Html >> OpenUrl.
- 4. Drag the Module **OpenUrl** and drop it into the TestStepFolder **Precondition**. Rename this TestStep **Open Web Shop**.
- 5. Within the **Modules** Section, navigate to Tricentis **Standard Modules** >> **TBox XEngines** >> **Html** >> **CloseBrowser**.
- 6. Drag the Module **CloseBrowser** and drop it into the TestStepFolder **Postcondition** and rename the TestStep **Close Web Shop**.
- 7. Within the **TestCases** Section, navigate to the **Open Web Shop** TestStep and in the value column next to **Url** enter the following link: http://demowebshop.tricentis.com/.
- 8. Navigate to **Close Web Shop** TestStep and in the value column next to **Title** enter the text: *Demo** and set the ActionMode to **Select**.
- 9. Ensure that you have closed all DemoWebShop browser windows. Right click on the TestCase **Shipping Costs** and select **Run in ScratchBook**.
- 10. Save your work.

Hints

 $\ensuremath{\text{\textit{y}}}$ Use the Window Docking function to customize your Workspace.