

PROJECT SETUP AND CONFIGURATION

Creating Project Folder

The Stock Trading application was developed using the MERN stack. A root folder named 'Stock Trading' was created. Inside the root folder, two separate folders named client and server were created. The client folder stores the React frontend, while the server folder stores the Node.js backend. This structure provides better organization, scalability, and maintainability throughout the project lifecycle.

1. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
2. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
3. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
4. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
5. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
6. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
7. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
8. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
9. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
10. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
11. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
12. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
13. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
14. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
15. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
16. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.

17. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
18. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
19. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
20. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
21. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
22. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
23. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
24. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
25. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
26. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
27. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
28. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
29. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
30. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
31. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
32. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.
33. Create the project folder, organize client/server directories, initialize version control, and maintain a clean folder structure.

Client Setup

The client application was created using React with Vite. Required packages were installed using npm. The src folder contains components, assets, styles, routing files, and application logic. Development is started using npm run dev.

34. Install React, configure Vite, organize src files, install dependencies, verify package.json, and test the frontend.
35. Install React, configure Vite, organize src files, install dependencies, verify package.json, and test the frontend.
36. Install React, configure Vite, organize src files, install dependencies, verify package.json, and test the frontend.

- [illegible]

package.json, and test the frontend.

60. Install React, configure Vite, organize src files, install dependencies, verify package.json, and test the frontend.

61. Install React, configure Vite, organize src files, install dependencies, verify package.json, and test the frontend.


62. Install React, configure Vite, organize src files, install dependencies, verify package.json, and test the frontend.

63. Install React, configure Vite, organize src files, install dependencies, verify package.json, and test the frontend.

64. Install React, configure Vite, organize src files, install dependencies, verify package.json, and test the frontend.

65. Install React, configure Vite, organize src files, install dependencies, verify package.json, and test the frontend.

66. Install React, configure Vite, organize src files, install dependencies, verify package.json, and test the frontend.



Server Setup

The backend was developed using Node.js, Express.js, MongoDB Atlas, and Mongoose. A separate server folder was initialized using npm. Express, CORS, Dotenv, Mongoose, and Nodemon were installed. MVC folders including config, controllers, models, middleware, routes, uploads, and utils were created. MongoDB Atlas was connected through a secure connection string stored in the .env file.

67. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
68. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
69. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
70. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
71. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
72. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
73. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
74. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
75. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
76. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
77. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
78. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
79. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
80. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
81. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
82. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
83. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
84. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.
85. Initialize the server, install backend packages, configure environment

variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

86. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

87. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

88. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

89. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

90. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

91. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

92. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

93. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

94. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

95. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

96. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

97. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

98. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

99. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.

100. Initialize the server, install backend packages, configure environment variables, connect MongoDB, create APIs, and test endpoints using Thunder Client.