

Day 16 Task

HTML Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <!doctype html>
  <html lang="en">
    <head>
      <title>Title</title>
      <!-- Required meta tags -->
      <meta charset="utf-8">
      <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">

      <!-- Bootstrap CSS -->
      <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap
/4.3.1/css/bootstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T" crossorigin="an
onymous">
    </head>
    <body>

      <!-- Optional JavaScript -->
      <!-- jQuery first, then Popper.js, then Bootstrap JS -->
      <script src="https://code.jquery.com/jquery-
3.3.1.slim.min.js" integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigin="an
onymous"></script>
      <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/
popper.min.js" integrity="sha384-
U02eT0CpHqD5JQ6hJty5KVphtPhzWj9WO1c1HTMga33JDZwrnQq4sF86dIHNDz0W1" crossorigin="an
onymous"></script>
      <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootst
rap.min.js" integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60RQ6VrjIEaEfF/nJGzIxFDsf4x0xIM+B07jRM" crossorigin="an
onymous"></script>
    </body>
```

```

</html>
<link rel="stylesheet" href="style.css">
<script src="script.js"></script>
</head>
<body>

<div class="wholeDiv">
  <div class="fieldSet">
    <div class="ifactoryStyle">IFACTORY</div>
  </div>
  <div class="bgWhite">
    <div class="firstDiv borderRadius">
      <div class="pad15">
        <div class="marBottom">
          <span class="weightClass">S</span>
          <span style="letter-
spacing:13px; " class="consoleClass">CROLLING IN WEB DESIGN</span>
          <div id="mouseIcon" class="marBottom">
            <i class="material-icons" style="font-
size:36px">mouse</i>
          </div>
          <div class="marBottom consoleClass">
            <span class="consoleClass" style="letter-
spacing:13px; ">THE LONG & THE SHORT OF IT</span>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="secondDiv ">
    <div class="centerAlign">
      <span class="weightClass consoleClass padEven">L</span>
      <span class="f30 consoleClass" style="margin-left: -
10px;">ONG SCROLL:</span>
      <span class="normalStyle">THE GOOD STUFF</span>
      <div class="normalStyle">VISUAL CREATIVITY</div>
      <div class="normalStyle">
        There's more visual freedom in parallax website design.
        Rather than
        focusing on block style information architecture, you can create
        refreshing and engaging visuals such as animations or beautiful
        photography, that act as a continuum, ultimately inspiring users
        to
        scroll further down the page. </div>

```



```
        Long-scrolling lends itself well to a narrative and
        encourages meaningful interaction from users.
    </div>
</div>
</div>
</div>

</body>
</html>
```

CSS Code:

```
.wholeDiv {
    padding: 30px;
    font-family: sans-serif;
}

.firstDiv,
.secondDiv,
.thirdDiv,
.fourthDiv,
.fifthDiv {
    position: relative;
    width: 100%;
    height: 500px;
    background: #1F1627;
    color: #fff;
    text-align: center;
    font-size: 21px;
    margin-bottom: 7%;
}

.firstDiv::after,
.secondDiv::after,
.thirdDiv::after,
.fourthDiv::after,
.fifthDiv::after {
    position: absolute;
    width: 100%;
    height: 100%;
    content: '';
    background: inherit;
    z-index: -1;
}
```

```
    top: 0;
    right: 0;
    bottom: 0;
    left: 0;
    transform-origin: top right;
    transform: skewY(-4deg);
}

.secondDiv::before,
.thirdDiv::before {
    position: absolute;
    width: 100%;
    height: 100%;
    content: '';
    background-color: #EAE1D8;
    z-index: -1;
    top: 0;
    right: 0;
    bottom: 0;
    left: 0;
    transform-origin: bottom left;
    transform: skewY(-4deg);
}

.secondDiv {
    background-color: #EAE1D8;
    color: #000;
}

.thirdDiv::before {
    background: #1F1627;
}

.fourthDiv {
    background-color: #EAE1D8;
    color: #000;
}

.bgWhite {
    background-color: white;
}

.borderRadius {
    border-radius: 50px 50px 0 0;
}

.fieldSet {
```

```
height: 5165px;
position: absolute;
border: 2px dotted#fff;
width: 85%;
z-index: 2;
left: 7%;
right: 0;
top: 14%;
border-radius: 50px;
border-bottom: none;
}

.ifactoryStyle {
position: absolute;
text-align: center;
top: -13px;
left: 41%;
color: #ffff;
width: 193px;
background: #1F1627;
font-style: italic;
font-size: 25px;
}

.pad15 {
padding-top: 7%;
}

.marBottom {
margin-bottom: 10px;
font-family: console;
font-size: 30px;
padding: 15px;
padding-left: 25px;
}

.weightClass {
font-size: 120px;
}

.centerAlign {
text-align: left;
padding: 35px 200px;
line-height: 1.5;
font-family: sans-serif;
```

```
padding-left: 300px;
}

.consoleClass {
  font-family: console;
  letter-spacing: 3px;
}

div.normalStyle {
  padding: 0 2px 2px 85px;
  font-weight: lighter;
  font-family: serif;
}

div.normalStyleOdd {
  padding: 0 2px 2px 205px;
  font-weight: lighter;
  font-family: serif;
}

.padOdd {
  padding: 0 2px 2px 125px;
}

.f30 {
  font-size: 30px;
}

.posThird {
  position: relative;
  top: 40px;
  left: 10px;
}

.posOpp {
  padding-left: 78px;
  position: relative;
  top: -48px;
}

.normalStyle {
  padding-left: 195px;
  padding-bottom: 20px;
  line-height: 1.5;
}
```

