Quick guide to Git & GitHub

Agenda

- Git first steps
- GitHub first steps
- Your SWP

What is Git?

- Git = tool for software version control
- Changes to a code base are applied via «commits» (= patches)
- Each contributor/participant has its own repository to which the commits are applied

Git Setup Step 1: Installation

- Linux: package management of your choice
 - with Debian for example sudo apt-get install git
- Mac OS X: DMG from http://git-scm.com/download/mac
- Windows: EXE from http://git-scm.com/download/win
- There are also GUIs
- TortoiseGit (Windows-only)
 http://code.google.com/p/tortoisegit/wiki/Download
- Eclipse with Egit
- ... there are others...

Git Setup Step 2: Configuration

Name and e-mail address (ID for commits)

```
git config --global user.name "Your name"
git config --global user.email "you@e-mail.de"
```

Git Setup Step 3: Cloning

Cloning: set up a local copy of the repository

```
git clone https://github.com/RIOT-OS/RIOT.git
```

Committing Code Changes with Git

- Changes committed are based on so-called Git Index
- Index: data structure tracking files that Git is managing
- Updating the index to track your recent changes to a file:

```
git add <file>
# or you can also use
git add -p <file>
```

— Commit the changes to all the files managed by Git:

```
git commit -am "<commit message>"
```


Commit message should concisely describe the change(s)

Agenda

- Git first steps
- GitHub first steps
- Your SWP

What is GitHub?

- Web interface for Git, and for
 - project management
 - social network for developer
 - RIOT on GitHub: https://github.com/RIOT-OS/RIOT/



GitHub Setup Step 1: Account

Create an account on https://www.github.com

GitHub Setup Step 2: generate SSH Key

- In Windows with PuTTYgen:
 http://www.chiark.greenend.org.uk/~sgtatham/putty/download.html
- In other environments:

ssh-keygen


- Choose password, other parameters can stay default
- Copy generated public key

```
cat ~/.ssh/id rsa.pub
```

ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAABAQDaz4zddu7La6++ytxDD2gNIz0 y0FkrnaqxcKiym0sGkNz+4+CoERmgH6NW5TwIopEGW0lwqZQUj9kz8zEh6QBzdr Oh0DhJ68L4okME3++FOSRStkSZscHbm2XxYAxKbUktEEyMQ9YnQICAQUOYozyOX JJuzii6yITTXEbeQZMQEQc+bVe4e+BQ7QcvZ78GbWkVk/eqSC3KrIyJYPoGEMKV rTfba49DNt9tgArSuhxrF1vwhRSkOa2LjOg3xTokOyA4vTPvFUEL/757Si0PhHd UycAajjstcA9Yylm9nIu2IKNeKR4Uu+CEjXDnzncKTED1zYL+cwNAwWVFCxN0fT xh YourName@somewhere

GitHub Setup Step 3: Set up Public Key


Click on "Account settings" (upper-right corner)



- In "SSH keys"->"Add SSH key":
 - title: e.g. your name
 - key: here copy your public key

GitHub Setup Step 4: Fork

- Fork: set up a copy of the repo in Github
- Prerequisite: Github account & being logged in
- Click on "Fork" button



Pushing Changes to your Fork

Set up a local repository forking your GitHub repo

```
git remote add fork git@github.com/username>/RIOT-OS
```

- Edit your files, commit your changes locally
- Then push local commits to GitHub


```
git push -u fork master
```

- Remark: always push to your own fork only!
- From now on, you can simply use:

```
git push
```

Creating a Pull Request (PR)

- Pull Request: propose your changes upstream, from your fork to the upstream branch
- Click "Compare, review, create a pull request"
 - Choose appropriate banch
 - Click on "create pull request"



More Info on Git and GitHub

We'll see some more details as we go

In the mean time:

- Book on Git: http://git-scm.com/book/de
- Github online help: https://help.github.com

Agenda

- Git
- GitHub
- Your SWP

Your Software Project

 By default base yourself on this fork: https://github.com/emmanuelsearch/RIOT

(this will simplify <u>your</u> life because you won't have to rebase on the sate of the master branch)

Any questions about this: ask us