#### **Experiment No: Group B-1**

Aim: Write a code in JAVA for a simple Word Count application that counts the number of occurrences of each word in a given input set using the Hadoop Map Reduce framework on local-standalone set-up.

Prerequisites: <u>Hadoop</u> and <u>MapReduce</u>

**Theory:** Counting the number of words in any language is a piece of cake like in C, C++, Python, Java, etc. MapReduce also uses Java but it is very easy if you know the syntax on how to write it. It is the basic of MapReduce. You will first learn how to execute this code similar to "Hello World" program in other languages. So here are the steps which show how to write a MapReduce code for Word Count.

#### **Example:**

Input:

Hello I am GeeksforGeeks

Hello I am an Intern


Output:

GeeksforGeeks 1


Hello 2
I 2
Intern 1
am 2
an 1

#### Steps:


• First Open Eclipse -> then select File -> New -> Java Project -> Name it WordCount -> then Finish.



- Create Three Java Classes into the project. Name them **WCDriver**(having the main function), **WCMapper**, **WCReducer**.
- You have to include two Reference Libraries for that:
   Right Click on Project -> then select Build Path-> Click on Configure Build Path



- In the above figure, you can see the Add External JARs option on the Right Hand Side. Click on it and add the below mention files. You can find these files in /usr/lib/
  - 1. /usr/lib/hadoop-0.20-mapreduce/hadoop-core-2.6.0-mr1-cdh5.13.0.jar
  - 2. /usr/lib/hadoop/hadoop-common-2.6.0-cdh5.13.0.jar



**Mapper Code:** You have to copy paste this program into the WCMapper Java Class file.

Java

```
// Importing libraries
import java.io.IOException;
```

```
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapred.MapReduceBase;
import org.apache.hadoop.mapred.Mapper;
import org.apache.hadoop.mapred.OutputCollector;
import org.apache.hadoop.mapred.Reporter;
public class WCMapper extends MapReduceBase implements Mapper<LongWritable,
                                                 Text, Text, IntWritable> {
    // Map function
    public void map(LongWritable key, Text value, OutputCollector<Text,</pre>
                 IntWritable> output, Reporter rep) throws IOException
    {
        String line = value.toString();
        // Splitting the line on spaces
        for (String word : line.split(" "))
```

```
if (word.length() > 0)

{
    output.collect(new Text(word), new IntWritable(1));
}
}
```

**Reducer Code:** You have to copy paste this program into the WCReducer Java Class file.

#### Java

```
// Importing libraries
import java.io.IOException;
import java.util.Iterator;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapred.MapReduceBase;
import org.apache.hadoop.mapred.OutputCollector;
import org.apache.hadoop.mapred.Reducer;
```

```
import org.apache.hadoop.mapred.Reporter;
public class WCReducer extends MapReduceBase implements Reducer<Text,</pre>
                                      IntWritable, Text, IntWritable> {
    // Reduce function
    \verb"public void reduce" (Text key, Iterator < IntWritable > value,
                    OutputCollector<Text, IntWritable> output,
                             Reporter rep) throws IOException
        int count = 0;
        // Counting the frequency of each words
        while (value.hasNext())
        {
            IntWritable i = value.next();
            count += i.get();
```

```
output.collect(key, new IntWritable(count));
}
```

**Driver Code:** You have to copy paste this program into the WCDriver Java Class file.

#### Java

```
// Importing libraries
import java.io.IOException;
import org.apache.hadoop.conf.Configured;
import org.apache.hadoop.fs.Path;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapred.FileInputFormat;
import org.apache.hadoop.mapred.FileOutputFormat;
import org.apache.hadoop.mapred.JobClient;
import org.apache.hadoop.mapred.JobConf;
import org.apache.hadoop.util.Tool;
import org.apache.hadoop.util.ToolRunner;
```

```
public class WCDriver extends Configured implements Tool {
    public int run(String args[]) throws IOException
    {
        if (args.length < 2)</pre>
        {
            System.out.println("Please give valid inputs");
            return -1;
        }
        JobConf conf = new JobConf(WCDriver.class);
        FileInputFormat.setInputPaths(conf, new Path(args[0]));
        FileOutputFormat.setOutputPath(conf, new Path(args[1]));
        conf.setMapperClass(WCMapper.class);
        conf.setReducerClass(WCReducer.class);
        conf.setMapOutputKeyClass(Text.class);
        conf.setMapOutputValueClass(IntWritable.class);
        conf.setOutputKeyClass(Text.class);
        conf.setOutputValueClass(IntWritable.class);
        JobClient.runJob(conf);
```

```
return 0;
}


// Main Method

public static void main(String args[]) throws Exception

{
   int exitCode = ToolRunner.run(new WCDriver(), args);
   System.out.println(exitCode);
}
```


Now you have to make a jar file. Right Click on Project-> Click on Export-> Select export destination as Jar File-> Name the jar File(WordCount.jar) -> Click on next -> at last Click on Finish. Now copy this file into the Workspace directory of Cloudera

Ne <u>w</u> Go <u>I</u> nto	>
Open in <u>N</u> ew Window Ope <u>n</u> Type Hierarchy Sho <u>w</u> In	F4 Shift+Alt+W <b>&gt;</b>
<u>C</u> opy Cop <u>y</u> Qualified Name <u>P</u> aste <u>D</u> elete	Ctrl+C Ctrl+V Delete
Remove from Context  Build Path Source Refactor	Shift+Ctrl+Alt+Down  Shift+Alt+S  Shift+Alt+T  Shift+Alt+T  Shift+Alt+T
Import Exp <u>o</u> rt	
Re <u>f</u> resh	F5



Export generated	<u>c</u> lass files and res	ources		
☐ Export all o <u>u</u> tput f	folders for checked	d projects		
☐ Export Java <u>s</u> ource	e files and resourc	es		
☐ Export refactoring	s for checked proj	ects. <u>Select refac</u>	torings	
Select the export dest	ination:			
JAR file:				✓ B <u>r</u> owse
Options:				
✓ Compress the corporation	tents of the JAR fil	le		
☐ A <u>d</u> d directory entr	ies			
☐ <u>O</u> verwrite existing	g files without war	ning		
?	< Back	Next >	Cancel	Finish

Open the terminal on CDH and change the directory to the workspace. You can do this by using "cd workspace/" command. Now, Create a text file(WCFile.txt) and move it to HDFS. For that open terminal and write this code(remember you should be in the same directory as jar file you have created just now).



• Now, run this command to copy the file input file into the HDFS.

hadoop fs -put WCFile.txt WCFile.txt

## File Edit View Search Terminal Help [cloudera@quickstart workspace]\$ hadoop fs -put WCFile.txt WCFile.txt [cloudera@quickstart workspace]\$

• Now to run the jar file by writing the code as shown in the screenshot.

# File Edit View Search Terminal Help [cloudera@quickstart workspace]\$ hadoop jar wordCount.jar WCDriver WCFile.txt WCOutput 19/05/06 22:43:22 INFO client.RMProxy: Connecting to ResourceManager at /0.0.0.0:8032 19/05/06 22:43:22 INFO client.RMProxy: Connecting to ResourceManager at /0.0.0.0:8032

 After Executing the code, you can see the result in WCOutput file or by writing following command on terminal.

hadoop fs -cat WCOutput/part-00000

Σ		cloudera@quickstart:~/workspace						
File	Edit	View	Search	Terminal	Help			
[clou	de ra(	quick	start w	rkspace]:	\$ hadoop	fs -cat	WCOutput/part-00000	
Geeks	forGe	eeks	1					
Hello	2							
I	2							
Inter	n 1							
am	2							
an	1							

### Master Coding In 4 E

Step 1: Open <del>36</del> Practice

Step 2: So

Step 3: Upgrade Your Skills (1) Step 4: Go