




Advanced Java

Trainer: Nilesh Ghule




Election Management






Inter-Servlet communication



- 1) First servlet serge a response (Status=302), due to which client makes a new request for new urs.
- 2) Can nowigate to any web Component in the apph or outside the oppin.
- 3 brower is aware of the manigation
- (check the und). TO Post rep to 51 (check the und). TO Post rep to 51 (3) Get rep to 52.


red = req. get Request Dispatcher ("52-urs");



Ofiset servlet forward the eggist to the event map comberent. Road resp generated by 52.

- 2) Can mavigate to any web component within the applin.
- 3) client is not aware of the rowigation (check the urs).


eg. Loenaeg (red 266): eg. journe (sed 266); SERVEY



- (1) frost search rachides possiful sepp secreted by servet 2: First resp is
- 2) Can navigate to any web Component within the applin.
- 3 client is not aware of the rewigation (check the und).



State Management





HttpSession

HHPSerian is like a hashtable for each user/client in server menory (RAM). String Object Session = reg. get-Session ();) get serien of worth wer. Ly if no session is avail, create new session for that user session. set Atto but (" key", value); 4 add an attribute into session value = session. get Attribute (" key"): Lo october the attribute of given key. session, invalidate (): Is destroy the session of crosent wer





Thank you!

Nilesh Ghule <nilesh@sunbeaminfo.com>

