Week-3 Practice Problems (1) import dava util scanner; class arr Public static void main (string args[]) int evento; int odd=0,51, 10; scanner 63 = new scanner (system. in); System. out. Printly (" Enter the size of the array \n"); n= 33. next In(1); int [a] # a = new int[n]; System.out. Println ("Enter the Array for (izo; icn; i++) elements"), acij=ss.next Int(); for (i=0; izv; i++) if ( i% 2 = = 0 ) even +=a[i] 0/90 odd + = aci 7 system. out. Printly (" the sum of even indices" system. out. Println (" the sum of indices" toda

```
import dava util scanner;
class number
  Public static void main (string args[]
   int Pos=0, neg=0, z=0, i, v);
   Scanner 55 = new Scanner (system in).
   system. out. Println (" Enter the Array size").
    n=39. next Int();
    int []a = new int[n];
   System. out. Print In (" Enter Array elements
  for (i=0; i < n; i++)
    a[i]= ss. nextInt();
 for (i=0; izvi; i++)
   if Cacij 20
    Pos++;
    else if (a [i] Lo)
     neg++;
    2130
```

System. out. Printly ("Number of Positive numbers"+Pos);
System. out. Printly ("Number of negative numbers" + new);
system.out. Printly ("Number of zero" + zero";

imfort dava util scanner;

Public class bill

Public static void main (string args [])

Scanner ssinew scanner (systemin);

System. out. Printly ("Enter the number

int n= 63. next Int();

double int total, t=0;

double [] r r i = new double [n];

int C] quantity= new int[n];

for (int i=0; izn; i++)

system. out. Println (" Enter the overantity and rate Per items")

int q=ss. next Double(); quantity [i]=q; rpi[i]=n;

```
for (int i=0; izn; i++)
  int total = argantity Ei] * rPICI];
       to + = int total;
   if (total t >= 1000)
    system. out. Printin ("Discount = 5% . Total bil)
      = 11 + + + 4 Discounted bill= 12+(t-txo.05)
   else if (t >= 7500)
   Esystem. out. Printly ("Discount= 3%. total
     bill="+++"Discounted bill="i(t-t*0.03)
   else it (+>=5000)
    system. out. Print In ("Discount=2%. Total
    bill="+ t+" Discounted bill="+ (t-t+0.02).
   else
   system. out. Print In C"No discount. total bill
```

```
infort java util scanner;
Public class add ever array
 Public static void main (string orgs[];
  int v, 1=0, sum=0, R=0, K, max, min, avg;
 Scanner so = new scanner (oystem. 1/2);
 System, out . Printly "Enter the no! of
  n= 55. nextInt();
                  elements in arrayla".
 int []a = new int[n];
  int [] b = new int [n];
  int [] c = new int [n].
  system, out Printly ("Enter the Array
 for (int i=0; i<0; i++)
                        elements \n').
  aci7=38. nextint();
 for (int i=0; i<0; i++)
  if (a[i]%2==0) {
     ([i] = a[i];
      Sumt = a[i]
       à++;
  else
   bek7 = acij
    K++;
```

```
max = cco7;

min = cco7;

for Cint i=0; izi; i++)

if (cci] > max)

max = cci7;

eif (cci] < min)

min = cci7;
```

system. out. Printly ("For the even array sum is"+sum +" average is "of (sum/i)+"

maximum is" + max + "minimum is"+min),