Assignment : 14.2

Name : D .Akash

Ht.No : 2303A51422

Batch : 21

Task Description 1 : (Landing Page Design)

• Create a simple landing page for a product or service. Include a header, hero section, and footer.

Requirements:

• Use HTML and CSS to structure the page.

• Use AI to suggest layout alignment and typography.

• Ensure the page is responsive across devices.

Code :

A_14.2.html > ...

```
'''Task Description 1
(Landing Page Design)
• Create a simple landing page for a product or service. Include a
header, hero section, and footer.
Requirements:
• Use HTML and CSS to structure the page.
• Use AI to suggest layout alignment and typography.
• Ensure the page is responsive across devices.'''
# remove the task description from the final code snippet as it is not
part of the actual code for the landing page design.'''

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Product Landing Page</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            margin: 0;
            padding: 0;
            display: flex;
            flex-direction: column;
            min-height: 100vh;
        }
        header {
            background-color: #4CAF50;
            color: white;
            padding: 20px;
            text-align: center;
        }
        .hero {
            background-color: #f4f4f4;
            padding: 50px 20px;
            text-align: center;
        }
        .hero h1 {
            font-size: 2.5em;
            margin-bottom: 20px;
        }
        .hero p {
            font-size: 1.2em;
            margin-bottom: 30px;
        }
```

```
        .hero button {
            padding: 10px 20px;
            font-size: 1em;
            color: white;
            background-color: #4CAF50;
            border: none;
            cursor: pointer;
        }
        footer {
            background-color: #333;
            color: white;
            text-align: center;
            padding: 10px 0;
            margin-top: auto;
        }
        @media (max-width: 600px) {
            .hero h1 {
                font-size: 1.5em;
            }
            .hero p {
                font-size: 1em;
            }
        }
    </style>
</head>
<body>
    <header>
        <h1>Welcome to Our Product</h1>
    </header>
    <section class="hero">
        <h1>Discover the Future of Technology</h1>
        <p>Our product offers innovative solutions to make your life easier. Join us on this exciting journey!</p>
        <button>Learn More</button>
    </section>
    <footer>
        &copy; 2024 Your Company. All rights reserved.
    </footer>
</body>
</html>
```

Output:



Observation : The landing page was created using HTML and CSS with a header, hero section, and footer. Proper layout alignment and typography were used to make the page visually clear and structured. Responsive design techniques were applied so the page adapts to different screen sizes. The design provides a simple and user-friendly interface for presenting a product or service.

Task Description 2 : (Theme Toggle Feature)

• Provide a button to switch between light and dark themes..

Requirements:

• Use JavaScript to toggle CSS classes.

• Use AI assistance to manage color contrast and accessibility.

• Ensure theme preference applies instantly on click.

Code :

A_14.2.html

A_14.2.html > html

```
Task Description 2 - (Theme Toggle Feature)
• Provide a button to switch between light and dark themes..
Requirements:
• Use JavaScript to toggle CSS classes.
• Use AI assistance to manage color contrast and accessibility.
• Ensure theme preference applies instantly on click.
# add some animation to the theme toggle button for better user experience

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Advanced Theme Toggle</title>

<style>

*{
margin:0;
padding:0;
box-sizing:border-box;
}

body{
font-family:Arial, sans-serif;
display:flex;
flex-direction:column;
justify-content:center;
align-items:center;
height:100vh;
transition: background 0.4s, color 0.4s;
}

/* LIGHT THEME */

body.light{
background: #ffffff;
color: #222;
}
```

```
/* DARK THEME */

body.dark{
background: #121212;
color: #f5f5f5;
}

/* TOGGLE SWITCH */

.theme-switch{
position:relative;
width:70px;
height:35px;
}

.theme-switch input{
display:none;
}

.slider{
position:absolute;
cursor:pointer;
top:0;
left:0;
right:0;
bottom:0;
background: #ccc;
border-radius:50px;
transition:0.4s;
}
```

```
/* CIRCLE */

.slider:before{
position:absolute;
content:"🌞";
height:28px;
width:28px;
left:4px;
bottom:3.5px;
background:white;
border-radius:50%;
display:flex;
align-items:center;
justify-content:center;
transition:0.4s;
font-size:14px;
}

/* DARK MODE */

input:checked + .slider{
background:#4CAF50;
}

input:checked + .slider:before{
transform:translateX(35px);
content:"🌙";
}

/* TEXT */

h1{
margin-bottom:20px;
font-size:32px;
}

p{
margin-bottom:20px;
font-size:18px;
}
```

```html
<body class="light">

<h1>Theme Toggle</h1>
<p>Switch between Light and Dark Mode</p>

<label class="theme-switch">
<input type="checkbox" id="toggle">
<span class="slider"></span>
</label>

<script>

const toggle = document.getElementById("toggle");
const body = document.body;

/* Load saved theme */

if(localStorage.getItem("theme") === "dark"){
body.classList.remove("light");
body.classList.add("dark");
toggle.checked = true;
}

/* Toggle Theme */

toggle.addEventListener("change", () => {

if(toggle.checked){
body.classList.remove("light");
body.classList.add("dark");
localStorage.setItem("theme","dark");
}else{
body.classList.remove("dark");
body.classList.add("light");
localStorage.setItem("theme","light");
}

});

</script>

</body>
</html>
```

Output : before



Output : After



Observation : The theme toggle feature allows users to switch between light and dark modes using a button. JavaScript is used to dynamically toggle CSS classes to change the webpage appearance instantly. Smooth animations improve the user experience during the theme transition. The selected theme is stored using local storage so the preference remains even after refreshing the page.

Task Description 3 – (User Feedback Form)

• Create a feedback form with fields: Username, Rating,

Comments.

Requirements:

• Use JavaScript to validate required fields.

• Display success or error messages dynamically.

• Use AI to improve form usability and layout.

Code :

```
A_14.2.html > html
Task Description 3 (User Feedback Form)
• Create a feedback form with fields: Username, Rating,
Comments.
Requirements:
• Use JavaScript to validate required fields.
• Display success or error messages dynamically.
• Use AI to improve form usability and layout.

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>User Feedback Form</title>

<style>

body{
font-family: Arial, sans-serif;
background: #f4f4f4;
display:flex;
justify-content:center;
align-items:center;
height:100vh;
}

.container{
background: white;
padding:25px;
border-radius:10px;
width:320px;
box-shadow:0 4px 10px rgba(0,0,0,0.2);
}

h2{
text-align:center;
margin-bottom:20px;
}

input, select, textarea{
width:100%;
padding:10px;
margin:8px 0;
border:1px solid #ccc;
border-radius:5px;
```

```
48  button{
49  width:100%;
50  padding:10px;
51  background: #4CAF50;
52  color: white;
53  border:none;
54  border-radius:5px;
55  cursor:pointer;
56  }
57
58  button:hover{
59  background: #45a049;
60  }
61
62  .message{
63  text-align:center;
64  margin-top:10px;
65  font-weight:bold;
66  }
67
68  </style>
69  </head>
70
71  <body>
72
73  <div class="container">
74
75  <h2>Feedback Form</h2>
76
77  <form id="feedbackForm">
78
79  <input type="text" id="username" placeholder="Enter Username">
80
81  <select id="rating">
82  <option value="">Select Rating</option>
83  <option value="5">5 - Excellent</option>
84  <option value="4">4 - Good</option>
85  <option value="3">3 - Average</option>
86  <option value="2">2 - Poor</option>
87  <option value="1">1 - Bad</option>
88  </select>
```

```
<textarea id="comments" rows="4" placeholder="Enter Comments"></textarea>

<button type="submit">Submit Feedback</button>

<p class="message" id="message"></p>

</form>

</div>

<script>

document.getElementById("feedbackForm").addEventListener("submit", function(e){

e.preventDefault();

let username = document.getElementById("username").value.trim();
let rating = document.getElementById("rating").value;
let comments = document.getElementById("comments").value.trim();

let message = document.getElementById("message");

if(username === "" || rating === "" || comments === ""){
message.style.color = "red";
message.textContent = "Please fill all required fields!";
}else{
message.style.color = "green";
message.textContent = "Feedback submitted successfully!";
document.getElementById("feedbackForm").reset();
}

});

</script>

</body>
</html>
```

Output :



Observation: The user feedback form was created using HTML to collect username, rating, and comments from users. JavaScript was used to validate the required fields before submitting the form. Dynamic success and error messages are displayed based on user input. The layout was designed to be simple and user-friendly for better usability.

Task Description - 4 (Image Gallery with JavaScript)

• Task: Display a small image gallery on a web page.

Requirements:

• Use JavaScript to dynamically load images.

• Add next/previous navigation buttons.

• Use AI to optimize layout responsiveness.

Code :

A_14.2.html > html > body > script > images

```
Task Description - 4 (Image Gallery with JavaScript)
• Task: Display a small image gallery on a web page.
Requirements:
• Use JavaScript to dynamically load images.
• Add next/previous navigation buttons.
• Use AI to optimize layout responsiveness.

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Image Gallery</title>

<style>

body{
font-family: Arial, sans-serif;
text-align:center;
background: #f4f4f4;
padding:40px;
}

.gallery-container{
max-width:500px;
margin:auto;
background: white;
padding:20px;
border-radius:10px;
box-shadow:0 4px 10px rgba(0,0,0,0.2);
}

img{
width:100%;
height:auto;
border-radius:10px;
}

.buttons{
margin-top:15px;
}

button{
padding:10px 20px;
margin:5px;
```

```
border:none;
background:#4CAF50;
color:white;
border-radius:5px;
cursor:pointer;
}

button:hover{
background:#45a049;
}

/* Responsive */

@media(max-width:600px){
.gallery-container{
width:90%;
}
}

</style>
</head>

<body>

<h2>Image Gallery</h2>

<div class="gallery-container">

<img id="galleryImage" src="" alt="Gallery Image">

<div class="buttons">
<button onclick="prevImage()">Previous</button>
<button onclick="nextImage()">Next</button>
</div>

</div>

<script>

let images = [
"download.jpg",
```

```
"download.jpg",
"images.jpg",
"download2.jpg",
"monkey.jpg"];

let index = 0;

function showImage(){
document.getElementById("galleryImage").src = images[index];
}

function nextImage(){
index++;
if(index >= images.length){
index = 0;
}
showImage();
}

function prevImage(){
index--;
if(index < 0){
index = images.length - 1;
}
showImage();
}

/* Load first image */

showImage();

</script>

</body>
</html>
```

Output :



Observation : The image gallery was created using HTML, CSS, and JavaScript to display multiple images on a web page. JavaScript was used to dynamically load images from an array. Next and Previous buttons allow users to navigate through the images easily. The layout was optimized to be responsive so the gallery works properly on different screen sizes.

Task Description - 5: (Notification Banner)

• Display a notification banner at the top of the page.

Requirements:

• Use JavaScript to show and hide the banner.

• Style the banner using CSS.

• Use AI to ensure smooth transitions and clean UI behavior.

Code :

A_14.2.html > html

```
Task Description - 5: (Notification Banner)
• Display a notification banner at the top of the page.
Requirements:
• Use JavaScript to show and hide the banner.
• Style the banner using CSS.
• Use AI to ensure smooth transitions and clean UI behavior.


<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Notification Banner</title>

<style>

body{
font-family: Arial, sans-serif;
margin:0;
}

/* Banner */

.banner{
position:fixed;
top:-60px;
left:0;
width:100%;
background: #4CAF50;
color: white;
text-align:center;
padding:15px;
font-size:18px;
transition:top 0.4s ease;
}

```

```html
<html lang="en">
<head>
<style>
.show-btn{
margin:100px auto;
display:block;
padding:10px 20px;
background:#333;
color:white;
border:none;
border-radius:5px;
cursor:pointer;
}

.show-btn:hover{
background:#555;
}

</style>
</head>

<body>

<div id="banner" class="banner">
This is a notification message!
<span class="close-btn" onclick="hideBanner()">✕</span>
</div>

<button class="show-btn" onclick="showBanner()">Show Notification</button>

<script>

function showBanner(){
document.getElementById("banner").style.top="0";
}

function hideBanner(){
document.getElementById("banner").style.top="-60px";
}

</script>

</body>
</html>
```

Output :



Observation : The notification banner was created using HTML and styled using CSS to appear at the top of the webpage. JavaScript functions were used to show and hide the banner dynamically. Smooth transition effects were added to provide better user experience. The design ensures a clean and simple interface for displaying notifications.