Status	Finished
Started	Friday, 16 October 2026, 4:44 PM
Completed	Friday, 16 October 2026, 4:48 PM
Duration	4 mins 23 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

- a. ['Emily', 'John', 'Erik'] ✓
- b. ['Janice', 'Emily', 'John']
- c. ['Janice', 'John', 'Erik']
- d. ['Janice', 'Emily', 'John', 'Eleanor']

Question **2**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

- a. It will create a new dictionary.
- b. It will merge all the elements of dictionary ‘D1’ in dictionary ‘D2’.
- c. None of the mentioned
- d. It will merge all the elements of dictionary ‘D2’ in dictionary ‘D1’. ✓

Question **3**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

- True
- False ✓

Question **4**

Incorrect

Mark 0.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 7 ✗

Question **5**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called _____.

- a. value
- b. item ✓
- c. pair item
- d. paired value

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

- a. dictionary
- b. dict ✓
- c. create
- d. convert

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

- a. delete
- b. None of the mentioned
- c. pop ✓
- d. remove

Question **8**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by _____.

a. dot(.)

b. Semicolon(;)

c. Comma(,)

d. Colon (:) ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. C = ( )

b. None of the mentioned

c. D = { } ✓

d. L = [ ]

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?

```
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)
```

- a. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓
- b. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]
- c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
- d. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

Question **11**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

- a. True ✓
- b. False

Question **12**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

- a. False ✓
- b. True

Question **13**

Correct

Mark 1.00 out of 1.00

Key – value concept is in _____.

- a. String
- b. Tuple
- c. List
- d. Dictionary ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

- a. string
- b. list ✓
- c. dictionary
- d. tuple

Question **15**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by _____.

- a. dot(.)
- b. Colon (
- c. Semicolon(;)
- d. Comma(,) ✓