```
ANDROID.Manifest
MAIN.XML
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
    android:orientation="vertical"
    android:layout_width="fill_parent"
   android:layout_height="fill_parent"
<TextView
   android:layout_width="fill_parent"
    android:layout_height="wrap_content"
   android:text="@string/hello"
```

```
<Spinner android:layout_height="wrap_content" android:layout_width="match_parent" android:id="@+id/spinner1"></Spinner>
</LinearLayout>
Act.java
package SpinnerDemo.in;
import android.app.Activity;
import android.os.Bundle;
import android.view.View;
import android.widget.AdapterView;
import android.widget.ArrayAdapter;
import android.widget.Spinner;
import android.widget.Toast;
```

```
import android.widget.AdapterView.OnItemSelectedListener;
public class SpinnerDemo extends Activity {
   /** Called when the activity is first created. */
   Spinner sp1;
   String vehicles[]={"car","bus","van"};
   @Override
   public void onCreate(Bundle savedInstanceState) {
       super.onCreate(savedInstanceState);
       setContentView(R.layout.main);
       sp1=(Spinner)findViewById(R.id.spinner1);
       ArrayAdapter<String> ad=new ArrayAdapter<String>(this,android.R.layout.simple_spinner_item,vehicles);
       sp1.setAdapter(ad);
       sp1.setOnItemSelectedListener(new OnItemSelectedListener(){
           public void onItemSelected(AdapterView<?> arg0, View arg1,
```

```
int arg2, long arg3) {
        // TODO Auto-generated method stub
        int index=arg0.getSelectedItemPosition();
        Toast.makeText(getBaseContext(), "Selected Vehicles is.." +vehicles[index], Toast.LENGTH_SHORT).show();
    public void onNothingSelected(AdapterView<?> arg0) {
        // TODO Auto-generated method stub
});
```