```
ANDROID.Manifest
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"</pre>
     package="com.internal"
     android:versionCode="1"
     android:versionName="1.0">
    <uses-sdk android:minSdkVersion="8" />
    <uses-permission android:name="android.permission.READ_INTERNAL_STORAGE"></uses-permission>
    <uses-permission android:name="android.permission.WRITE_INTERNAL_STORAGE"></uses-permission>
    <application android:icon="@drawable/icon" android:label="@string/app_name">
        <activity android:name=".act"
                  android:label="@string/app_name">
            <intent-filter>
                <action android:name="android.intent.action.MAIN" />
                <category android:name="android.intent.category.LAUNCHER" />
```

```
</intent-filter>
        </activity>
    </application>
</manifest>
MAIN.XML
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
   android:orientation="vertical"
   android:layout_width="fill_parent"
   android:layout_height="fill_parent"
<TextView
   android:layout_width="fill_parent"
```

```
android:layout_height="wrap_content"
    android:text="@string/hello"
   />
<EditText android:layout_width="match_parent" android:layout_height="wrap_content" android:id="@+id/editText1"</pre>
android:hint="Enter Text"></EditText>
<Button android:text="Save" android:id="@+id/button1" android:layout_width="wrap_content"</pre>
android:layout_height="wrap_content"></Button>
<Button android:text="View" android:id="@+id/button2" android:layout_width="wrap_content"
android:layout_height="wrap_content"></Button>
</LinearLayout>
Act.java
package com.internal;
import java.io.FileInputStream;
```

```
import java.io.FileOutputStream;
import java.io.InputStreamReader;
import java.io.OutputStreamWriter;
import android.app.Activity;
import android.os.Bundle;
import android.view.View;
import android.view.View.OnClickListener;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
public class act extends Activity {
   /** Called when the activity is first created. */
   EditText txt;
   Button b1,b2;
```

```
private static final int READ_BOOK_SIZE=100;
@Override
public void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.main);
    txt=(EditText)findViewById(R.id.editText1);
    b1=(Button)findViewById(R.id.button1);
    b2=(Button)findViewById(R.id.button2);
    b1.setOnClickListener(new OnClickListener() {
       @Override
        public void onClick(View arg0) {
           // TODO Auto-generated method stub
           String str=txt.getText().toString();
           try{
               FileOutputStream fout=openFileOutput("textfile.txt", MODE_WORLD_READABLE);
```

```
OutputStreamWriter osw=new OutputStreamWriter(fout);
            osw.write(str);
            osw.flush();
            osw.close();
            fout.close();
            Toast.makeText(getBaseContext(), "File Saved", Toast.LENGTH_SHORT).show();
            txt.setText("");
        catch(Exception e)
            e.printStackTrace();
            Toast.makeText(getBaseContext(), e.getMessage(), Toast.LENGTH_SHORT).show();
});
b2.setOnClickListener(new OnClickListener() {
```

```
@Override
public void onClick(View arg0) {
   // TODO Auto-generated method stub
   try{
       FileInputStream fin=openFileInput("textfile.txt");
        InputStreamReader isr=new InputStreamReader(fin);
        char[] input=new char[READ_BOOK_SIZE];
       String s="";
       int charead;
       while((charead=isr.read(input))>0)
            String readString=String.copyValueOf(input,0,charead);
            s+=readString;
            txt.setText(s);
            Toast.makeText(getBaseContext(), "file loaded", Toast.LENGTH_SHORT).show();
```

```
catch(Exception e)
{
        e.printStackTrace();
    }
}
}
```