OneCS App Android

Execution Environment

Host name akile - AkILeShKiNgS.domain.name

Local OS Windows 10 64bit

Katalon version 8.6.0.208 Browser null

Summary

ID Test Suites/OneCS App Android

Description Android Suite Run

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Skipped

Start 2023-06-07 11:49:15 End 2023-06-07 11:49:17

Elapsed 2.189s

#	ID	Description	Status
1	Test Cases/Modules/SignIn Module	Verifying Sign In	FAILED
2	Test Cases/Modules/More Module	Verify the MORE screen details	FAILED

SignIn Module

Information

ID Test Cases/Modules/SignIn Module

Description Verifying Sign In

Tag SignIn

Start 2023-06-07 11:49:16 End 2023-06-07 11:49:16

Elapsed 0.168s Status FAILED

Details

Description Elapsed Status

SignIn Module

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Android_Registration.feature.feature")	0.157s	FAILED
	Keyword runFeatureFile was failed (Root cause: java.lang.lllegalArgumentException: Not a		
	file or directory: C:\Users\akile\git\KatalonMobileWeb\Include\features\Android_Registration. feature.feature		
	at cucumber.runtime.io.FileResourceIterator\$FileIterator. <init></init>		
	(FileResourceIterator.java:63)		
	at cucumber.runtime.io.FileResourceIterator. <init>(FileResourceIterator.java:28) at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator</init>		
	(FileResourceIterator.java:14)		
	at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable.java: 19)		
	at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath		
	(CucumberFeature.java:111)		
	at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:48)		
	at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:30) at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions.java:		
	305)		
	at cucumber.runtime.Runtime.run(Runtime.java:97)		
	at cucumber.api.cli.Main.run(Main.java:35)		
	at cucumber.api.cli.Main\$run.call(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
	groovy:108) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
	groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:75)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:69)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
	(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:75)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:248)		
	at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at SignIn Module.run(SignIn Module:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	:		

 $at\ com.kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$

java:369)

SignIn Module

#	Description	Elapsed	Status
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	187)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1686118744978.run(TempTestSuite1686118744978.groovy:36)		

More Module

Information

ID Test Cases/Modules/More Module

Description Verify the MORE screen details

Tag More

Start 2023-06-07 11:49:17 End 2023-06-07 11:49:17

Elapsed 0.122s Status FAILED

Details

Description Elapsed Status

More Module

#	Description	Elapsed	Status
1	runFeatureFile("Include/features/Android_More.feature.feature")	0.116s	FAILED
	Keyword runFeatureFile was failed (Root cause: java.lang.lllegalArgumentException: Not a file or directory: C:\Users\akile\git\KatalonMobileWeb\Include\features\Android_More. feature.feature		
	at cucumber.runtime.io.FileResourceIterator\$FileIterator. <init></init>		
	(FileResourceIterator.java:63) at cucumber.runtime.io.FileResourceIterator. <init>(FileResourceIterator.java:28) at cucumber.runtime.io.FileResourceIterator.createFileResourceIterator</init>		
	(FileResourceIterator.java:14) at cucumber.runtime.io.FileResourceIterable.iterator(FileResourceIterable.java:		
	19) at cucumber.runtime.model.CucumberFeature.loadFromFeaturePath		
	(CucumberFeature.java:111)		
	at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:48) at cucumber.runtime.model.CucumberFeature.load(CucumberFeature.java:30) at cucumber.runtime.RuntimeOptions.cucumberFeatures(RuntimeOptions.java:		
	305)		
	at cucumber.runtime.Runtime.run(Runtime.java:97) at cucumber.api.cli.Main.run(Main.java:35)		
	at cucumber.api.cli.Main\$run.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy:108)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:69)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
	(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:75)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:248)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at More Module.run(More Module:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		

 $at\ com.kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$

More Module

#	Description	Elapsed	Status
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	187)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1686118744978.run(TempTestSuite1686118744978.groovy:36)		