Parallel Testing Demo

Execution Environment

Host name 10679768 - LTILMAA21203680.Intinfotech.com

Local OS Windows 11 64bit

Katalon version 8.6.5.208 Browser null

Summary

ID Test Suites/Parallel Testing Demo

Description

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 2023-07-19 15:08:40 End 2023-07-19 15:08:43

Elapsed 2.264s

#	ID	Description	Status
1	Test Cases/TC1		FAILED
2	Test Cases/TC2		FAILED

Information

ID Test Cases/TC1

Description

Tag

Start 2023-07-19 15:08:42 End 2023-07-19 15:08:42

Elapsed 0.041s Status FAILED

Details

Description Elapsed Status

Descriptio	n	Elapsed	Status
openBrow	ser("")	0.026s	FAILE
Unable to	open browser with url: " (Root cause: com.kms.katalon.core.exception.		
	Exception: Unable to open browser with url: "		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	ywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	ywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	ser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
	vserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	ywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(WebUiBu	iltInKeywords.groovy:64)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
(Unknown			
	at TC1.run(TC1:39)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	Executor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	Executor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)	st com.kms.katalon.core.main.restoaseExecutor.execute(restoaseExecutor.		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)	(, 50, 50, 50, 50, 50, 50, 50, 50, 50, 50		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonI	Executor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuite	Executor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1689759511301.run(TempTestSuite1689759511301.groovy:36)		
	r: org.openqa.selenium.WebDriverException: Cannot find firefox binary in PATH.		
	firefox is installed. OS appears to be: XP		
	version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	o: host: 'LTILMAA21203680', ip: '10.207.112.69', os.name: 'Windows 11', os.arch:		
	s.version: '10.0', java.version: '1.8.0_362'		
	: driver.version: CGeckoDriver		
	at org.openqa.selenium.firefox.FirefoxBinary. <init>(FirefoxBinary.java:100)</init>		
	at org.openqa.selenium.firefox.FirefoxOptions.getBinary(FirefoxOptions.java:216)		

Descrip	tion	Elapsed	Status
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:147)</init>		
	at com.kms.katalon.selenium.driver.CFirefoxDriver. <init>(CFirefoxDriver.java:21)</init>		
	at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver. <init>(CGeckoDriver.</init>		
java:12)			
	at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver.from(CGeckoDriver.		
java:17)			
	at com.kms.katalon.core.webui.driver.DriverFactory.createNewFirefoxDriver		
(DriverF			
(5)			
(DriverF			
(5)			
(DriverF			
0 5			
OpenBr			
0 5	·		
OpenBr			
/\A/=b			
(webuii			
on on Dro			
орепыс			
(On on B			
(Орепь			
ovecute			
execute			
(Mobilii			
(webon			
(Unknow			
(OTINITO)			
1	III TO THOR		
(DriverF (DriverF OpenBr OpenBr (WebUll openBr (OpenB execute	actory.java:708) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser actory.java:365) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver actory.java:263) at com.kms.katalon.core.webui.keyword.builtin. owserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. owserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword KeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. owser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute rowserKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.internal.KeywordExecutor. KeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser BuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call vn Source) at Script1689757911245.run(Script1689757911245.groovy:39) 16 more		

2 Start listener action : sampleAfterTestCase

0.000s

PASSED

Information

ID Test Cases/TC2

Description

Tag

Start 2023-07-19 15:08:43 End 2023-07-19 15:08:43

Elapsed 0.033s Status FAILED

Details

# Description	Elapsed	Status
---------------	---------	--------

Des	cription	Elapsed	Status
ope	nBrowser("")	0.019s	FAILED
Una	able to open browser with url: " (Root cause: com.kms.katalon.core.exception.		
	pFailedException: Unable to open browser with url: "		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(We	ebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(We	bUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
ope	nBrowser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
(Op	enBrowserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
exe	cuteKeywordForPlatform(KeywordExecutor.groovy:74)		
(\\/-	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(vve	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
(Un	known Source)		
,011	at TC2.run(TC2:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
ava	u:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
ıva	1:448)		
	$at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$		
ava	:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
Te	stCaseExecutor.java:418)		
_	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
I e	stCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ava	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ava	at confirms.katalon.core.main.restcaseExecutor.execute(restcaseExecutor.		
jave	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
iava	1:369)		
,	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java	1:369)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
Со	mmonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Te	stSuiteExecutor.java:148)		
	$at\ com.kms. katalon.core.main. Test Suite Executor. execute (Test Suite Executor.java: test S$		
106			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187			
0	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sou	ot TompTostSuite4690750544304 #up/TompTostSuite4690750544304 @roove/36)		
Car	at TempTestSuite1689759511301.run(TempTestSuite1689759511301.groovy:36)		
	used by: org.openqa.selenium.WebDriverException: Cannot find firefox binary in PATH. Research sets as some firefox is installed. OS appears to be: XP		
	d info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	tem info: host: 'LTILMAA21203680', ip: '10.207.112.69', os.name: 'Windows 11', os.arch:		
	d64', os.version: '10.0', java.version: '1.8.0_362'		
	ver info: driver.version: CGeckoDriver		
	at org.openqa.selenium.firefox.FirefoxBinary. <init>(FirefoxBinary.java:100)</init>		
	at organization specific for stratov Ontions got Ringry (Firefox Ontions java: 216)		

at org.openqa.selenium.firefox.FirefoxOptions.getBinary(FirefoxOptions.java:216) at org.openqa.selenium.firefox.FirefoxDriver.toExecutor(FirefoxDriver.java:187)

```
Description
                                                                                            Elapsed
                                                                                                              Status
          at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:147)
          at com.kms.katalon.selenium.driver.CFirefoxDriver.<init>(CFirefoxDriver.java:21)
          at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver.<init>(CGeckoDriver.
java:12)
          at com.kms.katalon.core.webui.driver.firefox.CGeckoDriver.from(CGeckoDriver.
java:17)
          at com.kms.katalon.core.webui.driver.DriverFactory.createNewFirefoxDriver
(DriverFactory.java:708)
          at\ com. kms. katalon. core. we bui. driver. Driver Factory. start New Browser
(DriverFactory.java:365)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:263)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at Script1689757918250.run(Script1689757918250.groovy:20)
         ... 16 more
)
```

2 Start listener action : sampleAfterTestCase

0.000s

PASSED