



SIMATS Online Programming Lab

DS PROGRAMMING



Akileshwaran A
192511354RB



QUESTIONS

10 / 10 completed

Fibonacci series ($N \leq 50$)

FIBONACCI SERIES ($N \leq 50$)

Develop a C program to print the first N terms of the Fibonacci series ($N \leq 50$) without using recursion. Use two variables to generate the series iteratively and store the series in an array. The program should also calculate and display the sum of the series and identify the largest term. Input validation is mandatory for N ($1 \leq N \leq 50$).

Sample Input/Output: text

Enter number of terms (1-50): 10

Fibonacci Series: 0 1 1 2 3 5 8 13 21 34

Sum of series: 88

Largest term: 34

Enter number of terms (1-50): 60

Invalid input! Please enter terms between 1 and 50.

PROGRAM EDITOR

C

Run

Save

```
1 #include <stdio.h>
2 int main(){
3     int n,i;
4     int fib[50];
5     int sum=0;
6     printf("enter terms (1-50:)");
7     scanf("%d",&n);
8     if(n<1 || n>50){
9         printf("print invalid");
10    }
11    fib[0]=0;
12    if(n>1)
13        fib[1]=1;
14    for(i=2;i<n;i++){
15        fib[i]=fib[i-1]+fib[i-2];
16    }
17    printf("finonacci series:");
18    for(i=0;i<n;i++){
19        printf("%d",fib[i]);
20        sum+=fib[i];
21
```

OUTPUT

```
enter terms (1-50:)finonacci series:0112358132134
sum of series: 88
largest term: 34
```

INPUT

10



© 2026 **SIMATS Online Lab**. All rights reserved.
