

**Q1 Customer Registration Data Analyzer**

20 marks

An online shopping portal stores customer details in the following format:

Name|Email|City|Product

Example:

Rahul Sharma|rahul123@gmail.com|Chennai|Laptop

Read the customer record and perform the following operations.

Remove leading and trailing spaces from the input.

Split the input using the delimiter |.

Extract and store:

Customer Name

Email

City

Product

Print the length of the customer's name.

Print the first character of the customer's name.

Print the first name only.

Check whether the email contains '@' and ends with .com.

Check whether the city starts with the letter 'C' (case insensitive).

Replace every space in the customer name with an underscore (_).

Print the product name in uppercase.

Check whether the email contains '@' and ends with '.com'.

Check whether the city starts with the letter 'C' (case insensitive).

Replace every space in the customer name with an underscore (_).

Print the product name in uppercase.

Print the city name in lowercase.

Print the position of '@' in the email.

Print the last occurrence of the letter 'a' in the customer name.

If the city is "Chennai" (ignoring case), print Local Customer; otherwise print Outside Customer.

Input Format

A single string in the format

Name|Email|City|Product

Output Format

Print the following:

Name Length : <length>

First Character : <character>

First Name : <firstname>

Email : Valid/Invalid

City Starts With C : Yes/No

Modified Name : <name_with_underscores>

Product : <UPPERCASE>

City : <lowercase>

@ Position : <index>

Last Index of a : <index>

Your Code

```
1 import java.util.*;
2 public class Main{
3     public static void main(String args[]){
4         Scanner sc=new Scanner(System.in);
5         StringBuilder sb = new StringBuilder();
6         while(sc.hasNextLine()){
7             sb.append(sc.nextLine());
8         }
9         String[] a=sb.toString().trim().split("\\|");
10        String name=a[0].trim();
11        String email=a[1].trim();
12        String city =a[2].trim();
13        String product=a[3].trim();
14        System.out.println("Name Length : " + name.length());
15        System.out.println("First Character : " + name.charAt(0));
16        System.out.println("First Name : " + name.split(" ")[0]);
17        System.out.println("Email : " + (email.contains("@") && email.e
18        System.out.println("City Starts With C : " + (city.toLowerCase
19        System.out.println("Modified Name : " + name.replace(" ", "_"));
20        System.out.println("Product : " + product.toUpperCase());
21        System.out.println("City : " + city.toLowerCase());
22        System.out.println("@ Position : " + email.indexOf('@'));
23        System.out.println("Last Index of a : " + name.lastIndexOf('a'));
24        System.out.println("Customer Type : " + (city.equalsIgnoreCase
25
26    }
27
28
```

Input

Rahul
Sharma|rahul123@gmail.com|Chennai|La
ptop

Output

```
Name Length : 12
First Character : R
First Name : Rahul
Email : Valid
City Starts With C : Yes
Modified Name : Rahul_Sharma
```

Visible Test Cases

Test Case 1



Test Case 2



Test Case 3



0.00 / 20 marks