

[HOME](#) / [GUIDES](#) /

A Complete Guide to Grid



Chris House on May 12, 2021 (Updated on Sep 30, 2022)

Our comprehensive guide to CSS grid, focusing on all the settings both for the grid parent container and the grid child elements.

Table of contents

- Part 1: [Introduction \(#aa-introduction\)](#)
- Part 2: [Basics \(#aa-basics-browser-support\)](#)
- Part 3: [Important Terminology \(#aa-important-terminology\)](#)
- Part 4: [Grid Properties \(#aa-grid-properties\)](#)
- Part 5: [Special Units & Functions \(#aa-special-units-functions\)](#)
- Part 6: [Fluid Columns Snippet \(#aa-fluid-columns-snippet\)](#)
- Part 7: [Animation \(#aa-animation\)](#)

↗ [\(#aa-get-the-poster\) Get the poster!](#)

Reference this guide a lot? Here's a high-res image you can print!

[DOWNLOAD FREE \(HTTPS://CSS-TRICKS.COM/WP-CONTENT/UPLOADES/2022/02/CSS-GRID-POSTER.PNG\)](https://css-tricks.com/wp-content/uploads/2022/02/css-grid-poster.png)



(<https://css-tricks.com/product/css-grid-poster/>)

⤷ (#aa-introduction-to-css-grid) **Introduction to CSS Grid**

⤷ (#aa-css-grid-basics) **CSS Grid basics**

▶ (#aa-important-css-grid-terminology) **Important CSS Grid terminology**

⤷ (#aa-css-grid-properties) **CSS Grid properties**

⤷ (#aa-properties-for-the-parentgrid-container)

**Properties for the Parent
(Grid Container)**

► Jump links

⌚ (#aa-display) **display**

Defines the element as a grid container and establishes a new grid formatting context for its contents.

Values:

- **grid** – generates a block-level grid
- **inline-grid** – generates an inline-level grid

```
.container {  
  display: grid | inline-grid;  
}
```

css

Hey! The ability to pass grid parameters down through nested elements (aka subgrids) has been moved to [level 2 of the CSS Grid specification](#). (<https://www.w3.org/TR/css-grid-2/#subgrids>) Here's a quick explanation (<https://css-tricks.com/grid-level-2-and-subgrid/>).

⌚ (#aa-grid-template-columnsgrid-template-rows) **grid-template-columns** **grid-template-rows**

Defines the columns and rows of the grid with a space-separated list of values. The values represent the track size, and the space between them represents the grid line.

Values:

- **<track-size>** – can be a length, a percentage, or a fraction of the free space in the grid using the [fr](#) (<https://css-tricks.com/introduction-fr-css-unit/>) unit (more on this unit


(https://www.digitalocean.com/community/tutorials/css-css-grid-layout-fr-unit?utm_medium=content_acq&utm_source=css-tricks&utm_campaign=&utm_content=awareness_bestsellers) over at DigitalOcean)

- <line-name> – an arbitrary name of your choosing

```
.container {
  grid-template-columns: ... ...;
  /* e.g.
   1fr 1fr
   minmax(10px, 1fr) 3fr
   repeat(5, 1fr)
   50px auto 100px 1fr
  */
  grid-template-rows: ... ...;
  /* e.g.
   min-content 1fr min-content
   100px 1fr max-content
  */
}
```

css


Grid lines are automatically assigned positive numbers from these assignments (-1 being an alternate for the very last row).



But you can choose to explicitly name the lines. Note the bracket syntax for the line names:

```
.container {
  grid-template-columns: [first] 40px [line2] 50px [line3] auto [col4-start] 50px [five] 40px [end];
  grid-template-rows: [row1-start] 25% [row1-end] 100px [third-line] auto [last-line];
}
```

css



Note that a line can have more than one name. For example, here the second line will have two names: `row1-end` and `row2-start`:

```
.container {
  grid-template-rows: [row1-start] 25% [row1-end row2-start] 25% [row2-end];
}
```

css

If your definition contains repeating parts, you can use the [repeat\(\) notation](#) (https://www.digitalocean.com/community/tutorials/css-css-grid-layout-repeat-notation?utm_medium=content_acq&utm_source=css-tricks&utm_campaign=&utm_content=awareness_bestsellers) to streamline things:

```
.container {
  grid-template-columns: repeat(3, 20px [col-start]);
}
```

css

Which is equivalent to this:

```
.container {
  grid-template-columns: 20px [col-start] 20px [col-start] 20px [col-start];
}
```

css

If multiple lines share the same name, they can be referenced by their line name and count.

```
.item {
  grid-column-start: col-start 2;
}
```

css

The `fr` unit allows you to set the size of a track as a fraction of the free space of the grid container. For example, this will set each item to one third the width of the grid container:

```
.container {
  grid-template-columns: 1fr 1fr 1fr;
}
```

css

The free space is calculated *after* any non-flexible items. In this example the total amount of free space available to the `fr` units doesn't include the `50px`:

```
.container {
  grid-template-columns: 1fr 50px 1fr 1fr;
}
```

css

🔗 (#aa-grid-template-areas) `grid-template-areas`

Defines a grid template by referencing the names of the grid areas which are specified with the `grid-area` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-area>) property. Repeating the name of a grid area causes the content to span those cells. A period signifies an empty cell. The syntax itself provides a visualization of the structure of the grid.

Values:

- `<grid-area-name>` – the name of a grid area specified with `grid-area` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-area>)
- `.` – a period signifies an empty grid cell
- `none` – no grid areas are defined

```
.container {
  grid-template-areas:
    "<grid-area-name> | . | none | ..."
    "...";
}
```

css

Example:

```
.item-a {  
  grid-area: header;  
}  
.item-b {  
  grid-area: main;  
}  
.item-c {  
  grid-area: sidebar;  
}  
.item-d {  
  grid-area: footer;  
}  
  
.container {  
  display: grid;  
  grid-template-columns: 50px 50px 50px 50px;  
  grid-template-rows: auto;  
  grid-template-areas:  
    "header header header header"  
    "main main . sidebar"  
    "footer footer footer footer";  
}
```

That'll create a grid that's four columns wide by three rows tall. The entire top row will be composed of the **header** area. The middle row will be composed of two **main** areas, one empty cell, and one **sidebar** area. The last row is all **footer**.

Each row in your declaration needs to have the same number of cells.

You can use any number of adjacent periods to declare a single empty cell. As long as the periods have no spaces between them they represent a single cell.

Notice that you're not naming lines with this syntax, just areas. When you use this syntax the lines on either end of the areas are actually getting named automatically. If the name of your grid area is **foo**, the name of the area's starting row line and starting column line will be **foo-**

start, and the name of its last row line and last column line will be **foo-end**. This means that some lines might have multiple names, such as the far left line in the above example, which will have three names: header-start, main-start, and footer-start.

② (#aa-grid-template) grid-template

A shorthand for setting `grid-template-rows` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns-rows>), `grid-template-columns` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns>), and `grid-template-areas` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-areas>) in a single declaration.

Values:

- **none** – sets all three properties to their initial values
- **<grid-template-rows> / <grid-template-columns>** – sets `grid-template-columns` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns>) and `grid-template-rows` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-rows>) to the specified values, respectively, and sets `grid-template-areas` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-areas>) to none

css

```
.container {  
  grid-template: none | <grid-template-rows> / <grid-template-columns>;  
}
```

It also accepts a more complex but quite handy syntax for specifying all three. Here's an example:

css

```
.container {  
  grid-template:  
    [row1-start] "header header header" 25px [row1-end]  
    [row2-start] "footer footer footer" 25px [row2-end]  
    / auto 50px auto;  
}
```

That's equivalent to this:

```
.container {
  grid-template-rows: [row1-start] 25px [row1-end row2-start] 25px [row2-end];
  grid-template-columns: auto 50px auto;
  grid-template-areas:
    "header header header"
    "footer footer footer";
}
```

css

Since `grid-template` doesn't reset the *implicit* grid properties (`grid-auto-columns` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-columns-rows>) , `grid-auto-rows` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-rows>) , and `grid-auto-flow` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-flow>)), which is probably what you want to do in most cases, it's recommended to use the `grid` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid>) property instead of `grid-template`.

☞ (#aa-column-gaprow-gapgrid-column-gapgrid-row-gap)

column-gap

row-gap

grid-column-gap

grid-row-gap

Specifies the size of the grid lines. You can think of it like setting the width of the gutters between the columns/rows.

Values:

- **<line-size>** – a length value

```
.container {
  /* standard */
  column-gap: <line-size>;
  row-gap: <line-size>;
```

css

```
/* old */  
grid-column-gap: <line-size>;  
grid-row-gap: <line-size>;  
}
```

Example:

```
.container {  
  grid-template-columns: 100px 50px 100px;  
  grid-template-rows: 80px auto 80px;  
  column-gap: 10px;  
  row-gap: 15px;  
}
```

css

The gutters are only created *between* the columns/rows, not on the outer edges.

Note: The `grid-` prefix will be removed and `grid-column-gap` and `grid-row-gap` renamed to `column-gap` and `row-gap`. The unprefixed properties are already supported in Chrome 68+, Safari 11.2 Release 50+, and Opera 54+.

⌚ [#aa-gapgrid-gap](#) gap
grid-gap

A shorthand for `row-gap` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-gap>) and `column-gap` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-gap>).

Values:

- `<grid-row-gap> <grid-column-gap>` – length values

```
.container {
  /* standard */
  gap: <grid-row-gap> <grid-column-gap>

  /* old */
  grid-gap: <grid-row-gap> <grid-column-gap>;
}
```

css

Example:

```
.container {
  grid-template-columns: 100px 50px 100px;
  grid-template-rows: 80px auto 80px;
  gap: 15px 10px;
}
```

css

If no `row-gap` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-gap>) is specified, it's set to the same value as `column-gap` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-gap>)

Note: The `grid-` prefix is deprecated (but who knows, may never actually be removed from browsers). Essentially `grid-gap` renamed to `gap`. The unprefixed property is already supported in Chrome 68+, Safari 11.2 Release 50+, and Opera 54+.

🔗 `(#aa-justify-items) justify-items`

Aligns grid items along the *inline (row)* axis (as opposed to `align-items` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-align-items>)) which aligns along the *block (column)* axis). This value applies to all grid items inside the container.

Values:

- **start** – aligns items to be flush with the start edge of their cell
- **end** – aligns items to be flush with the end edge of their cell
- **center** – aligns items in the center of their cell
- **stretch** – fills the whole width of the cell (this is the default)

```
.container {  
  justify-items: start | end | center | stretch;  
}
```

css

Examples:

```
.container {  
  justify-items: start;  
}
```

css

```
.container {  
  justify-items: end;  
}
```

css

```
.container {  
  justify-items: center;  
}
```

css

```
.container {  
  justify-items: stretch;  
}
```

css

This behavior can also be set on individual grid items via the [justify-self](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-self) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-self>) property.

⌚ [\(#aa-align-items\) align-items](#)

Aligns grid items along the *block (column)* axis (as opposed to [justify-items](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-items) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-items>) which aligns along the *inline (row)* axis). This value applies to all grid items inside the container.

Values:

- **stretch** – fills the whole height of the cell (this is the default)
- **start** – aligns items to be flush with the start edge of their cell
- **end** – aligns items to be flush with the end edge of their cell
- **center** – aligns items in the center of their cell
- **baseline** – align items along text baseline (<https://codepen.io/chriscoyier/pen/NWvvPRj>). There are modifiers to **baseline** — **first baseline** and **last baseline** which will use the baseline from the first or last line in the case of multi-line text.

css

```
.container {  
  align-items: start | end | center | stretch;  
}
```

Examples:

css

```
.container {  
  align-items: start;  
}
```

css

```
.container {  
  align-items: end;  
}
```

css

```
.container {  
  align-items: center;  
}
```

css

```
.container {  
  align-items: stretch;
```

```
}
```

This behavior can also be set on individual grid items via the `align-self` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-align-self>) property.

There are also modifier keywords `safe` and `unsafe` (usage is like `align-items: safe end`). The `safe` keyword means “try to align like this, but not if it means aligning an item such that it moves into inaccessible overflow area”, while `unsafe` will allow moving content into inaccessible areas (“data loss”).

⌚ [\(#aa-place-items\)](#) `place-items`

`place-items` sets both the `align-items` and `justify-items` properties in a single declaration.

Values:

- `<align-items> / <justify-items>` – The first value sets `align-items`, the second value `justify-items`. If the second value is omitted, the first value is assigned to both properties.

For more details, see `align-items` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-align-items>) and `justify-items` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-items>).

This can be very useful for super quick multi-directional centering:

```
.center {  
  display: grid;  
  place-items: center;  
}
```

css

🔗 (#aa-justify-content) **justify-content**

Sometimes the total size of your grid might be less than the size of its grid container. This could happen if all of your grid items are sized with non-flexible units like px. In this case you can set the alignment of the grid within the grid container. This property aligns the grid along the *inline (row)* axis (as opposed to [align-content](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-align-content) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-align-content>) which aligns the grid along the *block (column)* axis).

Values:

- **start** – aligns the grid to be flush with the start edge of the grid container
- **end** – aligns the grid to be flush with the end edge of the grid container
- **center** – aligns the grid in the center of the grid container
- **stretch** – resizes the grid items to allow the grid to fill the full width of the grid container
- **space-around** – places an even amount of space between each grid item, with half-sized spaces on the far ends
- **space-between** – places an even amount of space between each grid item, with no space at the far ends
- **space-evenly** – places an even amount of space between each grid item, including the far ends

```
.container {  
  justify-content: start | end | center | stretch | space-around | space-between | space-evenly;  
}
```

css

Examples:

```
.container {  
  justify-content: start;  
}
```

css

```
.container {  
  justify-content: end;  
}
```

css

```
.container {  
  justify-content: center;  
}
```

css

css

```
.container {  
  justify-content: stretch;  
}
```

css

```
.container {  
  justify-content: space-around;  
}
```

css

```
.container {  
  justify-content: space-between;  
}
```

```
.container {  
  justify-content: space-evenly;  
}
```

css

⌚ (#aa-align-content) align-content

Sometimes the total size of your grid might be less than the size of its grid container. This could happen if all of your grid items are sized with non-flexible units like px. In this case you can set the alignment of the grid within the grid container. This property aligns the grid along the *block (column)* axis (as opposed to justify-content (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-content>) which aligns the grid along the *inline (row)* axis).

Values:

- **start** – aligns the grid to be flush with the start edge of the grid container
- **end** – aligns the grid to be flush with the end edge of the grid container
- **center** – aligns the grid in the center of the grid container
- **stretch** – resizes the grid items to allow the grid to fill the full height of the grid container
- **space-around** – places an even amount of space between each grid item, with half-sized spaces on the far ends
- **space-between** – places an even amount of space between each grid item, with no space at the far ends
- **space-evenly** – places an even amount of space between each grid item, including the far ends

```
.container {  
  align-content: start | end | center | stretch | space-around | space-between | space-evenly;  
}
```

css

Examples:

```
.container {  
  align-content: start;  
}
```

css

css

```
.container {  
  align-content: end;  
}
```

css

```
.container {  
  align-content: center;  
}
```

```
.container {  
  align-content: stretch;  
}
```

css

```
.container {  
  align-content: space-around;  
}
```

css

```
.container {  
  align-content: space-between;  
}
```

css

```
.container {  
  align-content: space-evenly;
```

css

{

⌚ (#aa-place-content) place-content

place-content sets both the align-content and justify-content properties in a single declaration.

Values:

- **<align-content> / <justify-content>** – The first value sets align-content, the second value justify-content. If the second value is omitted, the first value is assigned to both properties.

All major browsers except Edge support the place-content shorthand property.

For more details, see [align-content](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-align-content) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-align-content>) and [justify-content](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-content) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-content>).

⌚ (#aa-grid-auto-columnsgrid-auto-rows) **grid-auto-columns** **grid-auto-rows**

Specifies the size of any auto-generated grid tracks (aka *implicit grid tracks*). Implicit tracks get created when there are more grid items than cells in the grid or when a grid item is placed outside of the explicit grid. (see [The Difference Between Explicit and Implicit Grids](https://css-tricks.com/difference-explicit-implicit-grids/) (<https://css-tricks.com/difference-explicit-implicit-grids/>))

Values:

- <**track-size**> – can be a length, a percentage, or a fraction of the free space in the grid (using the [fr](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#fr-unit>) unit)

```
.container {  
  grid-auto-columns: <track-size> ...;  
  grid-auto-rows: <track-size> ...;  
}
```

css

To illustrate how implicit grid tracks get created, think about this:

```
.container {  
  grid-template-columns: 60px 60px;  
  grid-template-rows: 90px 90px;  
}
```

css

This creates a 2 x 2 grid.

But now imagine you use `grid-column` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row>) and `grid-row` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row>) to position your grid items like this:

```
.item-a {  
  grid-column: 1 / 2;  
  grid-row: 2 / 3;  
}  
.item-b {  
  grid-column: 5 / 6;  
  grid-row: 2 / 3;  
}
```

css

We told `.item-b` to start on column line 5 and end at column line 6, *but we never defined a column line 5 or 6*. Because we referenced lines that don't exist, implicit tracks with widths of 0 are created to fill in the gaps. We can use [grid-auto-columns](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-columns-rows) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-columns-rows>) and [grid-auto-rows](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-rows) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-rows>) to specify the widths of these implicit tracks:

```
css
.container {
  grid-auto-columns: 60px;
}
```

⌚ [\(#aa-grid-auto-flow\)](#) **grid-auto-flow**

If you have grid items that you don't explicitly place on the grid, the *auto-placement algorithm* kicks in to automatically place the items. This property controls how the auto-placement algorithm works.

Values:

- **row** – tells the auto-placement algorithm to fill in each row in turn, adding new rows as necessary (default)
- **column** – tells the auto-placement algorithm to fill in each column in turn, adding new columns as necessary
- **dense** – tells the auto-placement algorithm to attempt to fill in holes earlier in the grid if smaller items come up later

```
.container {  
  grid-auto-flow: row | column | row dense | column dense;  
}
```

css

Note that **dense** only changes the visual order of your items and might cause them to appear out of order, which is bad for accessibility.

Examples:

Consider this HTML:

```
<section class="container">  
  <div class="item-a">item-a</div>  
  <div class="item-b">item-b</div>  
  <div class="item-c">item-c</div>  
  <div class="item-d">item-d</div>  
  <div class="item-e">item-e</div>  
</section>
```

HTML

You define a grid with five columns and two rows, and set `grid-auto-flow` to `row` (which is also the default):

```
.container {  
  display: grid;  
  grid-template-columns: 60px 60px 60px 60px 60px;  
  grid-template-rows: 30px 30px;  
  grid-auto-flow: row;  
}
```

css

When placing the items on the grid, you only specify spots for two of them:

```
.item-a {  
  grid-column: 1;  
  grid-row: 1 / 3;  
}  
.item-e {  
  grid-column: 5;  
  grid-row: 1 / 3;  
}
```

css

Because we set `grid-auto-flow` to `row`, our grid will look like this. Notice how the three items we didn't place (**item-b**, **item-c** and **item-d**) flow across the available rows:

If we instead set `grid-auto-flow` to `column`, **item-b**, **item-c** and **item-d** flow down the columns:

```
.container {  
  display: grid;  
  grid-template-columns: 60px 60px 60px 60px 60px;  
  grid-template-rows: 30px 30px;  
  grid-auto-flow: column;  
}
```

css

↵ [\(#aa-grid\) grid](#)

A shorthand for setting all of the following properties in a single declaration: [grid-template-rows](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns-rows) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns-rows>) , [grid-template-columns](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns>) , [grid-template-areas](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-areas) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-areas>) , [grid-auto-rows](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-rows) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-rows>) , [grid-auto-columns](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-columns) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-columns>) , [grid-auto-columns-rows](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-columns-rows) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-columns-rows>) , and [grid-auto-flow](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-flow) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-flow>) (Note: You can only specify the explicit or the implicit grid properties in a single grid declaration).

Values:

- **none** – sets all sub-properties to their initial values.
- **<grid-template>** – works the same as the [grid-template](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template>) shorthand.
- **<grid-template-rows> / [auto-flow && dense?] <grid-auto-columns>?** – sets [grid-template-rows](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-rows) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-rows>) to the specified value. If the auto-flow keyword is to the right of the slash, it sets [grid-auto-flow](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-flow) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-flow>) to column. If the dense keyword is specified additionally, the auto-placement algorithm uses a “dense” packing algorithm. If [grid-auto-columns](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-columns) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-columns>) is omitted, it is set to auto.
- **[auto-flow && dense?] <grid-auto-rows>? / <grid-template-columns>** – sets [grid-template-columns](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns>) to the specified value. If the auto-flow keyword is to the left of the slash, it sets [grid-auto-flow](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-flow) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-flow>) to row. If the dense keyword is specified additionally, the auto-placement algorithm uses a “dense” packing algorithm. If [grid-auto-rows](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-rows) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-auto-rows>) is omitted, it is set to auto.

Examples:

The following two code blocks are equivalent:

```
css
.container {
  grid: 100px 300px / 3fr 1fr;
}

.container {
  grid-template-rows: 100px 300px;
  grid-template-columns: 3fr 1fr;
}
```

The following two code blocks are equivalent:

```
css
.container {
  grid: auto-flow / 200px 1fr;
}

.container {
  grid-auto-flow: row;
  grid-template-columns: 200px 1fr;
}
```

The following two code blocks are equivalent:

```
css
.container {
  grid: auto-flow dense 100px / 1fr 2fr;
}

.container {
  grid-auto-flow: row dense;
  grid-auto-rows: 100px;
  grid-template-columns: 1fr 2fr;
}
```

And the following two code blocks are equivalent:

```
css
.container {
  grid: 100px 300px / auto-flow 200px;
}

.container {
  grid-template-rows: 100px 300px;
  grid-auto-flow: column;
  grid-auto-columns: 200px;
}
```

It also accepts a more complex but quite handy syntax for setting everything at once. You specify `grid-template-areas` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-areas>) , `grid-template-rows` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns-rows>) and `grid-template-columns` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-columns-rows>) , and all the other sub-properties are set to their initial values. What you're doing is specifying the line names and track sizes inline with their respective grid areas. This is easiest to describe with an example:

```
.container {  
  grid: [row1-start] "header header header" 1fr [row1-end]  
        [row2-start] "footer footer footer" 25px [row2-end]  
        / auto 50px auto;  
}
```

css

That's equivalent to this:

```
.container {  
  grid-template-areas:  
    "header header header"  
    "footer footer footer";  
  grid-template-rows: [row1-start] 1fr [row1-end row2-start] 25px [row2-end];  
  grid-template-columns: auto 50px auto;  
}
```

css

🔗 (#aa-properties-for-the-childrengrid-items) Properties for the Children (Grid Items)

- ▶ Jump links

Hey! float, display: inline-block, display: table-cell, vertical-align and column-* properties have no effect on a grid item.

↗ (#aa-grid-column-startgrid-column-endgrid-row-startgrid-row-end) **grid-column-start**

grid-column-end

grid-row-start

grid-row-end

Determines a grid item's location within the grid by referring to specific grid lines. **grid-column-start/grid-row-start** is the line where the item begins, and **grid-column-end/grid-row-end** is the line where the item ends.

Values:

- **<line>** – can be a number to refer to a numbered grid line, or a name to refer to a named grid line
- **span <number>** – the item will span across the provided number of grid tracks
- **span <name>** – the item will span across until it hits the next line with the provided name
- **auto** – indicates auto-placement, an automatic span, or a default span of one


css

```
.item {
  grid-column-start: <number> | <name> | span <number> | span <name> | auto;
  grid-column-end: <number> | <name> | span <number> | span <name> | auto;
  grid-row-start: <number> | <name> | span <number> | span <name> | auto;
  grid-row-end: <number> | <name> | span <number> | span <name> | auto;
}
```

Examples:


css

```
.item-a {
  grid-column-start: 2;
  grid-column-end: five;
  grid-row-start: row1-start;
  grid-row-end: 3;
}
```



css

```
.item-b {
  grid-column-start: 1;
  grid-column-end: span col4-start;
  grid-row-start: 2;
  grid-row-end: span 2;
}
```



If no `grid-column-end/grid-row-end` is declared, the item will span 1 track by default.

Items can overlap each other. You can use `z-index` to control their stacking order.

Learn more about the `span` notation in [this article by DigitalOcean](#)

(https://www.digitalocean.com/community/tutorials/css-css-grid-layout-repeat-notation?utm_medium=content_acq&utm_source=css-tricks&utm_campaign=&utm_content=awareness_bestsellers).

② (#aa-grid-columngrid-row) grid-column

grid-row

Shorthand for `grid-column-start` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) + `grid-column-end` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) , and `grid-row-start` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) + `grid-row-end` (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) , respectively.

Values:

- `<start-line>/<end-line>` – each one accepts all the same values as the longhand version, including span

```
.item {  
  grid-column: <start-line> / <end-line> | <start-line> / span <value>;  
  grid-row: <start-line> / <end-line> | <start-line> / span <value>;  
}
```

css

Example:

```
.item-c {  
  grid-column: 3 / span 2;  
  grid-row: third-line / 4;  
}
```

css

If no end line value is declared, the item will span 1 track by default.

🔗 (#aa-grid-area) grid-area

Gives an item a name so that it can be referenced by a template created with the [grid-template-areas](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-template-areas>) property. Alternatively, this property can be used as an even shorter shorthand for [grid-row-start](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) + [grid-column-start](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) + [grid-row-end](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) + [grid-column-end](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) + [grid-column-row-start-end](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) .

Values:

- <name> – a name of your choosing
- <row-start> / <column-start> / <row-end> / <column-end> – can be numbers or named lines

```
.item {  
  grid-area: <name> | <row-start> / <column-start> / <row-end> / <column-end>;  
}
```

css

Examples:

As a way to assign a name to the item:

```
.item-d {  
  grid-area: header;  
}
```

css

As the short-shorthand for [grid-row-start](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) + [grid-column-start](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) + [grid-row-end](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) + [grid-column-end](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) .

[grid/#prop-grid-column-row-start-end](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end) + [grid-row-end](https://css-tricks.com/snippets/css/complete-guide-grid/#grid-row-end) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) + [grid-column-end](https://css-tricks.com/snippets/css/complete-guide-grid/#grid-column-end) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-grid-column-row-start-end>) :

```
.item-d {  
  grid-area: 1 / col4-start / last-line / 6;  
}
```

css

⌚ [\(#aa-justify-self\)](#) justify-self

Aligns a grid item inside a cell along the *inline (row)* axis (as opposed to [align-self](#) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-align-self>)) which aligns along the *block (column)* axis). This value applies to a grid item inside a single cell.

Values:

- **start** – aligns the grid item to be flush with the start edge of the cell
- **end** – aligns the grid item to be flush with the end edge of the cell
- **center** – aligns the grid item in the center of the cell
- **stretch** – fills the whole width of the cell (this is the default)

```
.item {  
  /* ... */  
}
```

css

```
justify-self: start | end | center | stretch;  
}
```

Examples:

```
.item-a {  
  justify-self: start;  
}
```

css

```
.item-a {  
  justify-self: end;  
}
```

css

```
.item-a {  
  justify-self: center;  
}
```

css

```
.item-a {  
  justify-self: stretch;
```

css

{

To set alignment for *all* the items in a grid, this behavior can also be set on the grid container via the [justify-items](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-items) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-items>) property.

⌚ (#aa-align-self) align-self

Aligns a grid item inside a cell along the *block* (*column*) axis (as opposed to [justify-self](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-self) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-justify-self>)) which aligns along the *inline* (*row*) axis). This value applies to the content inside a single grid item.

Values:

- **start** – aligns the grid item to be flush with the start edge of the cell
- **end** – aligns the grid item to be flush with the end edge of the cell
- **center** – aligns the grid item in the center of the cell
- **stretch** – fills the whole height of the cell (this is the default)

```
.item {  
  align-self: start | end | center | stretch;  
}
```

css

Examples:

```
.item-a {  
  align-self: start;  
}
```

css

```
.item-a {  
  align-self: end;  
}
```

css

```
.item-a {  
  align-self: center;  
}
```

css

```
.item-a {  
  align-self: stretch;  
}
```

css

To align *all* the items in a grid, this behavior can also be set on the grid container via the [align-items](https://css-tricks.com/snippets/css/complete-guide-grid/#prop-align-items) (<https://css-tricks.com/snippets/css/complete-guide-grid/#prop-align-items>) property.

🔗 (#aa-place-self) place-self

place-self sets both the align-self and justify-self properties in a single declaration.

Values:

- **auto** – The “default” alignment for the layout mode.
- **<align-self> / <justify-self>** – The first value sets align-self, the second value justify-self. If the second value is omitted, the first value is assigned to both properties.

Examples:

```
.item-a {  
  place-self: center;  
}
```

css

```
.item-a {  
  place-self: center stretch;  
}
```

css

All major browsers except Edge support the `place-self` shorthand property.

🔗 (#aa-special-units-functions) **Special Units & Functions**

🔗 (#aa-fr-units) **fr units**

You'll likely end up using a lot of [fractional units](https://css-tricks.com/introduction-fr-css-unit/) (<https://css-tricks.com/introduction-fr-css-unit/>) in CSS Grid, like `1fr`. They essentially mean "portion of the remaining space". So a declaration like:

```
grid-template-columns: 1fr 3fr;
```

css

Means, loosely, 25% 75%. Except that those percentage values are much more firm than fractional units are. For example, if you added padding to those percentage-based columns, now you've broken 100% width (assuming a content-box box model). Fractional units also much more friendly in combination with other units, as you can imagine:

```
grid-template-columns: 50px min-content 1fr;
```

css

⌚ (#aa-sizing-keywords) Sizing Keywords

When sizing rows and columns, you can use all the lengths (<https://css-tricks.com/the-lengths-of-css/>) you are used to, like px, rem, %, etc, but you also have keywords:

- **min-content**: the minimum size of the content. Imagine a line of text like “E pluribus unum”, the min-content is likely the width of the word “pluribus”.
- **max-content**: the maximum size of the content. Imagine the sentence above, the max-content is the length of the whole sentence.
- **auto**: this keyword is a lot like fr units, except that they “lose” the fight in sizing against fr units when allocating the remaining space.
- **fit-content**: use the space available, but never less than min-content and never more than max-content.
- **fractional units**: see above

⌚ (#aa-sizing-functions) Sizing Functions

- The **minmax()** function does exactly what it seems like: it sets a minimum and maximum value for what the length is able to be. This is useful for in combination with relative units. Like you may want a column to be only able to shrink so far. This is [extremely useful and probably what you want](https://css-tricks.com/you-want-minmax10px-1fr-not-1fr/) (<https://css-tricks.com/you-want-minmax10px-1fr-not-1fr/>) :

```
grid-template-columns: minmax(100px, 1fr) 3fr;
```

css

- The **min()** function.
- The **max()** function.

⌚ (#aa-the-repeat-function-and-keywords) The **repeat()** Function and Keywords

The `repeat()` function can save some typing:

```
grid-template-columns:  
 1fr 1fr 1fr 1fr 1fr 1fr 1fr 1fr;  
  
/* easier:  
grid-template-columns:  
  repeat(8, 1fr);  
  
/* especially when:  
grid-template-columns:  
  repeat(8, minmax(10px, 1fr));
```

CSS

But `repeat()` can get extra fancy when combined with keywords:

- `auto-fill`: Fit as many possible columns as possible on a row, even if they are empty.
- `auto-fit`: Fit whatever columns there are into the space. Prefer expanding columns to fill space rather than empty columns.

This bears the most famous snippet in all of CSS Grid and one of the [all-time great CSS tricks](#) (<https://css-tricks.com/books/greatest-css-tricks/flexible-grids/>):

```
grid-template-columns:  
  repeat(auto-fit, minmax(250px, 1fr));
```

CSS

The difference between the keywords is spelled out in detail here (<https://css-tricks.com/auto-sizing-columns-css-grid-auto-fill-vs-auto-fit/>).

🔗 (#aa-masonry) Masonry

An experimental feature of CSS grid is masonry layout. Note that there are [lots of approaches to CSS masonry](#) (<https://css-tricks.com/piecing-together-approaches-for-a-css-masonry-layout/>), but mostly of them are trickery and either have major downsides or aren't what you quite expect.

this is behind a flag in Firefox:

```
.container {  
  display: grid;  
  grid-template-columns: repeat(4, 1fr);  
  grid-template-rows: masonry;  
}
```

css

See Rachel's article (<https://www.smashingmagazine.com/native-css-masonry-layout-css-grid/>) for a deep dive.

⌚ (#aa-subgrid) Subgrid

Subgrid is an extremely useful feature of grids that allows grid items to have a grid of their own that inherits grid lines from the parent grid.

```
.parent-grid {  
  display: grid;  
  grid-template-columns: repeat(9, 1fr);  
}  
.grid-item {  
  grid-column: 2 / 7;  
  
  display: grid;  
  grid-template-columns: subgrid;  
}  
.child-of-grid-item {  
  /* gets to participate on parent grid! */  
  grid-column: 3 / 6;  
}
```

css

This is only supported in Firefox (https://developer.mozilla.org/en-US/docs/Web/CSS/CSS_Grid_Layout/Subgrid#browser_compatibility) right now, but it really needs (<http://meyerweb.com/eric/thoughts/2016/01/15/subgrids-considered-essential/>) to get everywhere.

It's also useful to know about `display: contents;`. This is *not* the same as subgrid, but it can be a useful tool sometimes in a similar fashion.

```
<div class="grid-parent">  
  
  <div class="grid-item"></div>  
  <div class="grid-item"></div>  
  
  <ul style="display: contents;">  
    <!-- These grid-items get to participate on  
        the same grid! -->  
    <li class="grid-item"></li>  
    <li class="grid-item"></li>  
  </ul>  
  
</div>
```

- ▶ [\(#aa-css-grid-browser-support\)](#) **CSS Grid browser support**
- ↪ [\(#aa-fluid-columns-snippet\)](#) **Fluid columns snippet**
- ↪ [\(#aa-css-grid-animation\)](#) **CSS Grid animation**
- ↪ [\(#aa-css-grid-tricks\)](#) **CSS-Grid tricks!**
- ↪ [\(#aa-learning-css-grid\)](#) **Learning CSS Grid**
- ↪ [\(#aa-css-grid-videos\)](#) **CSS Grid videos**

🔗 [#aa-more-css-grid-sources](#)) More CSS Grid sources