
GIT PUSH THE BEATS

Melody Dive Use-Case Specification: Create Unlimited Playlists

Version 1.0

Melody Dive	Version: 1.0
Use-Case Specification: Create Unlimited Playlists	Date: 15/11/2025
UC Create Unlimited Playlists	

Revision History

Date	Version	Description	Author
15/11/2025	1.0	Add details information about this use case	Ngo Tran Quang Dat

Melody Dive	Version: 1.0
Use-Case Specification: Create Unlimited Playlists	Date: 15/11/2025
UC Create Unlimited Playlists	

Table of Contents

1. Use-Case Name: Create Unlimited Playlists	4
1.1 Brief Description	4
2. Flow of Events	4
2.1 Basic Flow	4
2.2 Alternative Flows	5
2.2.1 Missing or Invalid Playlist Name	5
2.2.2 User Cancels Operation	6
3. Special Requirements	6
3.1 Performance Requirement	6
3.2 Scalability	6
4. Preconditions	6
4.1 User account logged in	6
4.2 Active Premium Subscription	7
5. Postconditions	7
5.1 Successful Completion (Playlist Created)	7
5.2 Unsuccessful Completion	7
6. Extension Points	7

Melody Dive	Version: 1.0
Use-Case Specification: Create Unlimited Playlists	Date: 15/11/2025
UC Create Unlimited Playlists	

Use-Case Specification: Create Unlimited Playlists

1. Use-Case Name: Create Unlimited Playlists


1.1 Brief Description

The Create Unlimited Playlist use case allows a premium user to create new playlists without any quantity restrictions. It supports personalized music organization by enabling users to name, customize, and save playlists freely as part of their premium benefits.

2. Flow of Events

2.1 Basic Flow

1. The use case begins when the premium user selects the option “New Playlist” from the playlist area.



2. The system displays a Create Playlist form showing fields for Playlist Name, optional Description, and optional Cover Image.

3. The premium user enters the Playlist Name, optionally enters a Description, selects an optional Cover Image, and chooses whether to add songs now or later.

Melody Dive	Version: 1.0
Use-Case Specification: Create Unlimited Playlists	Date: 15/11/2025
UC Create Unlimited Playlists	

4. The premium user confirms by clicking “Create”.
5. The system validates the entered data and creates a new playlist for the premium user without enforcing any limit on the number of playlists.
6. The system stores the playlist and associated metadata (owner, name, description, cover image, creation time).
7. The system displays a success message and shows the newly created playlist in the user’s playlist list, ready for adding or managing songs.

2.2 Alternative Flows

2.2.1 Missing or Invalid Playlist Name

At Step 5: The System validates the input data and detects that the "Playlist Name" field is empty or contains invalid characters.

1. The System displays an error message (e.g., "Playlist Name is required").
2. The System highlights the Playlist Name field.
3. The flow returns to **Step 3**, allowing the Premium User to re-enter a valid name.

Melody Dive	Version: 1.0
Use-Case Specification: Create Unlimited Playlists	Date: 15/11/2025
UC Create Unlimited Playlists	

2.2.2 User Cancels Operation

At Step 3 or 4: The Premium User decides not to proceed and selects the "Cancel" button.

1. The System closes the Create Playlist form.
2. No new playlist is created or saved in the database.
3. The use case ends, and the System returns to the previous screen.

3. Special Requirements

3.1 Performance Requirement

The system shall create the playlist and update the user's library view within **2 seconds** after the user clicks the "Create" button, assuming a standard internet connection.

3.2 Scalability

The system must be able to handle and display a large number of playlists (e.g., up to 10,000 playlists per user) without performance degradation when loading the Playlist Library.

4. Preconditions

4.1 User account logged in

The user must have logged in their account.

Melody Dive	Version: 1.0
Use-Case Specification: Create Unlimited Playlists	Date: 15/11/2025
UC Create Unlimited Playlists	

4.2 Active Premium Subscription

The user account must have an active "Premium" status to access the unlimited playlist creation feature.

5. Postconditions

5.1 Successful Completion (Playlist Created)

- A new playlist record is successfully saved in the system database with the provided metadata (Name, Description, Cover Image) and is associated with the Premium User's account.
- The new playlist is visible in the User's library or playlist list.

5.2 Unsuccessful Completion

- No new playlist is created in the database. The number of playlists in the user's account remains the same.
- The system returns to the screen displayed before the use case started

6. Extension Points

None