Name- VINDULA K.P.A
E NUMBER- E/18/375
LAB03- INTRODUCTION TO MySQL
CO226

Screenshots

```
mysql> USE E18375Lab03;
Database changed
mysql> CREATE TABLE CustomerOrders
    -> (userID CHAR(10) PRIMARY KEY,
    -> FirstName VARCHAR(20),
   -> LastName VARCHAR(20),
   -> OrderNumber INT,
   -> OrderSize VARCHAR(10),
   -> OrderColour VARCHAR(10),
   -> ExtraItems VARCHAR(13),
   -> AddressLine1 VARCHAR(50),
    -> AddressLine2 VARCHAR(50),
   -> AddressLine3 VARCHAR(50),
    -> UserComments VARCHAR(400));
Query OK, 0 rows affected (1.32 sec)
mysql> SHOW TABLES;
Tables_in_e18375lab03
 customerorders
1 row in set (0.22 sec)
```

Field	Type	Null	Key	Default	Extra
userID	char(10)	NO	PRI	NULL	
FirstName	varchar(20)	YES	Ì	NULL	
LastName	varchar(20)	YES	Ì	NULL	
OrderNumber	int	YES	ĺ	NULL	
OrderSize	varchar(10)	YES	ĺ	NULL	
OrderColour	varchar(10)	YES	I	NULL	
ExtraItems	varchar(13)	YES	ĺ	NULL	
AddressLine1	varchar(50)	YES		NULL	
AddressLine2	varchar(50)	YES		NULL	
AddressLine3	varchar(50)	YES	[NULL	
UserComments	varchar(400)	YES		NULL	

Ty OK, III	ow affected		KUMARA',24,'Me	dium','Blue'	,'Cap','No74',	'galle road'	,'galle','Delive	r on time');		
q1> SELECT		(0.06 SEC)								
	ustomerOrder	5;								
userID	FirstName	LastName	OrderNumber	OrderSize	OrderColour	ExtraItems	AddressLine1	AddressLine2	AddressLine3	UserComments
981942547v 981945547v	AKITHA NIMAL	PATHIRANA KUMARA		Medium Medium	Red Blue	None Cap	No71 No74	yatiyana road galle road	matara galle	Deliver fast Deliver on time
rows in set		01								
-> WHERE	FROM Custom LastName='PA ow affected	THIRANA';								
	* ustomerOrder	5;								
rsql> SELECT -> FROM C	as come, or acr.		+	0-464	OrderColour	ExtraItems	Addressline1	Addressline?	Address line?	UsanCommonts 1
		LastName	OrderNumber	orderSize	Ol del colodi			Addi C33EIIICZ	Addresseries	USEI COMMETTES