AN ISO 9001- 2015 CERTIFIED COMPANY

JAS ANZ
Acc. No. S31112DIN

NATRAJ



NATRAJ

ELECTRICAL CONTROL PANEL

AUTOMATIC CHANGEOVERS

MODEL	DESCRIPTION	RANGE	PRICE
	Single Phase Automatic Changeover with Double Relay, 30A/ 60A/ 100A, 220V Suitable, for Gensets, D.G Sets. Type : NACO	30 Amp. Naco 60 Amp. DR Naco 100 Amp. DR Naco	1275 3270 8000
	Three Phase Automatic Changeover Switch Type : NACO	60 Amp. Tpn x Tpn 100 Amp. Tpn x Tpn 200 Amp. Tpn x Tpn	5820 14000 24500
	Automatic Phase Sequence Corrector 30A/ 60A/ 100A/ 200A Provides Correct Sequence R.Y.B where there is Reverse Phasing it will Correct the Sequence and Ensure the life of your Motor Suitable for any 3 Phase motors, lifts, Ahu's Sophisticated Three phase Macinery Type : NPSC	30Amp. Npsc-Tpn 60Amp. Npsc-Tpn 100 Amp. Npsc-Tpn 200Amp. Npsc-Tpn	5500 8200 17300 25500
	Automatic Phase Changeover Switch in Case of any Phase Failure, the Phase Load is Automatically Switched over to other Phase and Supply will be Available in all three Phase Load Circuits. Suitable for lighting Load only. Type : NPCO	60 Amp. NPCO 100 Amp. NPCO 200 Amp. NPCO	7300 17000 25000

SINGLE PHASE SUMMERSIBLE PANELS

	Single phase Submersible Motor-Control Panels for oil Filled Submersible Motor Type : NSSP	.75/1 HP....36 Mfd. 1.5 HP....50Mfd. 1.5 HP....72 Mfd.	950 1000 1050
	Single phase Submersible Motor-Control Panels for Water Filled Submersible, 2 Pole Contractor Type : NSPWR	1 HP....36/120-150 Mfd. 1.5 HP....50/120-150 Mfd. 2 HP....72/ 150-200 Mfd.	1820 1900 2000
	Single phase Submersible motor-Control Panels for Water Filled Submersible Digital Meter & 4 Pole Contractor Type : NSP (DLX)	1 Hp.... 36/120-150 Mfd. Cap. 1.5 HP....72-150-200 Mfd. Cap 2.0 HP....86-150-200 Mfd. Cap 3.0 HP....108-250-250 Mfd. Cap 5.0 HP....144-300-400 Mfd. Cap	2800 3000 3400 4000 8000

THREE PHASE PANELS
(Summersible Pumps, Fire Pumps, Ahu's Etc.)

MODEL	DESCRIPTION	RANGE	PRICE
	Heavy Duty Dol Three Phase Motor Control Panel Deluxe Model with Single Phasing Preventor, Auto / Manual Function TP MCB, Digital AMP. & Voltmeter Contractor & O/L Relay. with Heavy Steel Enclosure Type : NTP (Deliuxe)	1 To 7.5 HP 10 HP 15 HP 20 HP	5800 6600 7800 8800
	Star Delta Air Break Three Phase Motor Control Panel Overload Relay & Contractors with Single phasing Preventor, Electonic Timer, Auto/ Manual Switch, TP MCB, Digital AMP. & Voltmeter, 250V-440V 50 HZ. Type : NTPSD	7.5/10/15 HP 20 HP 30HP 40 HP 2'x2' Size 50 HP 2'x2' Size	13000 14000 18500 31000 36000

HUT TYPE PANEL (IP 55)
(Feeder Pillar Type Panels for D.O.I. Motors and Star Delta Motors from 1-HP To 200-HP Against Order)

AUTOMATIC SEQUENCE TIMER PANELS

	Operates Pumps Automatically According to the Feeded Time used for Misting pumps ATM's Etc.	1 To 3 HP Single Phase 220 V 1 To 7.5 HP Three Phase 440V	8200 10000

AUTOMATIC TEMPERATURE CONTROL PANELS

	Automatically Controls Heaters & Chillers as Per Desired Temperatures Starter with Contractors, Temperature controller & MCB	1 To 3 KW Single Phase 220V 1 To 5 KW Three Phase 440V Upto 10 KW Three Phase 440V	8000 10200 12000
	Reversing Starter Panels Operates motor in Reverse and Forward Position	1 To 7.5 HP Three Phase 440V 10 / 15 HP Three Phase 440V	9200 10800

OIL IMMERSED STARTERS

MODEL	DESCRIPTION	RANGE	PRICE
	Direct online **Oil Immersed Motor Starter** 250-440 V, Three Phase 50 Hz (NOI)	7.5-10-15 HP 20HP	2200 2400
	Semi Automatic Star Delta **Immersed Motor Starter** 250-440 V, Three Phase 50 Hz (NSA)	10-15 HP 20 HP 30 HP 35 HP	6000 6200 6600 6600
	Fully Automatic Star Delta **Immersed Motor Starter** (with Electronic Timer) 250-440 V, Three Phase 50Hz (NFA)	10-15 HP 20 HP 30 HP 35 HP	6200 6600 7000 7000
	Manually Operated Oil Immersed Star-Delta Motor Starter (with Single Contact) Type : NSD	20/25/30 HP 40 HP 50/60 HP	10000 10500 11000
	Manually Operated Oil Immersed Star-Delta Motor Starter (with Double Contact) Type : NSD	60 HP/80 HP 100 HP 150 HP 200 HP	19800 20500 22100 32000

MAIN SWITCHES & CHANGEOVERS

Main Switches with Rewirable Porcelain Fuse Units

Type	Amp.	Volt	Range	Price unit
NMS	32	220	DP	800
NMS	63	415	DP	1900
NMS	32	415	TPN	1300
NMS	63	415	TPN	2600
NMS	100	415	TPN	3800
NMS	200	415	TPN	6600
NMS	320	415	TPN	8500

Triple pole with Neutral Link, Side Handle HRC type Switch Fuse unit with Enclosure (without HRC Fuse) as Per is : 13947 Part-III Type : NSFU

Type	Amp.	Volt	Fuse	Price unit
NSFU	63	415	TIS	4500
NSFU	100	415	TCP	5700
NSFU	200	415	TF	8500
NSFU	320	415	TKF	9500
NSFU	400	415	TTS	15000
NSFU	500	415	TTM	18200
NSFU	630	415	TLM	26000

Manually Operated Off Load Change Over Switch

Type	Amp.	Volt	Range	Price unit
NMCO	32	220	DP	800
NMCO	63	415	DP	2050
NMCO	32	415	Four Pole	1450
NMCO	63	415	Four Pole	2900
NMCO	100	415	Four Pole	4900
NMCO	100	415	Four Pole(Knife Type)	5500
NMCO	200	415	Four Pole(Knife Type)	9800
NMCO	320	415	Four Pole(Knife Type)	11000
NMCO	400	415	Four Pole(Knife Type)	20500
NMCO	500	415	Four Pole(Knife Type)	26000
NMCO	630	415	Four Pole(Knife Type)	30500
NMCO	800	415	Four Pole(Knife Type)	38000

BUSBAR

MODEL	DESCRIPTION	RANGE	PRICE
	Bus Bar Chamber Heavy Duty 3 Phase 4 Wire 415 Volt (TPN)		

Current Rating	Size	Price
63A / 415V	9" x 12" x 4.5"	1400
100A/ 415V	15.5" x 13" x 4.5"	2300
200A/ 415V	20" x 15" x 5.5"	4100
300A/ 415V	17" x 22" x 5"	5400
400A/ 415V	17" x 28" x 6"	7000
500A/ 415V	17" x 32" x 6"	8500
600A/ 415V	20" x 32" x 7"	10000

AIR BREAK STARTERS & SWITCHES

Reversing Switches

16 A	415 V Three Phase	350
25 A		850
32 A		900
63 A		2500

Air Break Direct Online Motor Starter with Thermal Overload Relay, Air Break Contractors & Operating Coil. Type : NPD	1-7.5 HP (TP)	1300
	10 HP (TP)	1400
Star Delta Fully Automatic Motor Starter Three Phase 415 Volts Type : NFS	7.5/10 HP	4800
	15 HP	5500

A.C. BOX & SOCKET TYPE DISTRIBUTION PANELS

Plugs & Sockets Matel boxes

Rating	Volts	Box Price
DP 20 A	240	450
TP 20 A	440	650
TP 32 A	440	850

63 Amp. Single Phase Distribution Box	16x3 Pin-4 Socket ELCB 2 Pole	4500
63 Amp. Three Phase Distribution Box	16x3 pin-2 Socket 32x5 Pin-2 Socket ELCB 4 Pole	5800

HUT TYPE FEEDER PILLAR DISTRIBUTION PANEL

63 Amp. 4 pole (12" x 18" Panel Box	16x3 Pin-3 Socket 32x5 Pin-3 Socket ELCB 4 Pole	8500
100 Amp. 4 Pole (18" x 18" Panel Box	16x3 pin-6 Socket 32x5 Pin-4 Socket ELCB 4 Pole	14000
IP 65 PVC Distribution Panel Boxes & Junction Boxes	Customised as Per Requirement	On Request

AUTOMATIC WATER LEVEL CONTROLLERS

MODEL	DESCRIPTION	RANGE	PRICE
	Submersible Pump Controller, It operates Submersible Pump Automatically According to Water Level	Single Phase 220V Type :NSMT	2750
	Supply Water Pump Controller -Operates Supply Water Pump Automatically with Dry Run Sensor + Tank Sensors	Single Phase 220V Type : TCS	2800
	Over Headed & Under-ground Tank Controller - Controlles Underground & Overhead Tank Simultaneously	Single Phase 220V Type : NUTLT	2800
	Float Switch Controller - for Sewage Pump & Water Tanks Automatically Controls Sewage pump / Water Pump with Float Switch	Single Phase 220V Type : NWLC (Heavy Duty 30 Amp.)	3000
	Time Switch Controller for Water Pumps, Streets Lights & Glow Sign Boards Automatically Controls as Per Feeded Time	Single Phase 220V Type : NTSC (Heavy Duty 30 Amp.)	3500
	Semi Automatic Water Level Controller- Preferred for Switching on Motor Manually with Auto Off on Tank Full Position	Single Phase 220V Type : SEMI Upto 1 HP Motor	1700
	Water Level Indicator with Alarm- Indicates Water Level of The Tank & Alarms on Tank Full Position	Single Phase 220V Type : NWLI with 4 Sensors	1100
	Auto Switch (Chowkidar) Single Phasing Preventor with Auto Switch Specially for Tube Well & Irrigation Purposes	Three Phase 440V Type : NMO 6 Wire (D.O.L.) 9 Wire (Star Delta)	425 750

DIGITAL MEASURING INSTRU. & A.C Drives

MODEL	DESCRIPTION	RANGE	PRICE
	We Make all Kinds of VFD panels (A.C Drives) Single Phase, Three Phase, Single x 3 Phase	1 HP TO 50HP	Price on Request
	Digital Amp./ Voltage Meter Flush Type Panel Mounted 0 To 1000 Amp. C.T. Operated Selectable	96mm x 96mm 72mm x 72mm	800 700
	Digital Combined Amp. + Volt Meter Flush Type Panel Mounted 0 To 100 Amp./ 500V with C.T. Double Display	96mm x 96mm 72mm x 72mm	850 650
	Digital VAF Meter- Flush Type Panel Mounted 0 To 1000 Amp./ 1000V with C.T. Selectable Triple Display Auto Scroll	96mm x 96mm	2500

AUTOMATIC POWER FAC. CONTROL PANEL

	Automatically Mentains Power Factor of Meter Reduces Energy Bills	Single Phase Upto 5 KVR 3 Phase Upto 20 KVR 3 Phase Upto 30 KVR 3 Phase Upto 50 KVR	 25000 29000 48000

AUTOMATIC MAINS FAILURE

	Automatic Mains Failure Panel - For operating D.G. Sets Automatically with Battery Charger- Auto Start -Auto Stop and Auto Changeover	upto 20KVA (60 Amp.) Upto 62KVA (100 Amp.) Against Order all Sizes Available	19000 48000

SOLAR PANELS

WE CUSTOMIZED ALL KINDS OF SOLAR PANELS & ELECTRIC PANELS IN IP 65 ENCLOSURES

WE CUSTOMISED ALL KINDS OF ELECTRICAL PANELS USING PRODUCT OF :-

PHOENIX CONTACT INSPIRING INNOVATIONS · Schneider Electric · ABB · L&T · BCH ELECTRIC LIMITED

Sales Off. : Natraj Enterprises 1547/3, Jai Hind Building, Bhagirath Place, Delhi-6 Ph. : 01123873532, 9868225911 E-mail : natrajenterprises14@gmail.com