Assignment-02

Card Component:-

```jsx
import React from "react";
import "./card.css";

function Card() {
  return (
    <>
      <div className="container">
        <div className="card">

        </div>
      </div>
    </>
  );
}

export default Card;
```

```css
1   .container{
2     height: 100vh;
3     display: flex;
4     justify-content: center;
5     align-items: center;
6   }
7
8   .card {
9       position: absolute;
10      width: 400px;
11      height: 500px;
12      background-color: ■#14de57c0;
13      display: flex;
14      align-items: center;
15      flex-direction: column;
16      padding: 12px;
17      gap: 12px;
18      border-radius: 50px;
19      cursor: pointer;
20    }
21
```

← C ⓘ localhost:3000

```jsx
import React from "react";
import "./card.css";

function Card({ title, despt, image }) {
  return (
    <>
      <div className="container">
        <div className="card">
          <h4 className="title">{title}</h4>
          <img className="img" src={image} alt=
          <p className="despt">{despt}</p>

        </div>
      </div>
    </>
  );
}

export default Card;
```

```css
21
22  .card .title {
23    font-size: 40px;
24    text-transform: capitalize;
25    font-weight: 500;
26    color: rgb(255, 255, 255);
27
28  }
29  .card .despt{
30    color: rgb(7, 2, 107);
31    overflow: hidden;
32    padding: bottom;
33    text-align: center;
34    font-weight: bold;
35    font-size-adjust: inherit;
36  }
37  .card .img{
38    width: 90%;
39    padding: 10px;
40    box-shadow: rgb(255, 0, 51) 10px;
41  }
```

My Assignment

Learning never exhausts the mind.

Leonardo da Vinci

"Live as if you were to die tomorrow. Learn as if you were to live forever."

Button Component:-

```jsx
import React, { useState } from 'react'
import './button.css'
function Button({text}) {


  const[clicked,setClicked]=useState(text)
    const handle=(e)=>{
      if(clicked=='Click Me'){
setClicked("U Clicked On Me")
      }
      else{
        setClicked('Click Me')
      }
    }

  return (
    <>
    <button onClick={handle}>
        {clicked}</button></>
  )
}

export default Button
```

```css
button{
  background: rgb(8, 0, 255);
  border: 1px solid #191817;
  border-radius: 20px;
  box-shadow: rgba(0, 0, 0, 0.1) 1px 2px 4px;
  box-sizing: border-box;
  color: white;
  cursor: pointer;
  font-family: Arial, Helvetica, sans-serif;
  font-size: 16 px;
  font-weight: 800;
  line-height: 16px;
  min-height: 40px;
  outline: 0;
  padding: 12px 14px;
  text-align: center;
  text-transform: none;
  vertical-align: middle;
}

button:hover,
button:active {
  cursor: pointer;
```

localhost:3000

```
21
22   button:hover,
23   button:active {
24       cursor: pointer;
25          background-color: ■rgba(93, 112, 220, 0.79
26          box-shadow: 0 0 10px ■yellow;
27          font-weight: bold;
28          font-size: medium;
29   }
30
31   button:active {
32       opacity: .2;
```

My Assignment

"Live as if you were to die tomorrow. Learn as if you
were to live forever."

Click Me

Button functionality using UseState :-