

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta name="viewport"
5     content="width=device-width,
6     initial-scale="1">
7   <style>
8     body
9     {font-family:arial,helvetica,sans-serif;
10    background-color:black;
11    }
12    *{
13    box-sizing:border-box;
14    }
15    .container
16    {
17    padding:16px;
18    background-color:white;
19    }
20    input[type=text],input[type=password]
21    {
22    width:100%;
23    padding:15px;
24    margin:5px 0 22px 0;
25    display:inline-block;
26    border:none;
27    background:#f1f1f1;
28    }
29    input[type=text]:focus,
30    input[type=password]:focus{
31    background-color:#ddd;
32    outline:none;
33    }
34    hr
35    {
36    border:1px solid #f1f1f1;
```



```
</script>
```

```
function calcSum()
```

```
{
```

```
let num1=document.getElementsByName("mark1")  
[0].value;
```

```
let num2=document.getElementsByName("mark2")  
[0].value;
```

```
let num3=document.getElementsByName("marks3")  
[0].value;
```

```
let num4=document.getElementsByName("mark4")  
[0].value;
```

```
let num5=document.getElementsByName("mark5")  
{0}.value;
```

```
let sum=Number(num1)+Number(num2)+Number(num3)+Number(num4)+Number(num5);  
document.getElementsByName("sum")  
[0].value=sum;
```

```
}
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<form action="/action_page.php">
```

```
<div class="container">
```

```
<h1>Total Mark</h1>
```

```
<p>Please fill in this form to find total mark .</p>
```

```
<hr>
```

```
<label for="web">
```

```
<b></label><input type="text" placeholder="Web"
```

```
Web programming Mark" name="mark1" id="web"required>
```

```
<label for="ds">
```

```
<b>Data Structures</b></label>
```

```
<input type="text" placeholder="Data Structure Mark" name="mark2" id="ds"required>
```

```
<label for="python"><b>python</b></label>
```

```
<input type="text" placeholder="python Mark" id="py" name="mark3"required>
```

```
<label type="android"><b>Android</b>
```

```
</label>
```

```
<input type="text" placeholder="Data Structure Mark" id="an" name="mark4"required>
```



```

70 {0}.value;
71 let sum=Number(num1)+Number(num2)+Number(num3)+Number(num4)+Number(num5);
72 document.getElementById("sum")
73 [0].value=sum;
74 }
75 </script>
76 </head>
77 <body>
78 <form action="/action_page.php">
79 <div class="container">
80 <h1>Total Mark</h1>
81 <p>Please fill in this form to find total mark .</p>
82 <hr>
83 <label for="web">
84 <b></label><input type="text" placeholder="Web"
85 Web programming Mark" name="mark1" id="web"required>
86 <label for="ds">
87 <b>Data Structures</b></label>
88 <input type="text" placeholder="Data Structure Mark" name="mark2" id="ds"required>
89 <label for="python"><b>python</b></label>
90 <input type="text" placeholder="python Mark" id="py" name="mark3"required>
91 <label type="android"><b>Android</b>
92 </label>
93 <input type="text" placeholder="Data Structure Mark" id="an"name="mark4"required>
94 <label for="Java"><b>Java</b>
95 </label>
96 <input type="text" placeholder="Java Mark" name="mark5" id="ja"required>
97 <hr>
98 <button type="submit" class="registerbtn"onclick="calcSum()">
99 Total Mark</button><hr>
100 <label for="total"><b>Total Mark</b></label>
101 <input type="text" placeholder="Totalmark" id="total" name="sum"readonly>
102 </div>
103 </form>
104 </body>
105 </html>

```



```

75 </script>
76 </head>
77 <body>
78 <form action="/action_page.php">
79 <div class="container">
80 <h1>Total Mark</h1>
81 <p>Please fill in this form to find total mark .</p>
82 <hr>
83 <label for="web">
84 <b></label><input type="text" placeholder="Web"
85 Web programming Mark" name="mark1" id="web"required>
86 <label for="ds">
87 <b>Data Structures</b></label>
88 <input type="text" placeholder="Data Structure Mark" name="mark2" id="ds"required>
89 <label for="python"><b>python</b></label>
90 <input type="text" placeholder="python Mark" id="py" name="mark3"required>
91 <label type="android"><b>Android</b>
92 </label>
93 <input type="text" placeholder="Data Structure Mark" id="an" name="mark4"required>
94 <label for="Java"><b>Java</b>
95 </label>
96 <input type="text" placeholder="Java Mark" name="mark5" id="ja"required>
97 <hr>
98 <button type="submit" class="registerbtn"onclick="calcSum()">
99 Total Mark</button><hr>
100 <label for="total"><b>Total Mark</b></label>
101 <input type="text" placeholder="Totalmark" id="total" name="sum"readonly>
102 </div>
103 </form>
104 </body>
105 </html>
106
107
108
109

```


Web

Data Structure Mark

python Mark

Data Structure Mark

Java Mark

Total Mark

Totalmark



C:\Users\ancy_thomas01\Desktop\calendarize.html - Notepad++

Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

idNewUser.js x new 1 x new 2 x External.html x new 3 x Mark.html x calendarize.html x style.css x index.html x

```
1  /*Author:JIM CAMUT*/
2  function Calendarize()
3  {
4  var monthNames=["January","February","March","April","May","June","July","August","September","October","November","December"];
5  var dayNames=["su","mo","tu","we","th","fr","sa"];
6  return
7  {
8  //Return the days in a month-given a year and the month number
9  getDaysInMonth:function(month,year)
10 {
11 var date=new Date(year,month,1);
12 var days=[];
13 while(date.getMonth()===month)
14 {
15 days.push(new Date(date));
16 date.setDate(date.getDate()+1);
17 }
18 return days;
19 },
20 //return an array of the first day of each month for a given year
21 getMonthsInYear:function(year)
22 {
23 var date=new Date(year,0,1);
24 var months=[];
25 var monthCount=0;
26 while(monthCount<12)
27 {
28 months.push(new Date(date));
29 date.setMonth(date.getMonth()+1);
30 monthCount++;
31 }
32 return months;
33 },
34 getMonthsInRange:function(startDate,endDate)
35 {
36 var startDate
```

length: 5,244 lines: 205

Ln: 136 Col: 52 Pos

yper Text Markup Language file



REDMI 9 PRIME
AI QUAD CAMERA

sers\ancy_thomas01\Desktop\calendarize.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

ewUser.js x new 1 x new 2 x External.html x new 3 x Mark.html x calendarize.html x style.css x

```
{
var date=new Date(year,0,1);
var months=[];
var monthCount=0;
while(monthCount<12)
{
months.push(new Date(date));
date.setMonth(date.getMonth()+1);
monthCount++;
}
return months;
},
getMonthsInRange:function(startDate,endDate)
{
var start=new
Date(startDate.getFullYear(),
startDate.getMonth(),1);
var end=new
Date(endDate.getFullYear(),
endDate.getMonth(),1);
var months=[];
var monthCount=0;
while(start<=end)
{
month.push(new Date(start));
start.setMonth(start.getMonth()+1);
monthCount++;
}
return months;
},
//Create a full 12-month calendar buildYearCalendar:function(year)
{
var _this=this;
var months=_this.getMonthInYear(year);
var opts={showMonth:true,
showDaysOfTheWeek:true}
```

Text Markup Language file



REDMI 9 PRIME
AI QUAD CAMERA

C:\Users\ancy_thomas01\Desktop\calendarize.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

addNewUser.js x new 1 x new 2 x External.html x new 3 x Mark.html x calendarize.html x style.css x

```
171 }
172 }
173 if(opts.clickhandler&&{
174 $daynode.classList.contains('dummuy-day'))
175 {
176 function handleevent (e){
177 e=e||window.event;
178 e.preventDefault();
179 e.stopPropagation();
180 var touches=false;
181 if(!touches){
182 touches=true;
183 setTimeout(function(){
184 touches=false;
185 },300);
186 opts.clickerhandler(e);
187 }
188 }
189 $daynode.addEventListener("touchstart",handleevent);
190 $daynode.addEventListener("mousedown",handleevent);
191 }
192 $monthnode.appendChild($daynode);
193 });
194 //addin the dummy days to make an even block
195 for(varj=0;j<postlength();j++){
196 var$daynode=document.createElement('div');
197 $daynode.classList.add('dummy-day');
198 $daynode.innertext=j+1;
199 $monthnode.appendChild($daynode);
200 }
201 return$monthnode;
202 }
203 }
204 }
205 }
```

Hyper Text Markup Language file

length : 5,244 lines : 205



lenovo

REDMI 9 PRIME
AI QUAD CAMERA

Esc FnLk F1 F2 F3 F4 F5 F6 F7 F8

C:\Users\ancy_thomas01\Desktop\style.css - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

addNewUser.js x new 1 x new 2 x External.html x new 3 x Mark.html x calendarize.html x style.css x index.html

```
1  html, body
2  {
3      background: #e5e5e5;
4      font-family: sans-serif;
5  }
6  .month{
7      width: 300px;
8      padding: 20px;
9      background: #fff;
10     position: relative;
11     overflow: hidden;
12     float: left;
13     margin: 20px;
14     height: 350px;
15 }
16 .monthh3{
17     text-align: center;
18     margin: -20px -20px 30px -20px;
19     padding: 20px 0;
20     background: red;
21     color: #fff;
22 }
23 .day, .dow, .dummy-day{
24     display: inline-block;
25     width: 12.7864%;
26     float: left;
27     text-align: center;
28     margin-right: 1.5%;
29 }
30 .dow{
31     font-weight: bold;
32     margin-bottom: 10px;
33 }
34 .day{
35     color: #333;
36     cursor: pointer;
37     box-shadow: inset 0 0 1px #eee;
38 }
39 .day.weekend{
```

Cascade Style Sheets File

length: 763 lines: 54



lenovo



REDMI 9 PRIME
AI QUAD CAMERA



C:\Users\ancy_thomas01\Desktop\style.css - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

addNewUser.js new 1 new 2 External.html new 3 Mark.html calendarize.html style.css

```
18 margin:-20px-20px30px-20px;
19 padding:20px0;
20 background:red;
21 color:#fff;
22 .day,.dow,.dummy-day{
23 display:inline-block;
24 width:12.7864%;
25 float:left;
26 text-align:center;
27 margin-right:1.5%;
28 }
29 .dow{
30 font-weight:bold;
31 margin-bottom:10px;
32 }
33 .day{
34 color:#333;
35 cursor:pointer;
36 box-shadow:inset 0001px#eee;
37 }
38 .day.weekend{
39 background:#fafaff;
40 }
41 .day:hover{
42 background:blue;
43 }
44 .day,.dummy-day{
45 height:40px;
46 line-height:40px;
47 margin-bottom:1.5%;
48 background:#fff;
49 }
50 .dummy-day{
51 background:#f5f5f5;
52 color:#ccc;
53 }
54
```

Cascade Style Sheets File

length: 763 lines: 54



lenovo

C:\Users\ancy_thomas01\Desktop\index.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

addNewUser.js x new 1 x new 2 x External.html x new 3 x Mark.html x calendanze.html x style.css x index.htm

```
1 <html>
2 <head>
3   <link rel="stylesheet" href="style.css">
4 </head>
5 <body>
6   year:<input type="text" id="year">
7   <button onclick="myFunction()">submit</button>
8   <div id="calender"></div>
9   <script type="text/javascript"
10  src="calendarize.js">
11 </script>
12 <script type="text/avascript">
13   function myFunction() {
14     var $calender=document.getElementById("calender");
15     var currentyear=document.getElementById("year").value;
16     var calendarize=new Calendarize();
17     calendarize.buildyearCalendar($calender,current year);
18   }
19 </script>
20 </body>
21 </html>
22
```

Hyper Text Markup Language file

length : 539 lines : 22

