CARAMELYO

• The difference is the connection string

```
cn_str = @"Data Source=" + db_ip + ";" +
    "Network Library=DBMSSOCN;" +
    "Initial Catalog=" + db_name + ";" +
    "User ID=" + db_account + ";" +
    "Password=" + db_pw + ";";
```

Test connection


```
test connection
   SqlConnection cn = new SqlConnection(cn_str);
   cn.Open();
   MessageBox.Show("connection success");
   cn.Close();
catch (Exception ex)
   MessageBox.Show(ex.Message);
    return;
```

Read some data

```
// read some data tables from db
try
{
    ds = new DataSet();
    SqlDataAdapter sql_da = new SqlDataAdapter("SELECT * FROM " + db_table_name, cn_str);
    sql_da.Fill(ds, db_table_name);

    dataGridView1.DataSource = ds;
    dataGridView1.DataMember = db_table_name;
}
catch (Exception ex)
{
    MessageBox.Show(ex.Message);
    return;
}
```

- Git the visual studio project
 - https://github.com/CaramelYo/sql_connection_to_remote_database
- In release mode



• .gitignore for visual studio

```
sql_connection_to_remote_database / .gitignore
Branch: master ▼
CaramelYo first commit
1 contributor
332 lines (266 sloc) 5.46 KB
       # ignore the database information
       database.txt
       ## Ignore Visual Studio temporary files, build results, and
       ## files generated by popular Visual Studio add-ons.
       ## Get latest from https://github.com/github/gitignore/blob/master/VisualStudio.gitignore
       # User-specific files
        *.userosscache
       *.sln.docstates
```



THANK YOU FOR YOUR LISTENING