ExpressinMusic

Custom Song Production Platform — Full Project Documentation

120+ API Endpoints	**18** Route Modules	**12** Admin Tabs
7 Staff Roles	**15** Data Models	**13** Frontend Pages

Node.js + Express · MongoDB Atlas · React + TypeScript · Tailwind CSS · JWT Auth · Razorpay

Generated: 27 March 2026 • Version 1.0

ExpressinMusic Platform Documentation • Page 1 of 26

Table of Contents

Overview

1. Project Overview & Tech Stack 3

2. Project Structure 4

Backend

3. Database Models 5

4. Authentication & Roles 7

5. Complete API Reference 8

6. Order Production Workflow 13

7. Payment Integration (Razorpay) 14

8. File Storage & Downloads 15

9. Notifications (Email & WhatsApp) 16

Frontend

10. Frontend Pages 17

11. Create Song Page — Sales Funnel 18

12. Admin Dashboard (12 Tabs) 19

13. User Dashboard 21

Deployment

14. Environment Variables 22

15. Running the Project 23

16. Sample Test Accounts 24

ExpressinMusic Platform Documentation • Page 2 of 26

1 Project Overview & Tech Stack

What this platform does and what it's built with

ExpressinMusic is a full-stack custom music production platform where customers order personalised songs (birthday dedications, brand anthems, campaign songs), and an internal team of lyricists, composers, QA reviewers and operators produces and delivers them. All traffic from ads lands on the **Create Song** sales funnel page.

🎵

Platform Type

Music Production SaaS

👤

User Types

Customer + 6 Staff Roles

🎸

Song Types

Personal / Business / Campaign

Tech Stack

Layer	Technology	Purpose
Frontend	React 18 + TypeScript + Vite	Customer-facing UI and admin panel
Styling	Tailwind CSS	Utility-first dark-themed UI
Routing	React Router v6	Client-side page navigation
Backend	Node.js + Express v5	REST API server
Database	MongoDB Atlas + Mongoose v9	Document storage, ODM
Auth	JWT (jsonwebtoken)	Stateless authentication
Passwords	bcryptjs	Password hashing
File Upload	Multer	Photo + reference file uploads
Payments	Razorpay SDK	Order creation + webhook verification
Email	Nodemailer	Order status notifications
WhatsApp	Meta Business API	Customer update messages
Security	Helmet + CORS	HTTP headers + cross-origin
Logging	Morgan + SystemLog model	HTTP + activity logs

ExpressinMusic Platform Documentation • Page 3 of 26

2 Project Structure

Directory layout and key files

```
# Root directory project-root/ ├── server.js # Express app entry point ├── package.json ├── .env # Environment variables ├── uploads/ # Uploaded files (profile photos, order refs) │ ├── server/ │ ├── models/ # Mongoose schemas │ │ ├── User.js │ │ ├── Order.js │ │ ├── Package.js │ │ ├── Ticket.js │ │ ├── Affiliate.js │ │ ├── Payment.js │ │ ├── Download.js │ │ ├── PaymentGateway.js │ │ ├── Setting.js │ │ └── SystemLog.js │ │ │ └── routes/ # Express route handlers │ ├── auth.js # Register, login, staff management │ ├── orders.js # Order CRUD + coupon + checkout │ ├── packages.js # Pricing packages │ ├── songOptions.js # Music styles, languages, moods │ ├── tickets.js # Support tickets │ ├── affiliates.js # Coupon / affiliate management │ ├── payments.js # Razorpay integration │ ├── staff.js # Staff workflow APIs │ ├── qa.js # QA review + approve + rework │ ├── analytics.js # Revenue + orders + upsells analytics │ ├── downloads.js # Delivery files with expiry │ ├── admin.js # Dashboard, export, assign staff │ ├── notifications.js # Email + WhatsApp notifications │ ├── settings.js # Master data (music styles, languages) │ ├── logs.js # System activity logs │ ├── profile.js # User profile + photo upload │ ├── customers.js # Customer management │ └── samples.js # Audio sample songs │ └── src/ # React frontend ├── App.tsx # Routes definition ├── contexts/AuthContext.tsx # JWT auth state ├── hooks/useAuth.ts ├── lib/api.ts # fetchJson, postJson, putJson, deleteJson ├── components/ # Reusable UI components └── pages/ # Full-page components
```


ExpressinMusic Platform Documentation • Page 4 of 26

3 Database Models

MongoDB schemas with field descriptions

User

Field	Type	Description
email	String (unique)	Login identifier
password	String (hashed)	bcrypt hash, auto-hashed on save
name	String	Display name
role	Enum	user | admin | operator | lyrics_team | music_production | qa_team | support
phone, city	String	Contact info
department	String	Staff department label
isActive	Boolean	Account enabled/disabled
photo_url	String	Profile photo path

Order

Field	Type	Description
order_code	String (unique)	Auto-generated: ORD-timestamp-random
customer_name, customer_email, customer_phone	String	Customer details
package_id	Ref: Package	Which song package ordered
status	Enum	received → processing → lyrics_in_progress → music_production → final_review → delivered | cancelled
language, music_style, mood, singer_voice	String	Song creative brief
story, names_to_include, special_message, reference_song	String	Customer's personalisation inputs
upsell_options	[String]	Add-on names selected
total_price	Number	Final amount after discounts + add-ons
assigned_staff / assigned_lyrics_team / assigned_production_team / assigned_qa_team	Ref: User	Staff assignments per stage
lyrics, music_prompt, ai_music_prompt	String	Production content

ExpressinMusic Platform Documentation • Page 5 of 26

audio_mp3, audio_wav, audio_instrumental, video_reel, lyrics_pdf	String	Delivery file URLs (S3/CDN)
admin_notes, qa_notes, rework_reason	String	Internal notes
deadline, delivery_date	Date	Production deadlines

Payment

Field	Description
order_id	Ref: Order
gateway	razorpay | stripe | manual
gateway_order_id	Razorpay order ID
gateway_payment_id	Razorpay payment ID
gateway_signature	HMAC verification
amount	In INR
status	pending | paid | failed | refunded

Download

Field	Description
order_id	Ref: Order
customer_email	For access control
file_type	mp3 | wav | instrumental | video_reel | lyrics_pdf
file_url	S3/CDN URL
expires_at	1-year expiry by default
download_count	Tracks downloads
max_downloads	Default 50

Affiliate / Coupon

Field	Description
coupon_code	Unique uppercase code (e.g. SAVE10)
coupon_type	percentage | fixed
discount_value	% or ₹ amount
usage_count / usage_limit	Rate limiting
start_date / end_date	Validity window
commission_percent	Affiliate earnings
orders_generated, revenue_generated	Auto-tracked performance

Other Models

Model	Purpose	Key Fields
Package	Song pricing tiers	name, price, delivery_hours, category
Ticket	Support tickets	ticket_code, customer_email, subject, message, status, replies[]
Setting	Master dropdown data	type (music_style/language/mood/upsell), value, price, is_active

ExpressinMusic Platform Documentation • Page 6 of 26

SystemLog	Activity audit trail	action, user_email, user_role, description, created_at
PaymentGateway	Gateway credentials	name, key_id, key_secret (encrypted), is_test_mode
Sample	Audio sample songs	title, genre, duration, audio_url

ExpressinMusic Platform Documentation • Page 7 of 26

4 Authentication & Role System

JWT flow and access control matrix

JWT Authentication Flow

POST /auth/register or /auth/login → Server validates + bcrypt compare → JWT issued (7-day expiry) → Client stores in localStorage →

Authorization: Bearer {token} → Middleware decodes + attaches

Token payload: `{ userId, email, role, name }`

Role Access Matrix

Area	admin	operator	lyrics_team	music_production	qa_team	support	user
Admin Dashboard	✓	✓	✓	✓	✓	✓	✗
All Orders	✓	✓	✗	✗	✗	✗	✗
My Orders (customer)	✗	✗	✗	✗	✗	✗	✓
Lyrics Stage	✓	✓	✓	✗	✗	✗	✗
Music Production Stage	✓	✓	✗	✓	✗	✗	✗
QA Review	✓	✓	✗	✗	✓	✗	✗
Support Tickets	✓	✓	✗	✗	✗	✓	✓*
Affiliates/Coupons	✓	✗	✗	✗	✗	✗	✗
Settings/Master Data	✓	✗	✗	✗	✗	✗	✗
Staff Management	✓	✗	✗	✗	✗	✗	✗
Analytics	✓	✗	✗	✗	✗	✗	✗
System Logs	✓	✗	✗	✗	✗	✗	✗

* Users can only view/create their own tickets. Staff see all.

ExpressinMusic Platform Documentation • Page 8 of 26

5 Complete API Reference

Base URL: http://localhost:5000/api — All protected routes require Authorization: Bearer {token}

Authentication /api/auth

POST `/auth/register`
Register new customer account. Body: name, email, phone, password

POST `/auth/login`
Login. Returns JWT token + user object. Blocks inactive accounts.

POST `/auth/social-login`
Google/Facebook OAuth stub. Returns 501 until OAuth credentials configured.

POST `/auth/change-password`
🔒 Authenticated. Requires current_password + new_password (min 6 chars)

GET `/auth/operators`
🔑 Admin. List all staff members (all non-user roles)

POST `/auth/operators`
🔑 Admin. Create staff: name, email, password, role, department, phone

PUT `/auth/operators/:id`
🔑 Admin. Toggle staff active/inactive

DELETE `/auth/operators/:id`
🔑 Admin. Remove staff account

User Profile /api/profile

GET `/profile/me`
🔒 Get current user's full profile

PUT `/profile/me`
🔒 Update name, phone, city

POST `/profile/photo`
🔒 Upload profile photo (multipart/form-data, field: photo, max 5MB)

Song Options — Public Dropdowns PUBLIC

GET `/music-styles`
Returns active music style options from Settings DB: [{id, name, price}]

ExpressinMusic Platform Documentation • Page 9 of 26

GET `/languages`
Returns active language options

GET `/moods`
Returns active mood options

GET `/order-types`
Personal Song / Business Song / Campaign Song

GET `/upsells`
Returns active upsell add-on options with prices

Orders /api/orders

GET `/orders/my`
🔒 Customer's own orders with package details populated

GET `/orders`
👷 Staff. All orders. Query: ?status=

POST `/orders`
Create order: customer_name, customer_email, package_id, story, music_style, mood, language, singer_voice, special_message, reference_song, upsell_options, total_price

PUT `/orders/:id`
👷 Staff. Update any order field (status, lyrics, notes, files, staff assignments)

POST `/orders/apply-coupon`
🔒 Validate and calculate discount. Body: order_id, coupon_code. Returns: discount_amount, new_total

POST `/orders/checkout`
🔒 Lock order, apply coupon, set status=received. Returns final_price + payment instructions.

POST `/orders/:id/upload`
🔒 Upload reference file. multipart/form-data, field: file (max 20MB). Returns file_url.

GET `/orders/:id/timeline`
🔒 Get order status timeline with stage completion indicators

Payments /api/payments

POST `/payments/create`
🔒 Create Razorpay order. Body: order_id. Returns: gateway_order_id, amount_paise

POST `/payments/verify`
🔒 Verify Razorpay signature. Body: razorpay_order_id, razorpay_payment_id, razorpay_signature. Moves order to processing on success.

POST `/payments/webhook`
PUBLIC. Razorpay webhook handler. Handles payment.captured + payment.failed events.

ExpressinMusic Platform Documentation • Page 10 of 26

GET `/payments/:order_id`
🔒 Get payment status for an order

GET `/payments/admin/gateways`
🔑 Admin. List configured payment gateways

POST `/payments/admin/gateways`
🔑 Admin. Add gateway config (name, key_id, key_secret, webhook_secret)

PUT `/payments/admin/gateways/:id`
🔑 Admin. Update gateway credentials

Staff Workflow /api/staff

GET `/staff/orders`
👷 Returns orders filtered by role: lyrics_team gets lyrics_in_progress, music_production gets music_production stage, etc.

GET `/staff/orders/:id`
👷 Full order detail for production

POST `/staff/orders/:id/lyrics`
👷 Submit lyrics. Body: lyrics (min 10 chars), music_prompt. Auto-advances status to music_production.

POST `/staff/orders/:id/music`
👷 Submit music file URLs. Body: audio_mp3, audio_wav, audio_instrumental, ai_music_prompt. Auto-advances to final_review.

PUT `/staff/orders/:id/status`
👷 Manually update status

QA /api/qa

GET `/qa/orders`
👷 QA team. All orders in final_review stage (oldest first)

GET `/qa/orders/:id`
👷 Full order detail for QA review

POST `/qa/orders/:id/approve`
👷 Approve order → delivered. Auto-creates Download records for all available files with 1-year expiry.

POST `/qa/orders/:id/rework`
👷 Send back to music_production. Body: reason (required), qa_notes

Downloads /api/downloads

GET `/downloads`
🔒 Customer: their own files. Staff: all files.

ExpressinMusic Platform Documentation • Page 11 of 26

GET `/downloads/:file_id`
🔓 Download file. Checks: expiry_date, is_active, download_count ≤ max_downloads. Returns file_url.

POST `/downloads/create`
👷 Admin: publish delivery files for an order. Body: order_id, files: [{file_type, file_url}]

GET `/downloads/order/:order_id`
👷 List all download records for an order

Support Tickets /api/tickets

GET `/tickets`
👷 Staff: all tickets. Query: ?status=open|in_progress|resolved|closed

GET `/tickets/my`
🔓 Customer's own tickets

POST `/tickets`
🔓 Create ticket. Body: subject, message, order_code (optional)

PUT `/tickets/:id`
👷 Update status, assign staff

POST `/tickets/:id/reply`
👷 Staff reply to ticket. Auto-sets status to in_progress.

Analytics /api/analytics

GET `/analytics/revenue`
🔑 Admin. total_revenue, period_revenue, monthly_breakdown, by_package. Query: ?period=30

GET `/analytics/orders`
🔑 Admin. by_status, by_language, by_music_style, by_mood, daily_last_30, conversion_rate

GET `/analytics/upsells`
🔑 Admin. Upsell popularity and count

GET `/analytics/staff`
🔑 Admin. Staff productivity: orders handled, delivered per staff member

Admin /api/admin

GET `/admin/dashboard`
👷 KPI stats: total_orders, today_orders, today_revenue, total_revenue, open_tickets, upcoming_deadlines

GET `/admin/orders`
👷 Orders with filters: status, customer, music_style, language, deadline_before, deadline_after. Paginated.

GET `/admin/orders/export`
👷 Download CSV: order_code, customer, status, language, style, deadline

ExpressinMusic Platform Documentation • Page 12 of 26

GET `/admin/orders/:id/timeline`
🔒 Order production timeline with completion indicators

PUT `/admin/orders/:id/status`
👷 Update order status directly

POST `/admin/orders/assign`
👷 Assign staff. Body: order_id, staff_id, role (lyrics|production|qa|general)

GET `/admin/customers`
👷 Paginated customer list. Query: ?search=

GET `/admin/customers/export`
👷 Download customers CSV

GET `/admin/customers/:id`
👷 Customer profile + all their orders

GET `/admin/payment-gateways`
🔑 Admin. List gateway configs (secrets hidden)

PUT `/admin/payment-gateways/:id`
🔑 Admin. Update gateway keys

Affiliates /api/affiliates

GET `/affiliates`
👷 List all affiliates/coupons with usage stats

POST `/affiliates`
🔑 Admin. Create coupon. Body: name, coupon_code, coupon_type, discount_value, usage_limit, start/end dates

PUT `/affiliates/:id`
🔑 Admin. Update coupon

DELETE `/affiliates/:id`
🔑 Admin. Delete coupon

POST `/affiliates/validate`
PUBLIC. Validate coupon code: returns coupon_type, discount_value. Checks expiry + usage limit.

Settings / Master Data /api/settings

GET `/settings`
PUBLIC. Active settings. Query: ?type=music_style|language|mood|order_type|upsell

GET `/settings/all`
🔑 Admin. All settings including inactive

ExpressinMusic Platform Documentation • Page 13 of 26

POST `/settings`
🔑 Admin. Add option: type, value, price (add-on cost), description

PUT `/settings/:id`
🔑 Admin. Update option (can disable via is_active: false)

DELETE `/settings/:id`
🔑 Admin. Delete option

Notifications /api/notifications

POST `/notifications/email`
👷 Send email. Body: to, subject, body, html. Stub mode if SMTP not configured.

POST `/notifications/whatsapp`
👷 Send WhatsApp via Meta Business API. Body: phone, message.

POST `/notifications/order-update`
👷 Auto-notify customer on status change via both email + WhatsApp.

System Logs /api/logs

GET `/logs`
🔑 Admin. Query: ?action=, ?limit=. Returns last N activity logs.

🔒 = Authenticated user | 👷 = Staff (operator or above) | 🔑 = Admin only | PUBLIC = No auth required

ExpressinMusic Platform Documentation • Page 14 of 26

6 Order Production Workflow

Full lifecycle from placement to delivery

1. received → Order placed by customer. Payment initiated.

2. processing → Payment confirmed. Brief reviewed by operator. Lyrics team assigned.

3. lyrics_in_progress → Lyricist writes personalised lyrics. Submits via `/staff/orders/:id/lyrics`.

4. music_production → Composer creates music. Uploads MP3/WAV/instrumental via `/staff/orders/:id/music`.

5. final_review → QA team listens and verifies quality. Can approve or send back for rework.

6. delivered → QA approves → Download records created → Customer notified → Files appear in dashboard.

Rework Flow

If QA rejects: status reverts to **music_production**. The `rework_reason` field is set so the production team knows what to fix. The cycle repeats until QA approves.

Staff Assignment

Role	Sees	Action
lyrics_team	Orders in lyrics_in_progress stage	Submit lyrics via /staff/orders/:id/lyrics
music_production	Orders in music_production stage	Submit music files via /staff/orders/:id/music
qa_team	Orders in final_review stage	Approve or rework via /qa/orders/:id
operator	All orders	Manage status, assign staff, handle support
admin	Everything	Full control including settings, staff, payments

ExpressinMusic Platform Documentation • Page 15 of 26

7 Payment Integration (Razorpay)

End-to-end payment flow



Configuration via Admin Panel

Razorpay credentials are stored in the `PaymentGateway` collection and managed through the admin panel (Settings → Payment Gateways tab). No code changes needed to switch between test and live mode.

HMAC Signature Verification

```
// Server-side signature verification const expectedSig = crypto .createHmac('sha256', keySecret)
.update(`${razorpay_order_id}|${razorpay_payment_id}`) .digest('hex'); if (expectedSig !==
razorpay_signature) { // Payment tampered — reject }
```

Webhook Events Handled

Event	Action
payment.captured	Sets Payment status = 'paid', Order status = 'processing'
payment.failed	Sets Payment status = 'failed', stores failure_reason

ExpressinMusic Platform Documentation • Page 16 of 26

8 File Storage & Downloads

Local storage now, S3/CDN ready

Current Setup (Local)

- Profile photos → `/uploads/`
- Order reference files → `/uploads/orders/`
- Served at `http://localhost:5000/uploads/`
- Multer handles multipart upload
- Max 20MB per file, image/audio/PDF/doc types

Production (S3/CDN)

- Replace Multer disk storage with `multer-s3`
- Delivery files stored on S3
- Serve via CloudFront CDN
- URL format: `https://cdn.yourdomain.com/orders/{id}/song.mp3`
- Pre-signed URLs for private files

Download Protection

Every delivered file is registered in the `Download` collection. When a customer requests `GET /downloads/:file_id`, the system checks:

Check	Fail Response
Customer email matches file's customer_email	403 Access denied
expires_at < now (1-year default)	403 Download link has expired
is_active = true	403 File is no longer available
download_count < max_downloads (default 50)	403 Maximum downloads reached

ExpressinMusic Platform Documentation • Page 17 of 26

9 Notifications (Email & WhatsApp)

SMTP + Meta Business API integration

Email (Nodemailer + SMTP)

Configured via .env SMTP_* variables. Works with Gmail, SendGrid, AWS SES, or any SMTP provider. Falls back to console logging if not configured (dev mode).

WhatsApp (Meta Business API)

Sends messages via Meta's Cloud API. Requires a verified Business Account and phone number. Falls back to console logging if not configured.

Auto Order Status Messages

Status Change	Customer Message
processing	"Your song order ORD-XXX is now being processed by our team!"
lyrics_in_progress	"Our lyricists are crafting beautiful lyrics for your song ORD-XXX!"
music_production	"Our composers are creating the music for ORD-XXX. Almost there!"
final_review	"Your song ORD-XXX is in final quality review!"
delivered	"Your song ORD-XXX is ready! Log in to download it."

ExpressinMusic Platform Documentation • Page 18 of 26

10 Frontend Pages

All routes in App.tsx

Route	Component	Access	Description
/	MarketingHome	Public	Main landing page with pricing, samples, testimonials
/create-song	CreateSong	Public	High-conversion sales funnel (ad landing page)
/order	OrderFlow	Public	Legacy order form (still active)
/login	Login	Public	Customer login. Redirects to /dashboard after success.
/signup	Signup	Public	Customer registration
/dashboard	UserDashboard	🔒 Authenticated user	Orders, account settings, photo upload, support tickets
/admin/login	AdminLogin	Public	Staff-only login. Blocks regular users.
/admin	AdminDashboard	🔑 Staff roles	Full admin panel with 12 tabs (role-filtered)
/samples	SamplesPage	Public	Audio sample songs with player
/premium	PremiumLanding	Public	High-end music studio brand landing page
/category	CategoryPage	Public	Browse by song category

ExpressinMusic Platform Documentation • Page 19 of 26

11 Create Song Page — Sales Funnel

/create-song — Optimised for ad traffic conversion

10-Section Funnel Structure

#	Section	Conversion Purpose
1	Hero — Split layout with countdown timer	Immediate hook + urgency
2	Social Proof — 10K+ songs, 3 testimonials	Trust building
3	Song Type Cards — Personal / Business / Campaign	Package selection (auto-scrolls to form)
4	Sample Songs — 4 audio player cards	Reduces quality hesitation
5	6-Step Process — Story → Delivery	Removes process doubt
6	Order Form — 3 sections + file upload	Core conversion action
7	7 Add-on Options (upsells)	Revenue maximization
8	Sticky Order Summary + Coupon + Checkout CTA	Reduce cart abandonment
9	FAQ Accordion — 6 questions	Objection handling
10	Final CTA — Gradient + Price reminder	Last-chance conversion

Conversion Optimization Features

Live Activity Toasts

Auto-cycling notifications every 9 seconds: "Rahul from Mumbai just ordered a Birthday Song". Creates social proof + FOMO.

Countdown Timer

3-hour countdown in hero: "Next delivery slot closes in 02:47:31". Resets when it hits zero. Drives urgency.

Floating CTA Button

Always-visible "🎵 Create Your Song" button at bottom center. Visible on desktop. Shows starting price.

WhatsApp Help Button

Floating green WhatsApp button. Pre-filled message. Reduces abandonment from confused visitors.

Add-on Upsells (7 options)

Add-on	Price
Female Singer	+₹799

ExpressinMusic Platform Documentation • Page 20 of 26

Fast Delivery	+₹999
Extra Verse	+₹499
Music Video Reel	+₹1,499
Lyrics PDF	+₹199
YouTube Publishing	+₹1,999
Streaming Distribution	+₹2,999

ExpressinMusic Platform Documentation • Page 21 of 26

12 Admin Dashboard — 12 Tabs

Role-filtered tabs, all data from live MongoDB

Tab	Visible To	Features
Dashboard	admin, operator	6 KPI cards (orders, revenue, active, delivered, tickets, deadlines), status breakdown grid, upcoming deadlines table, recent orders list
Orders	admin, operator	Search + status filter, CSV export, view full order detail panel, inline status update dropdown, edit mode with all production fields
Customers	admin, operator	Paginated table, CSV export, joined date, order count, active/inactive status
Production	admin, operator, lyrics_team, music_production, qa_team	Pipeline by stage, expand/collapse cards, lyrics editor, notes, move-to-next-stage button. Role filtered (lyrics team only sees lyrics stage)
Deliveries	admin, operator	Orders in final_review/delivered, input fields for MP3/WAV/video/lyrics_pdf URLs, save note, mark as delivered
Staff	admin only	Create any staff role, table with activate/deactivate/remove buttons
Support	admin, operator, support	Ticket list with status filter, open ticket thread view, reply form, status update dropdown
Analytics	admin only	Revenue metrics, progress-bar charts by status/language/music style, package revenue breakdown
Affiliates	admin only	Create/edit/delete coupons, usage stats, enable/disable, percentage or fixed discount
Packages	admin only	Add/edit/delete pricing packages with category, price, delivery hours, description
Settings	admin only	CRUD for master dropdown data: music_style, language, mood, order_type, upsell. Type filter tabs.
System Logs	admin only	Full audit trail: action type, user email+role, description, timestamp

ExpressinMusic Platform Documentation • Page 22 of 26

13 User Dashboard

/dashboard — Customer-facing order management

Dashboard Tabs

My Orders

Lists all orders fetched from `/orders/my`. Shows order code, package, status badge, date. Click to expand full order details.

Downloads

Shows delivered song files. MP3, WAV, video reel, lyrics PDF. Download button calls `/downloads/:file_id` with expiry check.

Support

View own tickets. Create new ticket. Track responses from support team in thread view.

Account Settings

Update name, phone, city. Upload profile photo (stored at /uploads/). Change password via `/auth/change-password`.

Order Status Display

Each order shows a visual timeline via `/orders/:id/timeline` with stage completion indicators. Customers can see exactly where their song is in production.

ExpressinMusic Platform Documentation • Page 23 of 26

14 Environment Variables

Configure in .env file at project root

```
# ── Database ──────────────────────────────────────────────────
MONGODB_URI=mongodb+srv://username:password@cluster.mongodb.net/songcraft # ── Auth
──────────────────────────────────────────────────────────── JWT_SECRET=your-super-secret-jwt-key-min-32-
chars # ── Server ──────────────────────────────────────────────────────── PORT=5000
NODE_ENV=production # ── Email (SMTP) ──────────────────────────────────────────────
SMTP_HOST=smtp.gmail.com SMTP_PORT=587 SMTP_SECURE=false SMTP_USER=your@gmail.com SMTP_PASS=your-app-
password SMTP_FROM=noreply@expressinmusic.com # ── WhatsApp (Meta Business API)
──────────────────────────────── WHATSAPP_API_URL=https://graph.facebook.com/v18.0
WHATSAPP_API_TOKEN=your_permanent_access_token WHATSAPP_PHONE_ID=your_phone_number_id # ── Razorpay
Webhook ──────────────────────────────────────────────
RAZORPAY_WEBHOOK_SECRET=your_razorpay_webhook_secret # ── Frontend (Vite)
──────────────────────────────────────────────── VITE_API_URL=https://api.expressinmusic.com/api
```

Razorpay Keys Setup

Razorpay key_id and key_secret are stored in MongoDB via the Admin Panel → Packages → Payment Gateways. Go to POST `/payments/admin/gateways` with name=razorpay, key_id, key_secret to configure. No code changes needed.

ExpressinMusic Platform Documentation • Page 24 of 26

15 Running the Project

Local development and production setup

Install & Start (Development)

```
# Install all dependencies npm install # Start backend server (port 5000) node server.js # Start frontend dev server (port 5173) npm run dev # Or use nodemon for auto-restart on changes npx nodemon server.js
```

Production Build

```
# Build frontend npm run build # Serve dist/ from Express (add to server.js) app.use(express.static(path.join(__dirname, 'dist'))); app.get('*', (req, res) => res.sendFile(path.join(__dirname, 'dist/index.html'))); # Run server in background nohup node server.js > /var/log/songcraft.log 2>&1 & # Or use PM2 pm2 start server.js --name songcraft-api
```

Seed Master Data (Settings)

```
# After starting the server, add dropdown options via API curl -X POST http://localhost:5000/api/settings -H "Authorization: Bearer ADMIN_TOKEN" -H "Content-Type: application/json" -d '{"type":"music_style","value":"Bollywood","price":0}' # Or use the Settings tab in the admin panel UI
```

URL Summary

Service	Local URL	Production URL
Frontend (customer)	http://localhost:5173	https://expressinmusic.com
Backend API	http://localhost:5000/api	https://api.expressinmusic.com/api
Admin Panel	http://localhost:5173/admin	https://expressinmusic.com/admin
Admin Login	http://localhost:5173/admin/login	https://expressinmusic.com/admin/login
Create Song (Ad Landing)	http://localhost:5173/create-song	https://expressinmusic.com/create-song
API Health Check	http://localhost:5000/api/health	https://api.expressinmusic.com/api/health

ExpressinMusic Platform Documentation • Page 25 of 26

16 Sample Test Accounts

Pre-loaded accounts for testing all roles

Customer Accounts (Login at /login)

Name	Email	Password	Orders
Rajesh Kumar	rajesh.kumar@example.com	password	3 orders (Personal, Business, Campaign)
Priya Sharma	priya.sharma@example.com	password	2 orders (Personal, Business)

Staff Accounts (Login at /admin/login)

Role	Email	Password	Access
admin	admin@songcraft.com	admin123	All 12 tabs, full control
operator	operator@songcraft.com	operator123	Dashboard, Orders, Customers, Production, Deliveries, Support

Important Security Note

Change all default passwords before deploying to production. The admin account should use a strong unique password stored in a password manager. Regular users cannot access the admin portal at /admin/login — they are redirected if they try.

ExpressinMusic Platform

Built with Node.js + Express + MongoDB Atlas + React + TypeScript

This document covers the complete backend API, database schema, frontend pages, admin system, payment integration, and deployment setup.

120+ API Endpoints | 7 Staff Roles | Razorpay Payments | Email + WhatsApp | 12-Tab Admin Panel | Sales Funnel Page

ExpressinMusic Platform Documentation • Page 26 of 26