Ex. No. : 06 Date: 26/04/25

Register No.: 221701006 Name: AKSAYAA S V

SD Card

Aim

Implement an application to write the Register Number, Name and CGPA to SD card in text file format.

Procedure:

Step 1 : File -> NewProject

Provide the application name and Click "Next"

Step 2 : Select the target android devices

Select the minimum SDK to run the application. Click "Next".

Step 3: Choose the activity for the application (By default choose "Blank Activity).

Click "Next".

Step 4: Enter activity name and click "Finish"

Step 5: Edit the program.

Step 6: Run the application, 2-ways to run the application.

- 1. Running through emulator
- 2. Running through mobile device

MainActivity.kt

```
package com.example.mad6
//MainActivity.kt
import android.os.Bundle
import android.widget.Button
import android.widget.EditText
import android.widget.Toast
import androidx.appcompat.app.AppCompatActivity
import java.io.File
class MainActivity : AppCompatActivity() {
  private lateinit var nameEditText: EditText
  private lateinit var rollnoEditText: EditText
  private lateinit var cgpaEditText: EditText
  private lateinit var saveButton: Button
  private lateinit var loadButton: Button
  private val fileName = "student_data.txt"
  override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    setContentView(R.layout.activity_main)
    nameEditText = findViewById(R.id.editTextText)
    rollnoEditText = findViewById(R.id.editTextText2)
    cgpaEditText = findViewBvId(R.id.editTextText3)
    saveButton = findViewById(R.id.button)
    loadButton = findViewById(R.id.button2)
   saveButton.setOnClickListener {
      saveData()
   }
   loadButton.setOnClickListener {
      loadData()
   }
  private fun saveData() {
    val name = nameEditText.text.toString()
    val rollNo = rollnoEditText.text.toString()
   val cgpa = cgpaEditText.text.toString()
```

```
if (name.isBlank() || rollNo.isBlank() || cgpa.isBlank()) {
      Toast.makeText(this, "Please fill all fields", Toast.LENGTH_SHORT).show()
      return
    }
    val data = "$name\n$rollNo\n$cgpa"
    try {
      val file = File(filesDir, fileName)
      file.writeText(data)
      Toast.makeText(this, "Data Saved Successfully", Toast.LENGTH_SHORT).show()
      // <a>
    The Clear the EditTexts after saving

      nameEditText.text.clear()
      rollnoEditText.text.clear()
      cgpaEditText.text.clear()
    } catch (e: Exception) {
      e.printStackTrace()
      Toast.makeText(this, "Failed to Save Data", Toast.LENGTH_SHORT).show()
    }
  }
  private fun loadData() {
    try {
      val file = File(filesDir, fileName)
      if (!file.exists()) {
        Toast.makeText(this, "No saved data found", Toast.LENGTH SHORT).show()
        return
      }
      val lines = file.readLines()
      if (lines.size \geq 3) {
        nameEditText.setText(lines[0])
        rollnoEditText.setText(lines[1])
        cgpaEditText.setText(lines[2])
        Toast.makeText(this, "Data Loaded Successfully", Toast.LENGTH_SHORT).show()
      }
```

ActivityMain.xml


```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</p>
 xmlns:android="http://schemas.android.com/apk/res/android"
 xmlns:app="http://schemas.android.com/apk/res-auto"
 xmlns:tools="http://schemas.android.com/tools"
 android:id="@+id/main"
 android:layout_width="match_parent"
 android:layout_height="match_parent"
 android:padding="16dp"
 tools:context=".MainActivity">
 <EditText
   android:id="@+id/editTextText"
   android:layout_width="0dp"
   android:layout_height="wrap_content"
   android:hint="Name"
   android:inputType="text"
   app:layout_constraintTop_toTopOf="parent"
   app:layout_constraintStart_toStartOf="parent"
   app:layout_constraintEnd_toEndOf="parent" />
 <EditText
   android:id="@+id/editTextText2"
   android:layout_width="0dp"
   android:layout height="wrap content"
   android:hint="Roll No"
   android:inputType="text"
   android:layout_marginTop="16dp"
   app:layout_constraintTop_toBottomOf="@id/editTextText"
   app:layout_constraintStart_toStartOf="parent"
   app:layout_constraintEnd_toEndOf="parent" />
  <EditText
   android:id="@+id/editTextText3"
   android:layout_width="0dp"
   android:layout_height="wrap_content"
   android:hint="CGPA"
   android:inputType="text"
   android:layout_marginTop="16dp"
   app:layout_constraintTop_toBottomOf="@id/editTextText2"
   app:layout_constraintStart_toStartOf="parent"
   app:layout_constraintEnd_toEndOf="parent" />
 <Button
   android:id="@+id/button"
   android:layout_width="0dp"
   android:layout_height="wrap_content"
   android:text="Save"
```


```
android:layout_marginTop="24dp"
app:layout_constraintTop_toBottomOf="@id/editTextText3"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintEnd_toStartOf="@id/button2" />

<Button
android:id="@+id/button2"
android:layout_width="0dp"
android:layout_height="wrap_content"
android:text="Load"
android:layout_marginTop="24dp"
app:layout_constraintTop_toBottomOf="@id/editTextText3"
app:layout_constraintStart_toEndOf="@id/button"
app:layout_constraintEnd_toEndOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

Output





Result:

The experiment was conducted successfully