



MSPM'S
Deogiri Institute of Engineering and
Management Studies, Aurangabad

Project Topic

Laptops
HP q15 and ASUS TUF
Submitted By

Pradeep Maku
Abhishek Jaju

CSE Branch, SE-I and
Roll No-26007
Roll NO-26008

Under the Guidance of
Prof. Pankaj Durole sir
(Deogiri Institute of Engineering and Management
Studies)
2018-2019

CERTIFICATE

This is to Certify that Maku Pradeep and Jaju Abhishek has Completed PDF Presentation of Computer Architecture And Organisation For the partial fulfillment of Continuous Assessment on date 1/09/2019

**Name and Signature of Student
of Subject Teacher**

Name and Signature



Contents

- *Processor

- *GPU

- *RAM

- *SRAM

- *DRAM

- *Storage

- *Comparison on HP qI5 and ASUS TUF

PROCESSOR

- A processor is the logic circuitry that responds to and processes the basic instructions that drive a computer. The four primary functions of a processor are fetch, decode, execute and writeback.
- The basic elements of a processor:
- The arithmetic logic unit (ALU), which carries out arithmetic and logic operations on the operands in instructions.
- The floating point unit (FPU), also known as a math coprocessor or numeric coprocessor, a specialized coprocessor that manipulates numbers more quickly than the basic microprocessor circuitry can.
- Registers, which hold instructions and other data. Registers supply operands to the ALU and store the results of operations.
- L1 and L2 cache memory. Their inclusion in the CPU saves time compared to having to get data from random access memory (RAM).




Most processors today are multi-core, which means that the IC contains two or more processors for enhanced performance, reduced power consumption and more efficient simultaneous processing of multiple tasks (see: *parallel processing*). *Multi-core set-ups are similar to having multiple, separate processors installed in the same computer, but because the processors are actually plugged into the same socket, the connection between them is faster.*

The term processor is used interchangeably with the term central processing unit (CPU), although strictly speaking, the CPU is not the only processor in a computer. The GPU (graphics processing unit) is the most notable example but the hard drive and other devices within a computer also perform some processing independently. Nevertheless, the term processor is generally understood to mean the CPU.

BLOCK DIAGRAM

→
DATA FLOW

.....→
CONTROLFLOW



The processor in a personal computer or embedded in small devices is often called a microprocessor. That term simply means that the processor's elements are contained on a single integrated circuitry (IC) chip. The two main competitors in the processor market are Intel and AMD.

Architecture

The word "architecture" typically refers to building design and construction. In the computing world, "architecture" also refers to design, but instead of buildings, it describes the design of computer systems.

Computer architecture is a broad topic that includes everything from the relationship between multiple computers (such as a "client-server" model) to specific components inside a computer.

The most important type of hardware design is a computer's processor architecture. The design of the processor determines what software can run on the computer and what other hardware components are supported. For example, Intel's x86 processor architecture is the standard architecture used by most PCs. By using this design, computer manufacturers can create machines that include different hardware components, but run the same software. Several years ago, Apple switched from the PowerPC architecture to the x86 architecture to make the Macintosh platform more compatible with Windows PCs.

The architecture of the motherboard is also important in determining what hardware and software a computer system will support. The motherboard design is often called the "chipset" and defines what processor models and other components will work with the motherboard. For example, while two motherboards may both support x86 processors, one may only work with newer processor models. A newer chipset may also require faster RAM and a different type of video card than an older model.

NOTE: Most modern computers have 64-bit processors and chipsets, while earlier computers used a 32-bit architecture. A computer with a 64-bit chipset supports far more memory than one with a 32-bit chipset and can run software designed specifically for 64-bit processors.

GPU

(Graphics Processing Unit) A programmable logic chip (processor) specialized for display functions. The GPU renders images, animations and video for the computer's screen. GPUs are located on plug-in cards, in a chipset on the motherboard or in the same chip as the CPU. A GPU performs parallel operations. Although it is used for 2D data as well as for zooming and panning the screen, a GPU is essential for smooth decoding and rendering of 3D animations and video. The more sophisticated the GPU, the higher the resolution and the faster and smoother the motion in games and movies. GPUs on stand-alone cards include their own memory, while GPUs built into the chipset or CPU chip share main memory with the CPU. Not Just Graphics Processing Since GPUs perform parallel operations on multiple sets of data, they are increasingly used as vector processors for non-graphics applications that require repetitive computations. For example, in 2010, a Chinese supercomputer achieved the record for top speed using more than seven thousand GPUs in addition to its CPUs.



Graphics Hardware Locations

In a PC, graphics rendering originally took place in the CPU. Over time, functions were offloaded to separate circuits and then to GPUs either in separate cards, the PC's chipset or the CPU chip itself. See display adapter, integrated graphics and integrated GPU.

An Integrated GPU

This Trinity chip from AMD integrates a sophisticated GPU with four cores of x86 processing and a DDR3 memory controller. Each x86 section is a dual-core CPU with its own L2 cache.

History of GPUs

Specialized chips for processing graphics have existed since the dawn of video games in the 1970s. Graphics processing units came to high-performance enterprise computers in the late 1990s, and NVIDIA introduced the first GPU for personal computers, the GeForce 256, in 1999. Over time, the processing power of GPUs made the chips a popular choice for other resource-intensive tasks unrelated to graphics. Early applications included scientific calculations and modeling; by the mid-2010s, GPU computing also powered machine learning and artificial intelligence software.

In 2012, NVIDIA released a virtualized GPU, which offloads graphics processing power from the server CPU in a virtual desktop infrastructure. Graphics performance has traditionally been one of the most common complaints among users of virtual desktops and applications, and virtualized GPUs aim to address that problem.



RAM (Random Access Memory)

RAM (Random Access Memory) is the hardware in a computing device where the operating system (OS), application programs and data in current use are kept so they can be quickly reached by the device's processor. RAM is the main memory in a computer, and it is much faster to read from and write to than other kinds of storage, such as a hard disk drive (HDD), solid-state drive (SSD) or optical drive.

Random Access Memory is volatile. That means data is retained in RAM as long as the computer is on, but it is lost when the computer is turned off. When the computer is rebooted, the OS and other files are reloaded into RAM, usually from an HDD or SSD.



What Random Access Memory is used for?

Because of its volatility, Random Access Memory can't store permanent data. RAM can be compared to a person's short-term memory, and a hard drive to a person's long-term memory. Short-term memory is focused on immediate work, but it can only keep a limited number of facts in view at any one time. When a person's short-term memory fills up, it can be refreshed with facts stored in the brain's long-term memory.

A computer also works this way. If RAM fills up, the computer's processor must repeatedly go to the hard disk to overlay the old data in RAM with new data. This process slows the computer's operation.



RAM modules

A computer's hard disk can become completely full of data and unable to take any more, but RAM won't run out of memory. However, the combination of RAM and storage memory can be completely used up.

How does RAM work?

The term *random access as applied to RAM* comes from the fact that any storage location, also known as any memory address, can be accessed directly. Originally, the term *Random Access Memory* was used to distinguish regular core memory from offline memory.

Offline memory typically referred to magnetic tape from which a specific piece of data could only be accessed by locating the address sequentially, starting at the beginning of the tape. RAM is organized and controlled in a way that enables data to be stored and retrieved directly to and from specific locations.

Other types of storage -- such as the hard drive and CD-ROM -- are also accessed directly or randomly, but the term *random access* isn't used to describe these other types of storage.

RAM is similar in concept to a set of boxes in which each box can hold a 0 or a 1. Each box has a unique address that is found by counting across the columns and down the rows. A set of RAM boxes is called an array, and each box is known as a cell.

To find a specific cell, the RAM controller sends the column and row address down a thin electrical line etched into the chip. Each row and column in a RAM array has its own address line. Any data that's read flows back on a separate data line.

RAM is physically small and stored in microchips. It's also small in terms of the amount of data it can hold.

A typical laptop computer may come with 8 gigabytes of RAM, while a hard disk can hold 10 terabytes.

RAM microchips are gathered together into memory modules, which plug into slots in a computer's motherboard. A bus, or a set of electrical paths, is used to connect the motherboard slots to the processor.

A hard drive, on the other hand, stores data on the magnetized surface of what looks like a vinyl record. And, alternatively, an SSD stores data in memory chips that, unlike RAM, are nonvolatile, don't depend on having constant power and won't lose data once the power is turned off.

Most PCs enable users to add RAM modules up to a certain limit. Having more RAM in a computer cuts down on the number of times the processor must read data from the hard disk, an operation that takes longer than reading data from RAM. RAM access time is in nanoseconds, while storage memory access time is in milliseconds. Types of Random Access Memory 14 RAM comes in two primary forms:

Dynamic Random Access Memory (DRAM) makes up the typical computing device's RAM and, as was previously noted, it needs that power to be on to retain stored data.

Each DRAM cell has a charge or lack of charge held in an electrical capacitor. This data must be constantly refreshed with an electronic charge every few milliseconds to compensate for leaks from the capacitor. A transistor serves as a gate, determining whether a capacitor's value can be read or written.



Static Random Access Memory (SRAM) also needs constant power to hold on to data, but it doesn't need to be continually refreshed the way DRAM does.

In SRAM, instead of a capacitor holding the charge, the transistor acts as a switch, with one position serving as 1 and the other position as 0. Static RAM requires several transistors to retain one bit of data compared to dynamic RAM which needs only one transistor per bit. As a result, SRAM chips are much larger and more expensive than an equivalent amount of DRAM.

However, SRAM is significantly faster and uses less power than DRAM. The price and speed differences mean static RAM is mainly used in small amounts as cache memory inside a computer's processor.



DRAM	SRAM
1. Constructed of tiny capacitors that leak electricity.	1.Constructed of circuits similar to D flip-flops.
2.Requires a recharge every few milliseconds to maintain its data.	2.Holds its contents as long as power is available.
3.Inexpensive.	3.Expensive.
4. Slower than SRAM.	4. Faster than DRAM.
5. Can store many bits per chip.	5. Can not store many bits per chip.
6. Uses less power.	6.Uses more power.
7.Generates less heat.	7.Generates more heat.
8. Used for main memory.	8. Used for cache.

Difference between SRAM and DRAM

History of RAM: RAM vs. SDRAM

RAM was originally asynchronous because the RAM microchips had a different clock speed than the computer's processor. This was a problem as processors became more powerful and RAM couldn't keep up with the processor's requests for data.

In the early 1990s, clock speeds were synchronized with the introduction of synchronous dynamic RAM, or SDRAM. By synchronizing a computer's memory with the inputs from the processor, computers were able to execute tasks faster.

However, the original single data rate SDRAM (SDR SDRAM) reached its limit quickly. Around the year 2000, double data rate synchronous Random Access Memory (DDR SDRAM) was developed. This moved data twice in a single clock cycle, at the start and the end.

DDR SDRAM has evolved three times, with DDR2, DDR3 and DDR4, and each iteration has brought improved data throughput speeds and reduced power use. However, each DDR version has been incompatible with earlier ones because, with each iteration, data is handled in larger batches.

The JEDEC Solid State Technology Association has been working on the fifth generation of DDR technology, or DDR5 SDRAM, for several years, and it plans to release the full standard in June 2018.

GDDR SDRAM

Graphics double data rate (GDDR) SDRAM is used in graphics and video cards. Like DDR SDRAM, the technology enables data to be moved at various points in a CPU clock cycle. However, it runs at higher voltages and has less strict timing than DDR SDRAM.

With parallel tasks, such as 2D and 3D video rendering, tight access times aren't as necessary, and GDDR can enable the higher speeds and memory bandwidth needed for GPU performance.

Similar to DDR, GDDR has gone through several generations of development, with each providing more performance and lower power consumption. GDDR6 is the latest generation of graphics memory.

RAM vs. ROM

Read-only memory, or ROM, is computer memory containing data that can only be read, not written to. ROM contains boot-up programming that is used each time a computer is turned on. It generally can't be altered or reprogrammed.

The data in ROM is nonvolatile and isn't lost when the computer power is turned off. As a result, read-only memory is used for permanent data storage. Random Access Memory, on the other hand, can only hold data temporarily. ROM is generally several megabytes of storage, while RAM is several gigabytes.

Trends and future directions

Resistive Random Access Memory (RRAM or ReRAM) is nonvolatile storage that can alter the resistance of the solid dielectric material it's composed of. ReRAM devices contain a memristor in which the resistance varies when different voltages are applied. ReRAM creates oxygen vacancies, which are physical defects in a layer of oxide material. These vacancies represent two values in a binary system, similar to a semiconductor's electrons and holes.

ReRAM has a higher switching speed compared to other nonvolatile storage technologies, such as NAND flash. It also holds the promise of high storage density and less power consumption than NAND flash, making ReRAM a good option for memory in sensors used for industrial, automotive and internet of things applications.

Storage

Data storage is the collective methods and technologies that capture and retain digital information on electromagnetic, optical or silicon-based storage media. Storage is a key component of digital devices, as consumers and businesses have come to rely on it to preserve information ranging from personal photos to business-critical information.

Storage is frequently used to describe the devices and data connected to the computer through input/output (I/O) operations, including hard disks, flash devices, tape systems and other media types.

Why data storage is important ?

Underscoring the importance of storage is a steady climb in the generation of new data, which is attributable to big data and the profusion of internet of things (IoT) devices. Modern storage systems require enhanced capabilities to allow enterprises to apply machine learning-enabled artificial intelligence (AI) to capture this data, analyze it and wring maximum value from it.

Larger application scripts and real-time database analytics have contributed to the advent of highly dense and scalable storage systems, including high-performance computing storage, converged infrastructure, composable storage systems, hyper-converged storage infrastructure, scale-out and scale-up network-attached storage (NAS) and object storage platforms.

By 2025, it is expected that 163 zettabytes (ZB) of new data will be generated, according to a report by IT analyst firm IDC. That estimate represents a potential tenfold increase from the 16 ZB produced through 2016.

How data storage works ?

The term storage may refer both to a user's data generally and, more specifically, to the integrated hardware and software systems used to capture, manage and prioritize the data. This includes information in applications, databases, data warehouses, archiving, backup appliances and cloud storage.

Digital information is written to target storage media through the use of software commands. The smallest unit of measure in a computer memory is a bit, described with a binary value of 0 or 1, according to the level of electrical voltage contained in a single capacitor. Eight bits make up one byte.

Other capacity measurements to know are:

- kilobit (Kb)
- megabit (Mb)
- gigabit (Gb)
- terabit (Tb)
- petabit (Pb)
- exabit (Eb)

Larger measures include:

- kilobyte (KB) equal to 1,024 bytes
- megabyte (MB) equal to 1,024 KB
- gigabyte (GB) equal to 1,024 MB
- terabyte (TB) equal to 1,024 GB
- petabyte (PB) equal to 1,024 TB
- exabyte (EB) equal to 1,024 PB

Few organizations require a single storage system or connected system that can reach an exabyte of data, but there are storage systems that scale to multiple petabytes.

Data storage capacity requirements define how much storage is needed to run an application, a set of applications or data sets. Capacity requirements take into account the types of data. For instance, simple documents may only require kilobytes of capacity, while graphic-intensive files, such as digital photographs, may take up megabytes, and a video file can require gigabytes of storage. Computer applications commonly list the minimum and recommended capacity requirements needed to run them.

On an electromechanical disk, bytes store blocks of data within sectors. A hard disk is a circular platter coated with a thin layer of magnetic material. The disk is inserted on a spindle and spins at speeds of up to 15,000 revolutions per minute (rpm). As it rotates, data is written on the disk surface using magnetic recording heads. A high-speed actuator arm positions the recording head to the first available space on the disk, allowing data to be written in a circular fashion.

A sector on a standard disk is 512 bytes. Recent advances in disk include shingled magnetic recording, in which data writes occur in overlapping fashion to boost the platter's areal density.

On solid-state drives (SSDs), data is written to pooled NAND flash, designed with floating gate transistors that enable the cell to retain an electrical charge. An SSD is not technically a drive, but it exhibits design characteristics similar to an integrated circuit, featuring potentially millions of nano transistors placed on millimeter-sized silicon chips.

Backup data copies are written to disk appliances with the aid of a hierarchical storage management system. And although less commonly practiced than in years past, the tactic of some organizations remains to write disk-based backup data to magnetic tape as a tertiary storage tier.

This is a best practice in organizations subject to legal regulations.

A virtual tape library (VTL) uses no tape at all. It is a system in which data is written sequentially to disks, but retains the characteristics and properties of tape. The value of a VTL is its quick recovery and scalability.

Asus TUF



Specifications

General

Sales Package	•Laptop, Battery, Power Adaptor, User Guide, Warranty Documents
Model Number	•FX505GE-BQ025T
Part Number	•90NR00SI-M02520
Series	•TUF Series
Color	•Black
Type	•Gaming Laptop
Suitable For	•Processing & Multitasking
Power Supply	•120W AC Adapter
Battery Cell	•3 cell
MS Office Provided	•No

Processor And Memory Features

Dedicated
Graphic
Memory Type

- GDDR5

Dedicated
Graphic
Memory
Capacity

- 4 GB

Processor
Brand

- Intel

Processor
Name

- Core i5

Processor
Generation

- 8th Gen

SSD

- Yes

SSD Capacity

- 256 GB

RAM

- 8 GB

RAM Type

- DDR4

HDD Capacity	•1 TB
Processor Variant	•8300H
Chipset	•Intel HM370
Clock Speed	•2.3 GHz with Turbo Boost Upto 4.0 GHz
Memory Slots	•2 Slots
Expandable Memory	•Upto 32 GB
RAM Frequency	•2666 MHz
Cache	•8 MB
RPM	•5400
Graphic Processor	•NVIDIA Geforce GTX 1050 Ti
Number of Cores	•4

Operating System

OS Architecture	•64 bit
--------------------	---------

Operating System	•Windows 10 Home
---------------------	------------------

System Architecture	•64 bit
------------------------	---------

Port And Slot Features

Mic In	•Yes
--------	------

RJ45	•Yes
------	------

USB Port	•1 x USB 2.0, 2 x USB 3.1
----------	---------------------------

HDMI Port	•1 x HDMI Port (v2.0)
-----------	-----------------------

Hardware Interface	•SATA
-----------------------	-------

Display And Audio Features

Touchscreen	•No
Screen Size	•39.62 cm (15.6 inch)
Screen Resolution	•1920 x 1080 Pixel
Screen Type	•Full HD LED Backlit IPS Anti-glare Display (with 60 Hz Refresh Rate)
Speakers	•Built-in Dual Speakers
Internal Mic	•Built-in Array Microphone
Sound Properties	•2 x 2 W Speakers

Connectivity Features

Wireless LAN	•IEEE 802.11ac
Bluetooth	•v5.0
Ethernet	•10/100/1000 Mbps

Dimensions

Dimensions •360 x 262 x 26 mm

Weight •2.2 kg

Additional Features

Disk Drive •Not Available

Web Camera •HD 720P Webcam

Lock Port •Kensington Lock Slot

Keyboard •Illuminated Chiclet RGB Keyboard

Backlit
Keyboard •Yes

Pointer
Device •Touchpad

Included
Software •DTS Software

Additional
Features •Li-ion Battery

Warranty

Warranty
Summary

- 1 Year Onsite Warranty

Warranty
Service
Type

- Onsite

Covered in
Warranty

- Manufacturing Defects

Not
Covered in
Warranty

- Physical Damage

Domestic
Warranty

- 1 Year

HP 15q



Specifications

General

Sales Package	•Laptop, Battery, Power Adaptor, User Guide, Warranty Documents
Model Number	•I5q-ds0029TU
Part Number	•6DT09PA
Series	•I5q
Color	•Sparkling Black
Type	•Laptop
Suitable For	•Processing & Multitasking
Battery Backup	•Upto 7 hours
Power Supply	•65 W AC Adapter
Battery Cell	•3 cell
MS Office Provided	•Yes

Processor And Memory Features

Processor Brand	•Intel
Processor Name	•Core i5
Processor Generation	•7th Gen
SSD	•No
RAM	•8 GB
RAM Type	•DDR4
HDD Capacity	•1 TB
Processor Variant	•7200U
Clock Speed	•2.5 GHz with Turbo Boost Upto 3.1 GHz
Cache	•3 MB
RPM	•5400
Graphic Processor	•Intel Integrated HD 620
Number of Cores	•2

Operating System

OS Architecture	•64 bit
Operating System	•Windows 10 Home
System Architecture	•64 bit

Port And Slot Features

Mic In	•Yes
RJ45	•Yes
USB Port	•1 x USB 2.0, 2 x USB 3.1
HDMI Port	•1 x HDMI Port (v1.4b)
Multi Card Slot	•3-in-1 Card Reader (SD, SDHC, SDXC)

Display And Audio Features

Touchscreen	•No
Screen Size	•39.62 cm (15.6 inch)
Screen Resolution	•1920 x 1080 Pixel
Screen Type	•Full HD LED Backlit Display
Speakers	•Built-in Dual Speakers
Internal Mic	•Built-in Microphone

Connectivity Features

Wireless LAN	•IEEE 802.11b/g/n
Bluetooth	•v4.2
Ethernet	•Integrated 10/100/1000 Gigabit LAN

Dimensions

Dimensions •376 x 246 x 22.5 mm

Weight •2.04 kg

Additional Features

Disk Drive •CD/DVD writer

Web Camera •HP TrueVision HD Webcam

Read/Write
Speed •8x

Keyboard •Full Size Island Style Keyboard

Pointer Device •Multi Gesture Touchpad

Recovery
Options •Recovery Manager Installer for Windows 10

Included
Software •HP Audio Switch, HP Support Assistant, Microsoft Office Home and Student 2016

Additional
Features •Li-ion Battery

Warranty

Warranty
Summary

- 1 Year Onsite Warranty

Warranty
Service Type

- Onsite

Covered in
Warranty

- Manufacturing Defects

Not Covered
in Warranty

- Physical Damage

Domestic
Warranty

- 1 Year

COMPARISON BASED ON DIFFERENCES

MULTIMEDIA

	Asus TUF	HP 15q
Processor type	intel i5 8gen	intel i5 7gen
Processor Variant	8300H	7200U
Cache	8 MB	3MB
Dimensions	360 x 262 x 26 mm	376 x 246 x 22.5 mm
Weight	2.2 kg	2.04 kg
Keyboard	Illuminated Chiclet RGB Keyboard	Full Size Island Style keyboard
SSD	Yes	No

Asus TUF
intel i5 8gen

HP 15q
intel i5 7gen

Processor Variant

8300H

7200U

Cache

8 MB

3MB

Dimensions

360 x 262 x 26 mm

376 x 246 x 22.5 mm

Weight

2.2 kg

2.04 kg

Keyboard

Illuminated Chiclet
RGB Keyboard

Full Size Island Style
keyboard

SSD

Yes

No