


GGraph

[DataSet3]



Data written to the working file .
2 variables and 144 cases written .
Variable :Month Type:String Format :A7
Variable :Passengers Type:Number Format :F3

Substitute the following to build syntax for these data .
/VARIABLES=
Month A7
Passengers F3


Data written to the working file .
7 variables and 59 cases written .
Variable :fruit_label Type:Number Format :F1
Variable :fruit_name Type:String Format :A8
Variable :fruit_subtype Type:String Format :A16
Variable :mass Type:Number Format :F3
Variable :width Type:Number Format :F3.1
Variable :height Type:Number Format :F4.1
Variable :color_score Type:Number Format :F4.2

Substitute the following to build syntax for these data .
/VARIABLES=


fruit_label F1
fruit_name A8
fruit_subtype A16
mass F3
width F3.1
height F4.1
color_score F4.2

GGraph

[DataSet5]




GGraph




GGraph

[DataSet5]


Simple 3-D Scatter of fruit_label by fruit_name by fruit_subtype




GGraph




GGraph



GGraph



GGraph



Correlations

Correlations

		fruit_label	mass
fruit_label	Pearson Correlation	1	.033
	Sig. (2-tailed)		.806
	N	59	59
mass	Pearson Correlation	.033	1
	Sig. (2-tailed)	.806	
	N	59	59

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
fruit_label	59	1	4	2.54	1.208
mass	59	76	362	163.12	55.019
width	59	5.8	9.6	7.105	.8169
height	59	4.0	10.5	7.693	1.3610
color_score	59	.55	.93	.7629	.07686
Valid N (listwise)	59				

Frequencies

Statistics

		fruit_name	fruit_label	fruit_subtype	mass	width	height	color_score
N	Valid	59	59	59	59	59	59	59
	Missing	0	0	0	0	0	0	0

Frequency Table

		fruit_name			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	apple	19	32.2	32.2	32.2
	lemon	16	27.1	27.1	59.3
	mandarin	5	8.5	8.5	67.8
	orange	19	32.2	32.2	100.0
	Total	59	100.0	100.0	

fruit_label

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	19	32.2	32.2	32.2
	2	5	8.5	8.5	40.7
	3	19	32.2	32.2	72.9
	4	16	27.1	27.1	100.0
	Total	59	100.0	100.0	

fruit_subtype

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	braeburn	5	8.5	8.5	8.5
	cripps_pink	6	10.2	10.2	18.6
	golden_delicious	5	8.5	8.5	27.1
	granny_smith	3	5.1	5.1	32.2
	mandarin	5	8.5	8.5	40.7
	selected_seconds	6	10.2	10.2	50.8
	spanish_belsan	6	10.2	10.2	61.0
	spanish_jumbo	3	5.1	5.1	66.1
	turkey_navel	10	16.9	16.9	83.1
	unknown	10	16.9	16.9	100.0
	Total	59	100.0	100.0	

		mass			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	76	1	1.7	1.7	1.7
	80	2	3.4	3.4	5.1
	84	1	1.7	1.7	6.8
	86	1	1.7	1.7	8.5
	116	4	6.8	6.8	15.3
	118	2	3.4	3.4	18.6
	120	1	1.7	1.7	20.3
	130	1	1.7	1.7	22.0
	132	1	1.7	1.7	23.7
	140	2	3.4	3.4	27.1
	142	1	1.7	1.7	28.8
	144	1	1.7	1.7	30.5
	150	1	1.7	1.7	32.2
	152	2	3.4	3.4	35.6
	154	4	6.8	6.8	42.4
	156	3	5.1	5.1	47.5
	158	2	3.4	3.4	50.8
	160	3	5.1	5.1	55.9
	162	2	3.4	3.4	59.3
	164	2	3.4	3.4	62.7
	166	1	1.7	1.7	64.4
	168	1	1.7	1.7	66.1
	170	1	1.7	1.7	67.8
	172	2	3.4	3.4	71.2
	174	1	1.7	1.7	72.9
	176	1	1.7	1.7	74.6
	178	1	1.7	1.7	76.3
	180	2	3.4	3.4	79.7
	186	1	1.7	1.7	81.4
	190	1	1.7	1.7	83.1
	192	1	1.7	1.7	84.7
	194	1	1.7	1.7	86.4
	196	1	1.7	1.7	88.1
	200	1	1.7	1.7	89.8
	204	1	1.7	1.7	91.5
	210	1	1.7	1.7	93.2
	216	1	1.7	1.7	94.9
	342	1	1.7	1.7	96.6

mass

	Frequency	Percent	Valid Percent	Cumulative Percent
356	1	1.7	1.7	98.3
362	1	1.7	1.7	100.0
Total	59	100.0	100.0	

width

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	5.8	3	5.1	5.1	5.1
	5.9	3	5.1	5.1	10.2
	6.0	4	6.8	6.8	16.9
	6.1	2	3.4	3.4	20.3
	6.2	1	1.7	1.7	22.0
	6.3	1	1.7	1.7	23.7
	6.5	1	1.7	1.7	25.4
	6.7	1	1.7	1.7	27.1
	6.8	1	1.7	1.7	28.8
	6.9	1	1.7	1.7	30.5
	7.0	2	3.4	3.4	33.9
	7.1	6	10.2	10.2	44.1
	7.2	5	8.5	8.5	52.5
	7.3	7	11.9	11.9	64.4
	7.4	4	6.8	6.8	71.2
	7.5	5	8.5	8.5	79.7
	7.6	5	8.5	8.5	88.1
	7.7	1	1.7	1.7	89.8
	7.8	1	1.7	1.7	91.5
	8.0	1	1.7	1.7	93.2
	8.4	1	1.7	1.7	94.9
	9.0	1	1.7	1.7	96.6
	9.2	1	1.7	1.7	98.3
	9.6	1	1.7	1.7	100.0
	Total	59	100.0	100.0	

		height			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4.0	1	1.7	1.7	1.7
	4.3	2	3.4	3.4	5.1
	4.6	1	1.7	1.7	6.8
	4.7	1	1.7	1.7	8.5
	6.8	1	1.7	1.7	10.2
	7.0	2	3.4	3.4	13.6
	7.1	5	8.5	8.5	22.0
	7.2	3	5.1	5.1	27.1
	7.3	4	6.8	6.8	33.9
	7.4	3	5.1	5.1	39.0
	7.5	5	8.5	8.5	47.5
	7.6	3	5.1	5.1	52.5
	7.7	2	3.4	3.4	55.9
	7.8	3	5.1	5.1	61.0
	7.9	2	3.4	3.4	64.4
	8.0	2	3.4	3.4	67.8
	8.1	3	5.1	5.1	72.9
	8.2	2	3.4	3.4	76.3
	8.4	1	1.7	1.7	78.0
	8.5	2	3.4	3.4	81.4
	8.7	1	1.7	1.7	83.1
	9.2	4	6.8	6.8	89.8
	9.4	1	1.7	1.7	91.5
	9.7	1	1.7	1.7	93.2
	10.1	1	1.7	1.7	94.9
	10.2	1	1.7	1.7	96.6
	10.3	1	1.7	1.7	98.3
	10.5	1	1.7	1.7	100.0
	Total	59	100.0	100.0	

		color_score			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.55	1	1.7	1.7	1.7
	.59	1	1.7	1.7	3.4
	.60	1	1.7	1.7	5.1
	.67	1	1.7	1.7	6.8
	.69	2	3.4	3.4	10.2
	.70	3	5.1	5.1	15.3
	.71	3	5.1	5.1	20.3
	.72	9	15.3	15.3	35.6
	.73	3	5.1	5.1	40.7
	.74	3	5.1	5.1	45.8
	.75	5	8.5	8.5	54.2
	.76	1	1.7	1.7	55.9
	.77	3	5.1	5.1	61.0
	.78	1	1.7	1.7	62.7
	.79	4	6.8	6.8	69.5
	.80	2	3.4	3.4	72.9
	.81	3	5.1	5.1	78.0
	.82	2	3.4	3.4	81.4
	.83	1	1.7	1.7	83.1
	.84	1	1.7	1.7	84.7
	.85	1	1.7	1.7	86.4
	.86	1	1.7	1.7	88.1
	.87	1	1.7	1.7	89.8
	.88	2	3.4	3.4	93.2
	.89	1	1.7	1.7	94.9
	.92	2	3.4	3.4	98.3
	.93	1	1.7	1.7	100.0
	Total	59	100.0	100.0	

T-Test

One-Sample Statistics

	N	Mean	Std. Deviation	Std. Error Mean
fruit_label	59	2.54	1.208	.157
mass	59	163.12	55.019	7.163
width	59	7.105	.8169	.1064
height	59	7.693	1.3610	.1772
color_score	59	.7629	.07686	.01001

One-Sample Test

Test Value = 0

	t	df	Significance		Mean Difference	95% Confidence Interval of the ...
			One-Sided p	Two-Sided p		Lower
fruit_label	16.165	58	<.001	<.001	2.542	2.23
mass	22.773	58	<.001	<.001	163.119	148.78
width	66.805	58	<.001	<.001	7.1051	6.892
height	43.418	58	<.001	<.001	7.6932	7.339
color_score	76.242	58	<.001	<.001	.76288	.7429

One-Sample Test

Test Value = 0

95% Confidence Interval of the ...

Upper

fruit_label	2.86
mass	177.46
width	7.318
height	8.048
color_score	.7829

One-Sample Effect Sizes

				95% Confidence Interval	
Standardizer ^a			Point Estimate	Lower	Upper
fruit_label	Cohen's d	1.208	2.105	1.642	2.561
	Hedges' correction	1.224	2.077	1.621	2.528
mass	Cohen's d	55.019	2.965	2.366	3.558
	Hedges' correction	55.743	2.926	2.336	3.511
width	Cohen's d	.8169	8.697	7.096	10.294
	Hedges' correction	.8277	8.584	7.004	10.160
height	Cohen's d	1.3610	5.653	4.593	6.707
	Hedges' correction	1.3789	5.579	4.533	6.620
color_score	Cohen's d	.07686	9.926	8.104	11.743
	Hedges' correction	.07787	9.797	7.999	11.590

a. The denominator used in estimating the effect sizes.

Cohen's d uses the sample standard deviation.

Hedges' correction uses the sample standard deviation, plus a correction factor.

Oneway

ANOVA

Technique

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	8.750	19	.461	.409	.955
Within Groups	11.250	10	1.125		
Total	20.000	29			

ANOVA Effect Sizes^{a,b}

			95% Confidence Interval	
Point Estimate			Lower	Upper
Technique	Eta-squared	.438	.000	.086
	Epsilon-squared	-.631	-1.900	-1.650
	Omega-squared Fixed-effect	-.598	-1.727	-1.512
	Omega-squared Random-effect	-.020	-.034	-.033

a. Eta-squared and Epsilon-squared are estimated based on the fixed-effect model.

b. Negative but less biased estimates are retained, not rounded to zero.

T-Test

Group Statistics

	Group	N	Mean	Std. Deviation	Std. Error Mean
mpg	0	9	20.67	2.828	.943
	1	15	22.27	3.693	.954

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means	
		F	Sig.	t	df
mpg	Equal variances assumed	.266	.611	-1.115	22
	Equal variances not assumed			-1.193	20.487

Independent Samples Test

		t-test for Equality of Means			
		Significance		Mean Difference	Std. Error Difference
		One-Sided p	Two-Sided p		
mpg	Equal variances assumed	.138	.277	-1.600	1.435
	Equal variances not assumed	.123	.246	-1.600	1.341

Independent Samples Test

		t-test for Equality of Means	
		95% Confidence Interval of the Difference	
		Lower	Upper
mpg	Equal variances assumed	-4.577	1.377
	Equal variances not assumed	-4.393	1.193

Independent Samples Effect Sizes

				95% Confidence Interval	
Standardizer ^a			Point Estimate	Lower	Upper
mpg	Cohen's d	3.404	-.470	-1.303	.373
	Hedges' correction	3.526	-.454	-1.258	.360
	Glass's delta	3.693	-.433	-1.267	.416

- a. The denominator used in estimating the effect sizes.
 Cohen's d uses the pooled standard deviation.
 Hedges' correction uses the pooled standard deviation, plus a correction factor.
 Glass's delta uses the sample standard deviation of the control (i.e., the second) group.

Crosstabs

Case Processing Summary

		Valid		Cases Missing		Total	
		N	Percent	N	Percent	N	Percent
Group * mpg		24	100.0%	0	0.0%	24	100.0%

Group * mpg Crosstabulation

Count

		mpg						
		14	17	18	20	21	22	23
Group	0	0	1	2	2	1	0	1
	1	1	1	1	0	2	1	3
Total		1	2	3	2	3	1	4

Group * mpg Crosstabulation

Count

		mpg				
		24	25	27	28	Total
Group	0	1	1	0	0	9
	1	3	1	1	1	15
Total		4	2	1	1	24

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	7.644 ^a	10	.664
Likelihood Ratio	9.574	10	.479
Linear-by-Linear Association	1.230	1	.267
N of Valid Cases	24		

a. 22 cells (100.0%) have expected count less than 5. The minimum expected count is .38.

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Phi	.564	.664
	Cramer's V	.564	.664
N of Valid Cases		24	