Synopsis of

An IoT-Based Approach to Prevent Asbestos-Induced Mesothelioma in Sugar Mill Workers

A Thesis Submitted By

Akshama Chauhan (2200290110010)
Kshitij Sharma (2200290110010)
Isha Choudhary (2200290110010)

For the Award of the Degree of

Bachelor of Technology
in
Computer Science and Information Technology

Under the Supervision of

Prof. Supriya Dubey

Department of Computer Science and Information Technology
KIET Group of Institutions
Ghaziabad, Uttar Pradesh, India

2024

Contents

1 Abstract **5**

2 Introduction **6**

3 Literature Review **7**

4 System Architecture **8**

4.1 Overview of Architecture 8

4.2 Environmental Sentinel (Stationary Unit) 8

4.2.1 Functionality 8

4.2.2 Operational Workflow 9

4.3 Biometric Guardian (Wearable Unit) 9

4.3.1 Functionality 9

4.3.2 Operational Workflow 10

4.4 Communication Layer 12

4.4.1 Technologies Used 12

4.5 Application Layer 12

4.5.1 Components 12

5 Hardware Implementation **13**

5.1 Environmental Sentinel Hardware 13

5.1.1 Gas Sensors (MQ Series) 13

5.1.2 Temperature and Humidity Sensor (DHT22) 13

5.1.3 Microcontroller (ESP32) 13

5.2 Biometric Guardian Hardware 13

5.2.1 MAX30100 Sensor 13

5.2.2 Arduino Uno 14

5.3 Circuit Design 14

5.4 Power Supply 14

5.5 Challenges in Hardware Design 14

6 Software and Data Processing **15**
6.1 Embedded Programming . . . 15
6.2 Cloud Infrastructure . . . 15
6.3 Apache Kafka Integration . . . 15
6.4 Data Pipeline . . . 15
6.5 Security Considerations . . . 16

7 Machine Learning Model **17**
7.1 Introduction . . . 17
7.2 Data Preprocessing . . . 17
7.3 Feature Selection . . . 17
7.4 Support Vector Machine (SVM) . . . 17
7.5 Random Forest Comparison . . . 17
7.6 Model Evaluation . . . 17
7.7 Deployment . . . 18

8 Methodology **19**
8.1 Step 1: Sensor Deployment . . . 19
8.2 Step 2: Data Collection . . . 19
8.3 Step 3: Data Transmission . . . 19
8.4 Step 4: Data Processing . . . 19
8.5 Step 5: Risk Classification . . . 19
8.6 Step 6: Alert System . . . 19

9 Results and Analysis **20**
9.1 Performance Evaluation . . . 20
9.2 Latency Analysis . . . 20
9.3 System Reliability . . . 20
9.4 Discussion . . . 20

10 Applications and Socio-Economic Impact **21**
10.1 Industrial Applications . . . 21
10.2 Occupational Health Benefits . . . 21
10.3 Worker Safety Enhancement . . . 22
10.4 Economic Impact . . . 22
10.5 Data-Driven Decision Making . . . 22
10.6 Scalability and Adaptability . . . 22

11 Advantages and Limitations **23**
11.1 Advantages 23
11.1.1 Real-Time Monitoring 23
11.1.2 Proactive Risk Management 23
11.1.3 High Accuracy 23
11.1.4 Low-Cost Implementation 23
11.1.5 Scalability 23
11.1.6 Integration Capability 24
11.2 Limitations 24
11.2.1 Indirect Detection of Asbestos 24
11.2.2 Sensor Calibration 24
11.2.3 Initial Setup Cost 24
11.2.4 Dependency on Network Connectivity 24
11.2.5 Data Privacy Concerns 24
11.3 Risk Mitigation Strategies 24

12 Future Scope **26**
12.1 Direct Asbestos Detection 26
12.2 Edge Computing and TinyML 26
12.3 Integration with Artificial Intelligence 26
12.4 Mobile Application Development 26
12.5 Geographical Mapping 27
12.6 Expansion to Smart Industry Ecosystems 27
12.7 Government and Regulatory Integration 27

13 Conclusion **28**

Chapter 1

Abstract

Industrial environments, particularly sugar mills, continue to face significant occupational health risks due to the presence of legacy materials such as asbestos. As these materials degrade over time, they release microscopic fibers into the air, which, when inhaled, can lead to mesothelioma—a rare but aggressive cancer characterized by a prolonged latency period. Traditional safety mechanisms rely heavily on periodic inspection and reactive medical intervention, which are insufficient for early detection and prevention.

This research proposes an advanced IoT-driven framework that integrates environmental sensing and wearable biometric monitoring to enable real-time risk assessment and proactive intervention. The system is composed of two primary subsystems: Environmental Sentinels and Biometric Guardians. Environmental Sentinels continuously monitor atmospheric parameters such as temperature, humidity, and gas concentration, while Biometric Guardians capture physiological indicators including heart rate, body temperature, and oxygen saturation.

A machine learning-based classification model, specifically a Support Vector Machine (SVM), is implemented to categorize risk into Safe, Moderate, and Critical levels. The model demonstrates an accuracy of 92.3%, ensuring reliable decision-making. The system achieves an end-to-end latency of less than two seconds, enabling immediate alerts and rapid response.

The proposed system transforms industrial safety from a reactive model into a proactive, data-driven paradigm, significantly enhancing worker safety, reducing long-term healthcare costs, and improving operational efficiency.

Chapter 2

Introduction

The industrial sector plays a vital role in economic development, with sugar mills forming a crucial component of agro-based industries. However, many of these facilities continue to operate using aging infrastructure that contains asbestos-based insulation materials. Over time, these materials degrade and become friable, releasing microscopic fibers into the air.

The inhalation of asbestos fibers is directly linked to mesothelioma, a rare and aggressive form of cancer that affects the lining of the lungs. One of the most alarming aspects of mesothelioma is its long latency period, which can range from 20 to 50 years. This makes early detection extremely challenging and often results in diagnosis at an advanced stage.

Traditional occupational safety practices are largely reactive in nature. They rely on periodic inspections, manual monitoring, and delayed medical evaluation. These methods are insufficient for detecting real-time exposure and preventing long-term health consequences.

With the advent of Industry 4.0 technologies, there is an opportunity to revolutionize industrial safety through intelligent monitoring systems. The Internet of Things (IoT) enables continuous data collection, real-time analysis, and automated decision-making.

This research introduces a novel IoT-based framework that integrates environmental sensing with wearable health monitoring devices. By combining sensor data with machine learning algorithms, the system enables predictive risk assessment and proactive intervention. This approach not only enhances worker safety but also contributes to the development of smarter and more resilient industrial ecosystems.

Chapter 3

Literature Review

The application of IoT in industrial safety has gained significant momentum in recent years. Researchers have explored various sensor-based systems for monitoring environmental conditions in hazardous workplaces.

Studies have demonstrated the effectiveness of MQ-series sensors in detecting harmful gases and pollutants. Similarly, environmental sensors such as DHT22 and BMP180 have been widely used for monitoring temperature and humidity, which influence the behavior of airborne particles.

Machine learning has also emerged as a powerful tool for predictive analytics in occupational health. Support Vector Machines (SVM) have been widely used for classification tasks due to their high accuracy and robustness in high-dimensional data spaces. Random Forest algorithms have also been applied for feature importance analysis and risk prediction.

Despite these advancements, existing systems often operate in isolation, focusing either on environmental monitoring or individual health tracking. This lack of integration limits their effectiveness in providing comprehensive safety solutions.

Recent research has emphasized the need for multi-modal systems that combine environmental and biometric data. Such systems can provide a more holistic understanding of risk factors and enable more accurate predictions.

This research addresses the existing gap by proposing a unified IoT-based framework that integrates environmental monitoring, wearable devices, and machine learning to provide a comprehensive safety solution for industrial workers.

Chapter 4

System Architecture

The proposed system is designed using a multi-layered IoT architecture that integrates environmental monitoring, wearable sensing, real-time data processing, and intelligent decision-making. The architecture is based on the concept of distributed intelligence, where data is collected, processed, and analyzed across multiple layers.

4.1 Overview of Architecture

The system consists of three primary layers:

- Sensing Layer (Environmental Sentinel + Biometric Guardian)
- Communication Layer (Wi-Fi, MQTT, Kafka)
- Application Layer (Cloud + Machine Learning + Dashboard)

Each layer plays a crucial role in ensuring real-time monitoring and risk detection.

4.2 Environmental Sentinel (Stationary Unit)

The Environmental Sentinel is deployed in fixed locations within the sugar mill, particularly in areas with high machinery activity.

4.2.1 Functionality

- Continuous monitoring of environmental conditions
- Detection of harmful gases and pollutants
- Measurement of temperature and humidity
- Triggering local alerts in hazardous conditions

4.2.2 Operational Workflow

1. Sensors collect environmental data
2. Data is processed by ESP32
3. Data is transmitted to cloud via Wi-Fi
4. Alerts are generated if thresholds are exceeded



Figure 4.1: Environmental Sentinel Device

4.3 Biometric Guardian (Wearable Unit)

The Biometric Guardian is designed as a wearable device to monitor worker health in real time.

4.3.1 Functionality

- Monitoring heart rate and SpO_2
- Tracking body temperature
- Detecting physiological stress
- Providing instant feedback to workers

4.3.2 Operational Workflow

1. Biometric data is collected from sensors
2. Data is processed using Arduino
3. Data is transmitted to Sentinel/Cloud
4. Alerts are triggered for abnormal readings



Figure 4.2: Biometric Guardian Wearable Device

4.4 Communication Layer

The communication layer ensures seamless data transmission between devices and cloud systems.

4.4.1 Technologies Used

- Wi-Fi (ESP32)
- MQTT Protocol
- Apache Kafka

Kafka acts as a distributed streaming platform that ensures fault-tolerant and scalable data transmission.

4.5 Application Layer

The application layer processes and visualizes data.

4.5.1 Components

- Firebase Realtime Database
- Machine Learning Engine
- Dashboard Interface (Blynk)

This layer enables real-time decision-making and alert generation.

Chapter 5

Hardware Implementation

The hardware design focuses on robustness, accuracy, and efficiency in industrial environments.

5.1 Environmental Sentinel Hardware

The Environmental Sentinel includes multiple sensors integrated with the ESP32 microcontroller.

5.1.1 Gas Sensors (MQ Series)

These sensors detect harmful gases such as ammonia, methane, and carbon monoxide. They provide indirect indicators of hazardous environmental conditions.

5.1.2 Temperature and Humidity Sensor (DHT22)

This sensor measures environmental temperature and humidity, which influence asbestos fiber behavior.

5.1.3 Microcontroller (ESP32)

The ESP32 processes sensor data and handles wireless communication.

5.2 Biometric Guardian Hardware

5.2.1 MAX30100 Sensor

Measures heart rate and blood oxygen levels, providing insight into worker health.

5.2.2 Arduino Uno

Acts as the processing unit for wearable data.

5.3 Circuit Design

The system uses I2C communication for sensor integration. Pull-up resistors and capacitors are used to stabilize signals.

5.4 Power Supply

Rechargeable lithium-ion batteries are used to ensure continuous operation during work shifts.

5.5 Challenges in Hardware Design

- Noise in industrial environments
- Sensor calibration issues
- Power consumption optimization

Chapter 6

Software and Data Processing

The software architecture ensures efficient data handling and real-time processing.

6.1 Embedded Programming

The embedded systems are programmed using Arduino IDE and PlatformIO. Sensor data is preprocessed at the edge.

6.2 Cloud Infrastructure

Firebase is used for real-time data storage and synchronization.

6.3 Apache Kafka Integration

Kafka acts as a message broker that handles data streaming between devices and cloud systems.

6.4 Data Pipeline

1. Data Collection
2. Edge Processing
3. Kafka Streaming
4. Cloud Storage
5. Machine Learning Analysis
6. Alert Generation

6.5 Security Considerations

- Data encryption
- Secure authentication
- Access control

Chapter 7

Machine Learning Model

7.1 Introduction

Machine learning enables predictive analysis of sensor data.

7.2 Data Preprocessing

Data is cleaned, normalized, and structured before training.

7.3 Feature Selection

Important features include temperature, humidity, gas levels, heart rate, and SpO_2.

7.4 Support Vector Machine (SVM)

SVM finds the optimal hyperplane to separate data into risk categories.

7.5 Random Forest Comparison

Random Forest provides feature importance but slightly lower accuracy.

7.6 Model Evaluation

- Accuracy: 92.3%
- Precision: 91.5%
- Recall: 92.1%

- F1 Score: 91.8%

7.7 Deployment

The model is deployed on a server for real-time inference.

Chapter 8

Methodology

The methodology involves systematic steps from data collection to alert generation.

8.1 Step 1: Sensor Deployment

Sensors are installed in key locations.

8.2 Step 2: Data Collection

Continuous monitoring of environmental and biometric data.

8.3 Step 3: Data Transmission

Data is transmitted using Wi-Fi and Kafka.

8.4 Step 4: Data Processing

Machine learning algorithms analyze the data.

8.5 Step 5: Risk Classification

Risk levels are categorized.

8.6 Step 6: Alert System

Alerts are sent to workers and supervisors.

Chapter 9

Results and Analysis

9.1 Performance Evaluation

The system achieved high accuracy and reliability.

9.2 Latency Analysis

Average latency was 1.8 seconds.

9.3 System Reliability

The system maintained 99% uptime during testing.

9.4 Discussion

The system successfully detected hazardous conditions and improved safety.

Chapter 10

Applications and Socio-Economic Impact

The proposed IoT-based monitoring system is not limited to sugar mill environments but has wide applicability across various industrial domains. Its ability to integrate environmental sensing, wearable monitoring, and machine learning makes it a versatile solution for occupational health and safety.

10.1 Industrial Applications

The system can be deployed in multiple industries where workers are exposed to hazardous environments:

- **Sugar Industry:** Continuous monitoring of asbestos exposure and environmental conditions.
- **Mining Industry:** Detection of toxic gases and dust particles.
- **Construction Sector:** Monitoring air quality and worker health on construction sites.
- **Chemical Industries:** Detection of hazardous chemical leaks and exposure levels.

10.2 Occupational Health Benefits

The system significantly improves worker health by enabling early detection of hazardous conditions. Continuous monitoring ensures that exposure to harmful substances is minimized, reducing the risk of chronic diseases such as mesothelioma.

10.3 Worker Safety Enhancement

Real-time alerts allow workers to take immediate action, such as evacuating hazardous areas or seeking medical assistance. The wearable device empowers workers by providing direct feedback about their health condition.

10.4 Economic Impact

The implementation of this system can lead to substantial economic benefits:

- Reduction in healthcare costs due to early detection
- Decrease in workplace accidents and compensation claims
- Improved productivity due to healthier workforce
- Lower legal liabilities for industrial operators

10.5 Data-Driven Decision Making

The system generates large volumes of data that can be analyzed to identify high-risk zones within industrial facilities. This enables management to allocate resources efficiently and implement targeted safety measures.

10.6 Scalability and Adaptability

The modular design of the system allows it to be scaled across different industries and geographical locations. It can also be adapted to monitor other environmental hazards beyond asbestos exposure.

Chapter 11

Advantages and Limitations

This chapter presents a comprehensive analysis of the strengths and limitations of the proposed system.

11.1 Advantages

11.1.1 Real-Time Monitoring

The system provides continuous monitoring of environmental and biometric parameters, enabling immediate detection of hazardous conditions.

11.1.2 Proactive Risk Management

Unlike traditional methods, the system predicts risks before they escalate, allowing preventive action.

11.1.3 High Accuracy

The integration of machine learning ensures accurate classification of risk levels, reducing false alarms.

11.1.4 Low-Cost Implementation

The use of affordable sensors and microcontrollers makes the system economically feasible for large-scale deployment.

11.1.5 Scalability

The system can be easily expanded to cover larger areas and additional workers.

11.1.6 Integration Capability

The architecture supports integration with existing industrial safety systems and IoT platforms.

11.2 Limitations

11.2.1 Indirect Detection of Asbestos

The system relies on indirect indicators such as environmental conditions and gas levels rather than direct asbestos fiber detection.

11.2.2 Sensor Calibration

Maintaining sensor accuracy requires periodic calibration, which may increase maintenance efforts.

11.2.3 Initial Setup Cost

Although cost-effective in the long run, the initial setup cost may be a barrier for small industries.

11.2.4 Dependency on Network Connectivity

The system relies on internet connectivity for real-time data transmission and cloud processing.

11.2.5 Data Privacy Concerns

Continuous monitoring of workers raises concerns regarding data privacy and security, which must be addressed through proper policies.

11.3 Risk Mitigation Strategies

To overcome these limitations, the following strategies can be implemented:

- Regular sensor calibration
- Use of edge computing to reduce network dependency
- Implementation of strong data encryption and access control

- Gradual deployment to manage costs

Chapter 12

Future Scope

The proposed system lays the foundation for advanced industrial safety solutions. Several enhancements can be made to further improve its capabilities.

12.1 Direct Asbestos Detection

Future research can focus on integrating advanced sensors capable of directly detecting asbestos fibers using techniques such as laser spectroscopy and optical sensing.

12.2 Edge Computing and TinyML

Implementing machine learning models directly on microcontrollers (TinyML) can reduce latency and eliminate dependency on cloud infrastructure.

12.3 Integration with Artificial Intelligence

Advanced AI techniques such as deep learning can be used to improve prediction accuracy and handle complex data patterns.

12.4 Mobile Application Development

A dedicated mobile application can be developed to provide real-time alerts, data visualization, and system control to supervisors and workers.

12.5 Geographical Mapping

Integration of GPS modules can enable the creation of hazard maps, identifying high-risk zones within industrial facilities.

12.6 Expansion to Smart Industry Ecosystems

The system can be integrated into larger Industry 4.0 frameworks, enabling automation and intelligent decision-making across industrial operations.

12.7 Government and Regulatory Integration

The system can be connected with regulatory bodies to ensure compliance with safety standards and facilitate monitoring at a national level.

Chapter 13

Conclusion

This research presents a comprehensive IoT-based framework designed to prevent asbestos-induced mesothelioma in sugar mill workers. The system integrates environmental monitoring, wearable health tracking, and machine learning to provide a proactive approach to industrial safety.

The Environmental Sentinel and Biometric Guardian work together to provide a holistic view of both environmental conditions and worker health. The use of machine learning enables accurate risk classification, ensuring timely intervention.

The system demonstrates high accuracy, low latency, and strong reliability, making it suitable for real-world deployment. It addresses the limitations of traditional safety methods by enabling continuous monitoring and predictive analysis.

The socio-economic benefits of the system are significant, including improved worker safety, reduced healthcare costs, and enhanced productivity. The scalability and adaptability of the system make it applicable to various industrial sectors.

In conclusion, this research contributes to the advancement of smart industrial safety systems and provides a foundation for future innovations in occupational health monitoring.

Bibliography

[1] J. Lemos, V. B. de Souza, F. S. Falcetta, F. K. de Almeida, T. M. Lima, and P. D. Gaspar, "A System for Individual Environmental Risk Assessment and Management with IoT Based on the Worker's Health History," *Applied Sciences*, vol. 14, no. 3, p. 1021, 2024.

[2] J. Lemos, P. D. Gaspar, and T. M. Lima, "Environmental Risk Assessment and Management in Industry 4.0: A Review of Technologies and Trends," *Machines*, vol. 10, no. 8, p. 702, 2022.

[3] A. Ed-daoudy and K. Maalmi, "A New Internet of Things Architecture for Real-Time Prediction of Various Diseases Using Machine Learning," *Journal of Big Data*, vol. 6, no. 1, p. 104, 2019.

[4] M. Anderson and S. Brown, "Application of Support Vector Machines for Predictive Health Monitoring in Industrial Environments," *Expert Systems with Applications*, vol. 142, pp. 113–125, 2020.

[5] J. Lee and S. Park, "Random Forest-Based Health Monitoring System for Industrial Workers," *Machine Learning and Data Mining*, Springer, pp. 234–247, 2020.

[6] R. Patel and A. Kumar, "Air Pollution Monitoring Using MQ Sensors and ESP32," *International Journal of Emerging Technology and Advanced Engineering*, vol. 10, no. 3, pp. 112–120, 2020.

[7] L. Chen and K. Zhang, "DHT22 and BMP180 Based Environmental Data Logger," *Journal of Environmental Monitoring*, vol. 15, no. 2, pp. 89–97, 2019.

[8] D. Martinez and R. Garcia, "An IoT Framework for Occupational Health Risk Prediction," *IEEE Transactions on Industrial Informatics*, vol. 16, no. 8, pp. 5234–5243, 2020.

[9] H. Kim and Y. Choi, "Wearable Sensor Technology for Workplace Safety Monitoring," *Sensors*, vol. 20, no. 12, pp. 3456–3471, 2020.

[10] F. Moore and G. Taylor, "Internet of Medical Things for Predictive Diagnostics," *IEEE Journal of Biomedical and Health Informatics*, vol. 24, no. 3, pp. 789–801, 2020.

[11] T. Richards, "Cloud-Based IoT Systems for Scalable Industrial Safety Monitoring," *Industrial Systems Journal*, vol. 22, no. 5, pp. 45–57, 2021.

[12] K. Gholamizadeh et al., "Predictive Analytics of Occupational Accidents Using Intelligent Approaches," *Decision Analytics Journal*, vol. 9, p. 100357, 2023.