

Query: "What is an LLM?"
Generated: 2026-08-14 16:25:38

+-----+	
OVERALL VERDICT	
PARTIALLY_SUPPORTED	
Hallucination Score: 0.715 / 1.000	
Risk Level: MEDIUM	
+-----+	

+-----+	
CLAIM BREAKDOWN	
Total Claims Analyzed: 7	
Supported: 4 (57.1%)	
Contradicted: 1 (14.3%)	
Unverifiable: 0 (0.0%)	
Insufficient Evidence: 2 (28.6%)	
+-----+	

+-----+	
LIKELY HALLUCINATIONS (1 found)	
+-----+	

#1:
Large Language Models (LLMs) were developed by researchers at DeepMind in 2015.
Confidence: 70.0%
Discrepancies:

Claimed development year (2015) does not match evidence's announcement date (December 6, 2023)
Reason:
Claim states LLMs were developed by researchers at DeepMind in 2015. Evidence states Gemini, a family of large language models, was announced on December 6, 2023. Year mismatch: 2015 2023. (Evidence

+-----+	
VERIFIED CLAIMS (4 confirmed)	
+-----+	

#1:
LLMs are designed to process and understand human language in both spoken and written forms.
Confidence: 90.0%
Sources: Large language model, List of large language models

#2:
LLMs are trained using large datasets that include books, web text, codebases, forums, and other publicly available information.
Confidence: 90.0%
Sources: Large language model, Generative pre-trained transformer

#3:
Input text is processed by an initial step called tokenization, which breaks the text into smaller units or tokens for processing.

Confidence: 70.0%
Sources: Lexical analysis, Large language model

#4:
LLMs have become versatile tools in various applications, including chatbots, virtual assistants, and automated content generation tools.
Confidence: 70.0%
Sources: Chatbot, Gemma (language model)

+-----+
| ANNOTATED ANSWER |
| = Supported = Contradicted = Unverified |
+-----+

Large Language Models (LLMs) were developed by researchers at DeepMind in 2015 using vast amounts of text data for
These models are designed to process and understand human language in both spoken and written forms.
LLMs can perform a wide range of natural language tasks such as summarization, translation, and creative writing w
The smallest version of an LLM typically has around 7 billion parameters, while the largest models have over 100 b
This massive number of parameters allows LLMs to capture intricate relationships within vast datasets.
LLMs are trained using large datasets that include books, web text, codebases, forums, and other publicly available
Input text is processed by an initial step called tokenization, which breaks the text into smaller units or tokens
This step ensures that the model can efficiently handle and analyze the input data.
During training, LLMs use hyperparameters such as learning rates (e.g., 5e-5) and batch sizes (e.g., 64 or 32), wh
LLMs have become versatile tools in various applications, including chatbots, virtual assistants, and automated cor
These models enable seamless interactions with users by understanding context, generating coherent responses, and a

+-----+
| EVIDENCE SOURCES |
+-----+

Airbus A220
Chatbot
GPT-4
Gemini (language model)
Gemma (language model)
Generative pre-trained transformer
Google DeepMind
Large language model
Lexical analysis
List of large language models
Llama (language model)
Orders of magnitude (numbers)

Report generated by HallucinationRadar on 2026-08-14 16:25:38
Evidence sourced from Wikipedia
