

```
++
|          HALLUCINATION RADAR REPORT          |
++

Query:      "External text check"
Generated: 2026-08-29 11:42:42

+-----+
| OVERALL VERDICT |
|                 |
| WELL_SUPPORTED |
|                 |
| Hallucination Score: 1.000 / 1.000 |
| Risk Level:      LOW |
+-----+

+-----+
| CLAIM BREAKDOWN |
|                 |
| Total Claims Analyzed: 14 |
|                 |
| Supported:      14 (100.0%) |
| Contradicted:   0 ( 0.0%) |
| Unverifiable:  0 ( 0.0%) |
| Insufficient Evidence: 0 ( 0.0%) |
+-----+

No likely hallucinations detected.

+-----+
| VERIFIED CLAIMS (14 confirmed) |
+-----+

#1:
  An LLM, or Large Language Model, is a type of artificial
  intelligence designed to understand and generate human
  language.
  Confidence: 90.0%
  Sources: Large language model, Interface description language, Hallucination (artificial intelligence)

#2:
  An LLM is trained on very large amounts of data, such as
  books, websites, articles, code, and other text.
  Confidence: 90.0%
  Sources: Large language model, Holistic Data Scheduler for LLM Pre-training via Multi-Objective Reinforcement Learning

#3:
  LLMs can perform many different tasks because the same
  underlying language capabilities can be applied in different
  ways.
  Confidence: 90.0%
  Sources: Large language model, LLM-as-a-Judge, Visionlanguageaction model

#4: ChatGPT is an example of an application built around an LLM.
  Confidence: 70.0%
  Sources: Large language model, How Close is ChatGPT to Human Experts? Comparison Corpus, Evaluation, and Detection

#5:
  During training, it learns statistical patterns in
  language, including how words and concepts relate to one
  another.
  Confidence: 70.0%
  Sources: Large language model, Pattern recognition, Prompt engineering

#6:
  When you give an LLM a prompt, it processes the text and
```

predicts what should come next.
Confidence: 70.0%
Sources: Large language model, Linear prediction, Retrieval-augmented generation

#7:
A token can be a word, part of a word, punctuation, or another small piece of text.
Confidence: 70.0%
Sources: Non-fungible token, Transformer (deep learning), Multi-factor authentication

#8:
Modern LLMs generally use an architecture called a transformer.
Confidence: 70.0%
Sources: Transformer (deep learning), Large language model, Generative pre-trained transformer

#9:
Transformers are particularly effective at understanding relationships between different parts of a piece of text.
Confidence: 70.0%
Sources: Transformer (deep learning), Natural language understanding, Large language model

#10:
This allows an LLM to maintain context and produce responses that appear to understand what you are asking.
Confidence: 70.0%
Sources: Large language model, Model Context Protocol, Gemini (language model)

#11:
They can explain concepts, summarize documents, translate languages, generate code, answer questions, analyze information, and assist with writing.
Confidence: 70.0%
Sources: Large language model, Reasoning model, AI slop

#12:
However, an LLM does not necessarily know things in the same way a human does.
Confidence: 70.0%
Sources: Large language model, Human-Centered Evaluation of an LLM-Based Process Modeling Copilot: A Mixed-Methods Study

#13:
Its responses are generated from patterns learned during training and, depending on the system, information provided through tools or additional context.
Confidence: 70.0%
Sources: Generative AI, How do language models learn facts? Dynamics, curricula and hallucinations (arXiv, 2025),

#14:
This is why LLMs can sometimes produce confident but incorrect information, a problem commonly called hallucination.
Confidence: 70.0%
Sources: Large language model, Sycophancy (artificial intelligence), Claude (AI)

```
+-----+
| ANNOTATED ANSWER |
| = Supported   = Contradicted   = Insufficient Evidence |
| = Unverified / no matching claim |
+-----+
```

An LLM, or Large Language Model, is a type of artificial intelligence designed to understand and generate human language. ChatGPT is an example of an application built around an LLM. An LLM is trained on very large amounts of data, such as books, websites, articles, code, and other text. During training, it learns statistical patterns in language, including how words and concepts relate to one another. When you give an LLM a prompt, it processes the text and predicts what should come next.

It does this repeatedly, generating one token at a time.
A token can be a word, part of a word, punctuation, or another small piece of text.
Modern LLMs generally use an architecture called a transformer.
Transformers are particularly effective at understanding relationships between different parts of a piece of text.
This allows an LLM to maintain context and produce responses that appear to understand what you are asking.
LLMs can perform many different tasks because the same underlying language capabilities can be applied in different
They can explain concepts, summarize documents, translate languages, generate code, answer questions, analyze information
However, an LLM does not necessarily know things in the same way a human does.
Its responses are generated from patterns learned during training and, depending on the system, information provided
This is why LLMs can sometimes produce confident but incorrect information, a problem commonly called hallucination

EVIDENCE SOURCES

AI slop
ChatGPT
Claude (AI)
Gemini (language model)
Generative AI
Generative pre-trained transformer
Hallucination (artificial intelligence)
Hallucination Detection with Small Language Models (arXiv, 2025)
Holistic Data Scheduler for LLM Pre-training via Multi-Objective Reinforcement Learning (arXiv, 2026)
How Close is ChatGPT to Human Experts? Comparison Corpus, Evaluation, and Detection (arXiv, 2023)
How do language models learn facts? Dynamics, curricula and hallucinations (arXiv, 2025)
Human-Centered Evaluation of an LLM-Based Process Modeling Copilot: A Mixed-Methods Study with Domain Experts (arXiv, 2025)
Interface description language
LLM-as-a-Judge
Large language model
Linear prediction
Model Context Protocol
Multi-factor authentication
Natural language understanding
Non-fungible token
Pattern recognition
Prompt engineering
Reasoning model
Retrieval-augmented generation
Sycophancy (artificial intelligence)
Transformer (deep learning)
Visionlanguageaction model