

# Cucumber Report

27-Nov-2021, 1:00:39 pm

**Start : Nov 27, 1:00:36.915 pm**

**End : Nov 27, 1:00:39.088 pm**

**Duration : 2.173 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 2**

**SKIPPED - 0**

**PASSED - 0**




**FAILED - 8**

**SKIPPED - 0**

**PASSED - 14**


**FAILED - 8**

**SKIPPED - 28**







#	Feature Name	T	P	F	S	Duration
1	Weather details by City name	4	0	4	0	2.173 s
2	Weather details by Lat Lon	4	0	4	0	2.152 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Weather details by City name</u>	<u>Verify Get Weather by city name smoke test</u>	3	1	1	1	1.183 s
2	<u>Weather details by City name</u>	<u>Get Weather by City name</u>	8	1	1	6	0.322 s
3	<u>Weather details by City name</u>	<u>Get Weather by City name</u>	8	1	1	6	0.324 s
4	<u>Weather details by City name</u>	<u>Get Weather by City name with invalid api_key</u>	4	2	1	1	0.319 s
5	<u>Weather details by Lat Lon</u>	<u>Verify Get Weather by lat lon smoke test</u>	4	2	1	1	1.169 s
6	<u>Weather details by Lat Lon</u>	<u>Get Weather by Lat Lon</u>	9	2	1	6	0.321 s
7	<u>Weather details by Lat Lon</u>	<u>Get Weather by Lat Lon</u>	9	2	1	6	0.321 s
8	<u>Weather details by Lat Lon</u>	<u>Get Weather by lat lon with invalid api_key</u>	5	3	1	1	0.316 s

**(F)- Weather details by City name**

<b>FAILED</b>	<b>DURATION - 2.173 s</b>	Scenarios		Steps	
/ 1:00:36.915 pm // 1:00:39.088 pm /		Total - 4	4	Total - 23	23
		Pass - 0		Pass - 5	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 14	

**(S)- Verify Get Weather by city name smoke test**



<div><div>FAILED</div><div>DURATION - 1.183 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:00:36.918 pm // 1:00:38.101 pm /</div>				
<div>Weather details by City name</div>				
<div>@smoke</div>				

#	Step / Hook Details	Status	Duration
1	Given Query param "q" has value "London,uk"	PASSED	0.022 s
2	When "GET" request is executed <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Content-Type" was not "application/xml; charset=utf-8", was "application/json; charset=utf-8". Headers are: Server=openresty Date=Sat, 27 Nov 2021 07:30:39 GMT Content-Type=application/json; charset=utf-8 Content-Length=469 Connection=keep-alive X-Cache-Key=/data/2.5/weather?q=london%2cuk Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$3.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47) </pre>	FAILED	1.071 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:61) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByCityName.feature:8) * Not displayable characters are replaced by '?'. </pre>		
3	Then Verify status code is 200	SKIPPED	0.002 s

### (S)- Get Weather by City name



<b>FAILED</b>	<b>DURATION - 0.322 s</b>		<b>Steps</b> Total - 8 Pass - 1 Fail - 1 Skip - 6	
/ 1:00:38.117 pm // 1:00:38.439 pm /				
Weather details by City name				
@regression				

#	Step / Hook Details	Status	Duration
1	Given Query param "q" has value "London,GB"	PASSED	0.001 s
2	When "GET" request is executed <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Content-Type" was not "application/xml; charset=utf-8", was "application/json; charset=utf-8". Headers are: Server=openresty Date=Sat, 27 Nov 2021 07:30:39 GMT Content-Type=application/json; charset=utf-8 Content-Length=469 Connection=keep-alive X-Cache-Key=/data/2.5/weather?q=london%2cgb Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre>	FAILED	0.315 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$4.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:61) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByCityName.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	Then Verify status code is 200	SKIPPED	0.001 s
4	And Verify body contains "name" as "London"	SKIPPED	0.000 s
5	And Verify body contains "id" as 2643743	SKIPPED	0.001 s
6	And Verify "lat" is "51.5085" in "coord" of response body	SKIPPED	0.001 s
7	And Verify "lon" is "-0.1257" in "coord" of response body	SKIPPED	0.000 s
8	And Verify "country" is "GB" in "sys" of response body	SKIPPED	0.000 s

**(S)- Get Weather by City name**

<div>FAILED</div> <div>DURATION - 0.324 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 1:00:38.442 pm // 1:00:38.766 pm /</div>				
<div>Weather details by City name</div>				
<div>@regression</div>				



#	Step / Hook Details	Status	Duration
1	Given Query param "q" has value "Bristol,GB"	PASSED	0.002 s
2	When "GET" request is executed  <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Content-Type" was not "application/xml; charset=utf-8", was "application/json; charset=utf-8". Headers are: Server=openresty Date=Sat, 27 Nov 2021 07:30:40 GMT Content-Type=application/json; charset=utf-8 Content-Length=498 Connection=keep-alive X-Cache-Key=/data/2.5/weather?q=bristol%2cgb Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) </pre>	FAILED	0.318 s



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$4.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567)		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:61) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByCityName.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	Then Verify status code is 200	SKIPPED	0.000 s
4	And Verify body contains "name" as "Bristol"	SKIPPED	0.000 s
5	And Verify body contains "id" as 2654675	SKIPPED	0.000 s
6	And Verify "lat" is "51.4552" in "coord" of response body	SKIPPED	0.000 s
7	And Verify "lon" is "-2.5967" in "coord" of response body	SKIPPED	0.000 s
8	And Verify "country" is "GB" in "sys" of response body	SKIPPED	0.001 s

### (S)- Get Weather by City name with invalid api\_key



<b>FAILED</b>	<b>DURATION - 0.319 s</b>		<b>Steps</b> Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 1:00:38.769 pm // 1:00:39.088 pm /				
Weather details by City name				
@regression				

#	Step / Hook Details	Status	Duration
1	Given Query param appid has value "invalidapikey"	PASSED	0.000 s
2	And Query param "q" has value "London,uk"	PASSED	0.000 s
3	When "GET" request is executed	FAILED	0.317 s
	java.lang.AssertionError: 1 expectation failed. Expected header "Content-Type" was not "application/xml; charset=utf-8", was "application/json;		



#	Step / Hook Details	Status	Duration
	<p>charset=utf-8". Headers are: Server=openresty Date=Sat, 27 Nov 2021 07:30:40 GMT Content-Type=application/json; charset=utf-8 Content-Length=107 Connection=keep-alive X-Cache-Key=/data/2.5/weather?q=london%2cuk Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)  at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)  at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)  at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$4.call(Unknown Source)  at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:567)  at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)  at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)  at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)  at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45)  at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)  at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:567)  at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)  at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)  at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)  at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45)  at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)  at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:61) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByCityName.feature:35) * Not displayable characters are replaced by '?'. </pre>		
4	Then Verify status code is 401	SKIPPED	0.000 s

### (F)- Weather details by Lat Lon

<b>FAILED</b>	<b>DURATION - 2.152 s</b>	Scenarios		Steps	
/ 1:00:36.931 pm // 1:00:39.083 pm /		Total - 4		Total - 27	
		Pass - 0		Pass - 9	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 14	

**(S)- Verify Get Weather by lat lon smoke test**



<div>FAILED</div> <div>DURATION - 1.169 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:00:36.931 pm // 1:00:38.100 pm /</div>			
<div>Weather details by Lat Lon</div>			
<div>@smoke</div>			

#	Step / Hook Details	Status	Duration
1	Given Query param "lat" has value "51.5085"	PASSED	0.022 s
2	And Query param "lon" has value "-0.1257"	PASSED	0.001 s
3	When "GET" request is executed <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Content-Type" was not "application/xml; charset=utf-8", was "application/json; charset=utf-8". Headers are: Server=openresty Date=Sat, 27 Nov 2021 07:30:39 GMT Content-Type=application/json; charset=utf-8 Content-Length=469 Connection=keep-alive X-Cache-Key=/data/2.5/weather?lat=51.51&amp;lon=-0.13 Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$4.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) </pre>	FAILED	1.066 s

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) </pre>		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:61) at ?."GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByLatLon.feature:9) * Not displayable characters are replaced by '?'.		
4	Then Verify status code is 200	SKIPPED	0.002 s

**(S)- Get Weather by Lat Lon**

<div>FAILED</div> <div>DURATION - 0.321 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 1:00:38.117 pm // 1:00:38.438 pm /				
Weather details by Lat Lon				
@regression				

#	Step / Hook Details	Status	Duration
1	Given Query param "lat" has value "51.5085"	PASSED	0.001 s
2	And Query param "lon" has value "-0.1257"	PASSED	0.001 s
3	When "GET" request is executed  java.lang.AssertionError: 1 expectation failed. Expected header "Content-Type" was not "application/xml; charset=utf-8", was "application/json; charset=utf-8". Headers are: Server=openresty Date=Sat, 27 Nov 2021 07:30:39 GMT Content-Type=application/json; charset=utf-8 Content-Length=469 Connection=keep-alive X-Cache-Key=/data/2.5/weather?lat=51.51&lon=-0.13 Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$4.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567)	FAILED	0.312 s





#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:61) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/ </pre>		



#	Step / Hook Details	Status	Duration
	WeatherByLatLon.feature:18) * Not displayable characters are replaced by '?'. 4 Then Verify status code is 200 5 And Verify body contains "name" as "London" 6 And Verify body contains "id" as 2643743 7 And Verify "lat" is "51.5085" in "coord" of response body 8 And Verify "lon" is "-0.1257" in "coord" of response body 9 And Verify "country" is "GB" in "sys" of response body		
4	Then Verify status code is 200	SKIPPED	0.000 s
5	And Verify body contains "name" as "London"	SKIPPED	0.000 s
6	And Verify body contains "id" as 2643743	SKIPPED	0.000 s
7	And Verify "lat" is "51.5085" in "coord" of response body	SKIPPED	0.000 s
8	And Verify "lon" is "-0.1257" in "coord" of response body	SKIPPED	0.001 s
9	And Verify "country" is "GB" in "sys" of response body	SKIPPED	0.000 s

**(S)- Get Weather by Lat Lon**



<b>FAILED</b>	<b>DURATION - 0.321 s</b>		<b>Steps</b> Total - 9 Pass - 2 Fail - 1 Skip - 6	
/ 1:00:38.443 pm // 1:00:38.764 pm /				
Weather details by Lat Lon				
@regression				

#	Step / Hook Details	Status	Duration
1	Given Query param "lat" has value "51.4552"	PASSED	0.000 s
2	And Query param "lon" has value "-2.5967"	PASSED	0.002 s
3	When "GET" request is executed  java.lang.AssertionError: 1 expectation failed. Expected header "Content-Type" was not "application/xml; charset=utf-8", was "application/json; charset=utf-8". Headers are: Server=openresty Date=Sat, 27 Nov 2021 07:30:40 GMT Content-Type=application/json; charset=utf-8 Content-Length=498 Connection=keep-alive X-Cache-Key=/data/2.5/weather?lat=51.46&lon=-2.6 Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$4.call(Unknown Source)	FAILED	0.314 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:61) at ?."GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByLatLon.feature:18) * Not displayable characters are replaced by '?'.		
4	Then Verify status code is 200	SKIPPED	0.001 s
5	And Verify body contains "name" as "Bristol"	SKIPPED	0.001 s
6	And Verify body contains "id" as 2654675	SKIPPED	0.000 s
7	And Verify "lat" is "51.4552" in "coord" of response body	SKIPPED	0.001 s
8	And Verify "lon" is "-2.5967" in "coord" of response body	SKIPPED	0.000 s
9	And Verify "country" is "GB" in "sys" of response body	SKIPPED	0.000 s

### (S)- Get Weather by lat lon with invalid api\_key

<div>FAILED</div> <div>DURATION - 0.316 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:00:38.767 pm // 1:00:39.083 pm /</div>				
<div>Weather details by Lat Lon</div>				
<div>@regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Query param appid has value "invalidapikey"	PASSED	0.001 s
2	And Query param "lat" has value "51.5085"	PASSED	0.000 s
3	And Query param "lon" has value "-0.1257"	PASSED	0.001 s
4	When "GET" request is executed  java.lang.AssertionError: 1 expectation failed. Expected header "Content-Type" was not "application/xml; charset=utf-8", was "application/json; charset=utf-8". Headers are: Server=openresty Date=Sat, 27 Nov 2021 07:30:40 GMT Content-Type=application/json; charset=utf-8 Content-Length=107 Connection=keep-alive X-Cache-Key=/data/2.5/weather?lat=51.51&lon=-0.13 Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)	FAILED	0.312 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$4.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		

#	Step / Hook Details	Status	Duration
	<pre>at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:61) at ?."GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/ WeatherByLatLon.feature:38) * Not displayable characters are replaced by '?'. </pre>		
5	Then Verify status code is 401	SKIPPED	0.000 s