

# Cucumber Report

27-Nov-2021, 12:19:28 pm

**Start : Nov 27, 12:19:24.147 pm**

**End : Nov 27, 12:19:27.608 pm**

**Duration : 3.461 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**



**FAILED - 8**


**SKIPPED - 0**

**PASSED - 14**


**FAILED - 8**

**SKIPPED - 28**







#	Feature Name	T	P	F	S	Duration
1	<u>Weather details by City name</u>	8	0	8	0	3.461 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Weather details by City name</u>	<u>Verify Get Weather by city name smoke test</u>	3	1	1	1	1.188 s
2	<u>Weather details by City name</u>	<u>Get Weather by City name</u>	8	1	1	6	0.337 s
3	<u>Weather details by City name</u>	<u>Get Weather by City name</u>	8	1	1	6	0.336 s
4	<u>Weather details by City name</u>	<u>Get Weather by City name</u>	9	2	1	6	0.313 s
5	<u>Weather details by City name</u>	<u>Get Weather by City name</u>	9	2	1	6	0.306 s
6	<u>Weather details by City name</u>	<u>Get Weather by City name with invalid api_key</u>	4	2	1	1	0.312 s
7	<u>Weather details by City name</u>	<u>Verify Get Weather by lat lon smoke test</u>	4	2	1	1	0.309 s
8	<u>Weather details by City name</u>	<u>Get Weather by lat lon with invalid api_key</u>	5	3	1	1	0.316 s

**(F)- Weather details by City name**

<b>FAILED</b>	<b>DURATION - 3.461 s</b>	Scenarios		Steps	
/ 12:19:24.147 pm // 12:19:27.608 pm /		Total - 8		Total - 50	
		Pass - 0		Pass - 14	
		Fail - 8		Fail - 8	
		Skip - 0		Skip - 28	

**(S)- Verify Get Weather by city name smoke test**



<div>FAILED</div> <div>DURATION - 1.188 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:19:24.151 pm // 12:19:25.339 pm /</div>				
<div>Weather details by City name</div>				
<div>@smoke</div>				

#	Step / Hook Details	Status	Duration
1	Given Query param "q" has value "London,uk"	PASSED	0.020 s
2	When "GET" request is executed <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Server" was not "openrest", was "openresty". Headers are: Server=openresty Date=Sat, 27 Nov 2021 06:49:26 GMT Content-Type=application/json; charset=utf-8 Content-Length=469 Connection=keep-alive X-Cache- Key=/data/2.5/weather?q=london%2cuk Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow- Methods=GET, POST     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:47)           </pre>	FAILED	1.078 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:51) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:36) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByCityName.feature:8) * Not displayable characters are replaced by '?'. </pre>		
3	Then Verify status code is 200	SKIPPED	0.001 s

### (S)- Get Weather by City name



<b>FAILED</b>	<b>DURATION - 0.337 s</b>		<b>Steps</b> Total - 8 Pass - 1 Fail - 1 Skip - 6	
/ 12:19:25.354 pm // 12:19:25.691 pm /				
Weather details by City name				
@regression				

#	Step / Hook Details	Status	Duration
1	Given Query param "q" has value "London,GB"	PASSED	0.000 s
2	When "GET" request is executed <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Server" was not "openrest", was "openresty". Headers are: Server=openresty Date=Sat, 27 Nov 2021 06:49:26 GMT Content-Type=application/json; charset=utf-8 Content-Length=469 Connection=keep-alive X-Cache-Key=/data/2.5/weather?q=london%2cgb Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre>	FAILED	0.332 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:36) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByCityName.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	Then Verify status code is 200	SKIPPED	0.000 s
4	And Verify body contains "name" as "London"	SKIPPED	0.000 s
5	And Verify body contains "id" as 2643743	SKIPPED	0.000 s
6	And Verify "lat" is "51.5085" in "coord" of response body	SKIPPED	0.000 s
7	And Verify "lon" is "-0.1257" in "coord" of response body	SKIPPED	0.000 s
8	And Verify "country" is "GB" in "sys" of response body	SKIPPED	0.000 s

### (S)- Get Weather by City name

<div>FAILED</div> <div>DURATION - 0.336 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 12:19:25.696 pm // 12:19:26.032 pm /</div>				
<div>Weather details by City name</div>				
<div>@regression</div>				



#	Step / Hook Details	Status	Duration
1	Given Query param "q" has value "Bristol,GB"	PASSED	0.001 s
2	When "GET" request is executed <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Server" was not "openrest", was "openresty". Headers are: Server=openresty Date=Sat, 27 Nov 2021 06:49:27 GMT Content-Type=application/json; charset=utf-8 Content-Length=486 Connection=keep-alive X-Cache-Key=/data/2.5/weather?q=bristol%2cgb Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) </pre>	FAILED	0.330 s



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567)		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:36) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByCityName.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	Then Verify status code is 200	SKIPPED	0.001 s
4	And Verify body contains "name" as "Bristol"	SKIPPED	0.000 s
5	And Verify body contains "id" as 2654675	SKIPPED	0.000 s
6	And Verify "lat" is "51.4552" in "coord" of response body	SKIPPED	0.001 s
7	And Verify "lon" is "-2.5967" in "coord" of response body	SKIPPED	0.000 s
8	And Verify "country" is "GB" in "sys" of response body	SKIPPED	0.000 s

### (S)- Get Weather by City name



<div>FAILED</div> <div>DURATION - 0.313 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 12:19:26.667 pm // 12:19:26.980 pm /				
Weather details by City name				
@regression				

#	Step / Hook Details	Status	Duration
1	Given Query param "lat" has value "51.5085"	PASSED	0.000 s
2	And Query param "lon" has value "-0.1257"	PASSED	0.000 s
3	When "GET" request is executed	FAILED	0.309 s
	java.lang.AssertionError: 1 expectation failed. Expected header "Server" was not "openrest", was "openresty". Headers are: Server=openresty		

#	Step / Hook Details	Status	Duration
	<p>Date=Sat, 27 Nov 2021 06:49:28 GMT Content-Type=application/json; charset=utf-8 Content-Length=469 Connection=keep-alive X-Cache-Key=/data/2.5/weather?lat=51.51&amp;lon=-0.13 Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)  at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)  at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)  at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)  at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:567)  at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)  at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)  at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)  at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45)  at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)  at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:567)  at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)  at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)  at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)  at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)  at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45)  at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55)  at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)  at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:36) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByLatLon.feature:18) * Not displayable characters are replaced by '?'. </pre>		
4	Then Verify status code is 200	SKIPPED	0.000 s
5	And Verify body contains "name" as "London"	SKIPPED	0.000 s
6	And Verify body contains "id" as 2643743	SKIPPED	0.000 s
7	And Verify "lat" is "51.5085" in "coord" of response body	SKIPPED	0.000 s
8	And Verify "lon" is "-0.1257" in "coord" of response body	SKIPPED	0.000 s
9	And Verify "country" is "GB" in "sys" of response body	SKIPPED	0.000 s



### (S)- Get Weather by City name

<div>FAILED</div> <div>DURATION - 0.306 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 12:19:26.983 pm // 12:19:27.289 pm /</div>				
<div>Weather details by City name</div>				
<div>@regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Query param "lat" has value "51.4552"	PASSED	0.001 s
2	And Query param "lon" has value "-2.5967"	PASSED	0.000 s
3	<p>When "GET" request is executed</p> <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Server" was not "openrest", was "openresty". Headers are: Server=openresty Date=Sat, 27 Nov 2021 06:49:28 GMT Content-Type=application/json; charset=utf-8 Content-Length=486 Connection=keep-alive X-Cache- Key=/data/2.5/weather?lat=51.46&amp;lon=-2.6 Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow- Methods=GET, POST     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:567)     at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)     at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)     at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)     at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45)     at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)     at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:567)     at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)     at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)     at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) </pre>	FAILED	0.303 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:36) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/ WeatherByLatLon.feature:18) * Not displayable characters are replaced by '?'. </pre>		
4	Then Verify status code is 200	SKIPPED	0.001 s
5	And Verify body contains "name" as "Bristol"	SKIPPED	0.000 s
6	And Verify body contains "id" as 2654675	SKIPPED	0.000 s
7	And Verify "lat" is "51.4552" in "coord" of response body	SKIPPED	0.000 s
8	And Verify "lon" is "-2.5967" in "coord" of response body	SKIPPED	0.000 s
9	And Verify "country" is "GB" in "sys" of response body	SKIPPED	0.000 s

**(S)- Get Weather by City name with invalid api\_key**

<div>FAILED</div> <div>DURATION - 0.312 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:19:26.036 pm // 12:19:26.348 pm /				
Weather details by City name				
@regression				



#	Step / Hook Details	Status	Duration
1	Given Query param appid has value "invalidapikey"	PASSED	0.001 s
2	And Query param "q" has value "London,uk"	PASSED	0.000 s
3	When "GET" request is executed <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Server" was not "openrest", was "openresty". Headers are: Server=openresty Date=Sat, 27 Nov 2021 06:49:27 GMT Content-Type=application/json; charset=utf-8 Content-Length=107 Connection=keep-alive X-Cache- Key=/data/2.5/weather?q=london%2cuk Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow- Methods=GET, POST     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:567)     at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)     at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)     at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)     at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) </pre>	FAILED	0.309 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:36) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/ WeatherByCityName.feature:35) * Not displayable characters are replaced by '?'. </pre>		
4	Then Verify status code is 401	SKIPPED	0.000 s





**(S)- Verify Get Weather by lat lon smoke test**

<div>FAILED</div> <div>DURATION - 0.309 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:19:26.354 pm // 12:19:26.663 pm /				
Weather details by City name				
@smoke				

#	Step / Hook Details	Status	Duration
1	Given Query param "lat" has value "51.5085"	PASSED	0.001 s
2	And Query param "lon" has value "-0.1257"	PASSED	0.001 s
3	When "GET" request is executed <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Server" was not "openrest", was "openresty". Headers are: Server=openresty Date=Sat, 27 Nov 2021 06:49:27 GMT Content-Type=application/json; charset=utf-8 Content-Length=469 Connection=keep-alive X-Cache- Key=/data/2.5/weather?lat=51.51&amp;lon=-0.13 Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow- Methods=GET, POST     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:567)     at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)     at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)     at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39)     at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) </pre>	FAILED	0.305 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:36) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/ WeatherByLatLon.feature:9) * Not displayable characters are replaced by '?'. </pre>		
4	Then Verify status code is 200	SKIPPED	0.000 s

**(S)- Get Weather by lat lon with invalid api\_key**

<div>FAILED</div> <div>DURATION - 0.316 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 12:19:27.292 pm // 12:19:27.608 pm /				
Weather details by City name				
@regression				

#	Step / Hook Details	Status	Duration
1	Given Query param appid has value "invalidapikey"	PASSED	0.000 s
2	And Query param "lat" has value "51.5085"	PASSED	0.000 s
3	And Query param "lon" has value "-0.1257"	PASSED	0.000 s
4	When "GET" request is executed  <pre> java.lang.AssertionError: 1 expectation failed. Expected header "Server" was not "openrest", was "openresty". Headers are: Server=openresty Date=Sat, 27 Nov 2021 06:49:28 GMT Content-Type=application/json; charset=utf-8 Content-Length=107 Connection=keep-alive X-Cache-Key=/data/2.5/weather?lat=51.51&amp;lon=-0.13 Access-Control-Allow-Origin=* Access-Control-Allow-Credentials=true Access-Control-Allow-Methods=GET, POST     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1673)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:567)     at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)     at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035)     at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819)     at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) </pre>	FAILED	0.313 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1678) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:173) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1035) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:819) at groovy.lang.GroovyObject.invokeMethod(GroovyObject.java:39) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:45) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:55) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:257) at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy) at stepdefinitions.StepDefinition.requestIsExecuted(StepDefinition.java:36) at ?. "GET" request is executed(file:///F:/Project_POC/api_framework_Class12_Oct_05/api_framework/src/test/resources/features/WeatherByLatLon.feature:38) * Not displayable characters are replaced by '?'. </pre>		
5	Then Verify status code is 401	SKIPPED	0.000 s