```
van http=require ('http');
 van host = 127,0.0.1
  vanport = 3000
 van server = nttp. (reste Seever (frequest, response)
         response. write Head (200, }
          1" context-Type": text 1 plain" 3);
           comple log ("forver working");
           response end ('server working hereu');
    Server. listen (part, hust, (error) => 1
        it (error)
          return comple. by l'Error occured:
         emors;
      convole. Log (' herver is lestering on't host + ': 't port);
      3);
```

```
var http = require('http');

var host = '127.0.0.1'

4 var port = 3000;

6 var server = http.(reateServer((request, response) => {
    response.writeNead(200, ("Content-Type": "text/plain"));
    console.log("server Norking");
    response.end("Server Norking");
    response.end("Server Norking");
    response.end("Server Norking Success");

10 ]);

11 > serven.listen(port,host, (error) => {
    if (error) {
        if return console.log("Error occured : ', error );
        if }

15 |

16 |

17 | console.log("server is listening on ' + host + ':'+ port);
        if 8 |

18 |

18 |

18 |

19 |

10 | Provided |

11 | Provided |

12 |

13 |

14 |

15 |

16 |

17 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18 |

18
```

Execute Mode, Version, Inputs & Arguments

17.1.0 🕶

4

Resul

server is listening on 127.0.0.1:3000

Note

For file operations - upload files using upload button Files will be upload to /uploads folder. You can read those files in For detailed documentation check - Our Documentation, or check our Youtube channel.