Name: Akshita Dhaundiyal

Rall no: 2001019

Subject: Full stack Development

one-time binding!

1) Write a program to create an item collection and clones the items using Angular Is Directives

```
Index-15
< ! doctype wtml>
< html larg = "en">
< head >
< meta charset = "UTF-8">
 < title > Example - example - ngRepeat - tracking - production < / title >
 < link heef = "animation. css" rel = "stylesheet" type = "tent/css">
  < script src = " 11 code. angularis. org / snapshot / angular. nuc. js">
  < script src= "11 code angularis. org /snapshot/angular -animale. is">
                                                   </script>
  <script src = "script.js" ></script>
  </head>
  < body ng-app="ngRepeat">
  <div ng-controller = "repeat(ontroller">
   < button ng-Wich = "removeFirst ()"> Remove First </ button>
   < button ng-click = "update Age() ">Update Age < 1 button >
   < button ng-click = "copy ()" > Copy </ button >
   < br>< button ng-click = "veret()" > Reset List < / button)
   < code > track by sid (friend) < 140de > (default):

    class = "example - animate - container">

    & [ friend. name ?? is § & friend age ? } years old
      216>
      < code > track by sid(friend) < /code > (default), with age
```

« ul class = "enample-animate-container" >
 Hullita

```
< bi dans = "animate - repeat "ng - repeat = "friend infriends">
   3 & friend. name 33 is § ?! friend age } years old.
   < 1 li>
   </11/
  < code > track by $ index < / code >, with age one-time binding:

  Li class = "animate - repeat "ng repeat = "friend in friends.

       track by friend name ">
       Es friend. name 33 is Ef: friend.age 33 years old.
      (115)
      2/W/>
      < code > track by finder < / code >, with age one-time binding:
     ¿ ul dars = "example-animate-container">
     ¿ li class = "aninate - repeat" ng repeat = "friend in friends
        track by & index >
        E{ briend. name ?? is E? : friend age ?? years old
        としかう
        </147
        < code > track by $index 1/code >, with age one-time binding
        ¿ li dans = "animate - repeat " ng - repeat = "friend un
          friends track by $ index "> 3? friend. name 33 is
          ??: hierd age ?? years old.
          </1/>
          < rul>
         </br>
         2/body>
          2/ html>
      Script. is
      ( function ( angular) }
       ' use stricte';
       angular module ('ngRepeat', ['ngAninate']). Controller'
L'repeat Controller', function ($500pe) }
          y or friends = [
                                           Hirlita
```

```
name: 'Akoshita', age: 213,
 3 name: 'Neha', age: 223,
$ scope. removefirst = function () }
  & scope friends . shift ();
$ scope. update Age = function () }
  & scope . friends . shift ();
  & scope update Age = function ()}
   $ scope friends for Each (function(el) }
    cl. age = cl. age +5;
  $ scope-copy = function () }
   $ scope. friends = augular. copy ($ scope. friends);
   $ scope veset = function () ;
   $ suppe. friends = angular. copy (friends);
    & scope veret ();
    3);
    3) (window, angular);
```