
Name > Dhirat 3hir singh Sub > FULLSTACIC LAB Roll No. 2001058 Course > MCA 3A Ans 13 <!duclybe hlml> <html lang = "en"> < head > < meta charret = "UTF - 8"> <tille > Example - example - ng Rebeal - tracking - production </tile>
tinh herf = animation. cm 'rel = +lyesheel' type = text (cm > < scribt src = "11 code angularys ory snab shot langular min is"> < scribt> < Script src = "11 code orgalists org snot that I angular - animale 15/20/ Berilo > < Scribt sxc = " Scrib! It" >< | Scribt > </r>
Mead > < body ng - abb = "ng Rebeal'> < dw ng - controller = "rebeal controller'>

dick = "remove for 1) "> Ubdate Age </button> < button ng - dick = "update Age ()" Update Age </bottom> < button my which = "copy ()" > copy < / button >

```
< bo> < button ng - clich = "real ()"> Real list < / button>
   < Code > track by Ind (friend) < / code > (default)
  <b6>
  < al class= "example - animale - container" > friend in friend" > 
     Efficiend nome) is ([friend age]) years old.
   (Jul)
     < code) track by friend, name < / code > with age one-time binding
     ( li day = animale - rebeat " not rebeat = friend in friends track by
       friend . name">
      (2) friend hame) is a (: briend oye) years old
     (li)
     Leader toak by Sindex Leader with age- one time Linding.
     (/al)
     < al day = "example - animale - container"> Jaiend in friend track by
        findex >
      Efficiend name}} is Ef: friend ayeff years old
     <12/5
      ( /w/>
      </div)
2022.01.31 11:26
      (Jabody)
       ( Hall
```

```
Scribt . 13
angular. module ('ny Rebeat', ['ng Amimale ]). controller ('rebeat controller 
Junction (Scrobe)
Quection Cangular
  2 vax Iriendy; [
& name: Sardul, age: 21],
  { name: Ankit, age: 22}
5 Scope remove first = Junction Ud
9 Scope friends shift U:
3: Scape update Age : Junction () &
& Scape. Sciends. for Each Gunction (el
) Lel age. el aget 5;
3):
 I scope copy = Sunction () & scope strends);
 $ Scope read - Sunction () 3
  $ subs. Iriends = angular, copy (Iriends)
   I scope . seed ();
   3).
   3) Window any dar
```



```
Name > Dhirat Singh Sub + Full Stacic Lab

Caurx > MCA 3A Roll No ? 2001058

2 Server . 13

Connt http = require ("http")

Connt rerver = http. realexerver ((req. res) =)

is (req. urs = = "./")

req. res. end ("Connected Welcome dhirst")

etu if (req. urs = = "Conlact")

res. end ("You are al conlact")

else send ("You are al conlact")

server . listen (8002, "127.0.0", () =) $

Connote log ("Listening to server 8002")
```

Connected, Welcome Dhiraj