Shristi Kataria McA 3 B 20712099 Full Lack Final Com Prachial

OI Write a program to create on item collection and clones the items using Angular Is dirictive

```
<html>
 < heads
  (title) Angular B durichus (title)
  (Ihead)
  (body)
  (hi) Sample (hi)
    <div ng-app = " " ng-init = " countries = [ { locale: 'eu- India',</p>
                                                                                                                                                                                                                                 namu: 1 India 13,
     E local: "en-618', nam: 'United Kingdom' 3,
        ¿ locali: 'en-FR', name: 'France '3]">
         Enter your Name: <input type = "text" ng-modul="name">
      (p) list of countries with locals: 
                                                                                                                                                                                                                                                                                                     <197
     (4)

  <br/>
  <br/>


                                   EE "country: '+ country name + ', locale: '+
                                                                                                                                                                                 country, locale ??
                        (Ili)
                    <101>
              < Idiv>
```

1 1

(script Brc = "https://ajax.googleapis.com/ayax/libs/ongulays/ 1.3.14/angular.num.js">

<1supt>
<1body>
<html>

Shund





Sample

Enter your Name: SHRIST

Hello SHRISTI!

List of Countries with locale:

1. Country: India, Locale: en-India

2. Country: United Kingdom, Locale: en-GB


3. Country: France, Locale: en-FR















Or write a program to create an HTTP server which can communicate between client and server.

Van http=sequie ('http')

Van server = http: createserver (function (req, ses)

Consoli. log ('sequist was made:' + req. vil);

ses. curitettead (200, & 'context - type': 'text |plain's);

ses. end* ("Shristi Kotaria");

J);

derwer. listen (3000; '127.0.0.1");

consoli. log ("Shristi server worked");

stund

