

Name - Rajat Rauthan

2001117

classmate

Date _____

Page _____

MCA 3rd Sem 'C' "End term Practical web development"

Ans 1) <html>

```
<script src = "https://ajax.googleapis.com/ajax/
  libs/angular.js/1.6.9/angular.min.js">
</script>
```

```
<body>
```

```
<div ng-app="" ng-init="items=[
```

```
{ name: 'item 1', price: 100}
```

```
{ name: 'item 2', price: 200}
```

```
{ name: 'item 3', price: 300}]"]>
```

```
<p> cloning the items </p>
```

```
<ul>
```

```
<li ng-repeat="x in items">
```

```
<{{ x.name + ', ' + x.price }}</li>
```

```
</ul>
```

```
</div>
```

```
</body>
```

```
</html>
```

Rajat

cloning the items:

- item1, 100
- item2, 200
- item3, 300

Name- Rajat Rauthan

Rollno- 2001117

classmate

Date _____

Page _____

MCA 'C' IIIrd sem "End term web-dev. practical"

Ans 2:

```
const http = require("http");  
const server = http.createServer((req, res) => {  
  res.end("Response from server -->>" + PORT);  
});  
const PORT = process.env.PORT || 3000;  
const HOST = "local host";  
  
server.listen(PORT, HOST, () => {  
  console.log("Current server at PORT" + PORT);  
});
```

Rajat

Response from server-->>3000