```
Name - AJay Negt
Course - MCA (3B)
St. Id - 20711094
  Index. Js
  < ! doctype HTML>
  < HTML long = "en">
  < head >
   < meta chariset = "UTF-8">
  < +1+1e> Example - example - ng Repeat - tracking - production & Ititle
  < link href = "animations.css" orel= "Stylesheet" type = "text | css">
   <script sorc = "11 code. angularys. org | snopshat | angular.min.ys"> 

<script src = "IIcode. angularys. org I snapshat I angular - animate.)
</pre>
  2 script src = "script. Js"> < | script>
   < I head >
  < body ng - cipp = "ng Repeat">
  <div ng - controller = " Diepect Controller">
  < bytton ng-app = " ng Repeat >
  Z button ng - click = "remove first ()"> Remove First < 1 button >
  < button ng-click = "update Ag ()"> Update Age < 1 button>
 Lbutton ng - click = " copy ()" > copy < 1 button>
```


List < 16uHon >

<code > track by \$id (friend) < (code > (defoul+), with oge one. time binding:
 closs = "example - animate - containe">
 // class = " animate - we peat" ng - we peat = "friend = "friend in friends") \$ & friend name 33 is \$5: friend age 37 grossold. with the same take the true our sugar ZIIIX 2141> <code > track by friend name < 1code > with age one-time binding: Zul'class = " example - animate - container"> < I' class = " animate - exepect" ng - exepecto = friend in friend - track by</p> fill de friend nome "> 2164 7/1/2 21div> 1100gy > <1H7ML>

```
Script. 15
(function (angular) & use strict;
 ongular. module ('ng Repeat', ['ng Animate]). controller ('repeat
                              - controller',
       Function ($ scope) & vou friends = [
           & name! ' Ayay', age: 214,
          S name: 'Ankit', age: 224,
        & scope. removefirst = function()}
        $ scope friends shift U',
       24.
       & scope update Age = function() &
       & scop. friends. for Each (function(e)) & el. age = el. age + s',
       3);
     $ scope reset = function() s
      & scope. friends = angular. (opy (friends);
     & scope. vieset ();
        4);
      3) (window.angular);
```



track by \$id(friend) (default):

- Shardul is 21 years old.Ajay is 23 years old.

track by \$id(friend) (default), with age one-time binding:

- Shardul is 21 years old.Ajay is 23 years old.

track by friend.name, with age one-time binding:

- Shardul is 21 years old.Ajay is 23 years old.

track by \$index, with age one-time binding:

- Shardul is 21 years old.
- Ajay is 23 years old.