

Ans 1 <html>
<head>

<title> AngularJS Directives </title>
</head>

<body>

<h2> Sample </h2>

<div ng-app="" ng-init="countries = [{ locale:

'en-India', name: 'India' },

{ locale: 'en-GB', name: 'UK' }, { locale: 'en-FR',

name: 'France' }]">

<p> Enter your name: <input type="text" ng-model
= "name"> </p>

<p> Hello !

</p>

<p> List of Countries with locale: </p>

<li ng-repeat="country in countries">

{ { 'Country: ' + country.name + ', locale: '
+ country.locale } }

</div>

```
<script src="https://ajax.googleapis.com/ajax/
libs/angularjs/1.3.14/angular.min.js">
```

```
</script>
```

```
</body>
```

```
</html>
```

ques1.html > html

```
1 <html>
2 <head>
3   <title>AngularJS Directives</title>
4 </head>
5
6 <body>
7   <h1>Sample </h1>
8
9   <div ng-app = "" ng-init = "countries = [{locale:'en-India',name:'India'},
10     {locale:'en-GB',name:'United Kingdom'}, {locale:'en-FR',name:'France'}]">
11     <p>Enter your Name: <input type = "text" ng-model = "name"></p>
12     <p>Hello <span ng-bind = "name"></span>!</p>
13     <p>List of Countries with locale:</p>
14
15     <ol>
16       <li ng-repeat = "country in countries">
17         {{ 'Country: ' + country.name + ', Locale: ' + country.locale }}
18       </li>
19     </ol>
20   </div>
21
22   <script src = "https://ajax.googleapis.com/ajax/libs/angularjs/1.3.14/angular.min.js">
23   </script>
24
25 </body>
26 </html>
```


Sample

Enter your Name:

Hello Vasu Pant!

List of Countries with locale:

1. Country: India, Locale: en-India
2. Country: United Kingdom, Locale: en-GB
3. Country: France, Locale: en-FR

Vasu Pant

2001162

MCA 3rd B

Ans 2 const http = require("http")
const server = http.createServer((req, res) => {
 if (req.url === "/")
 ~~res.end("req. url")~~
 res.end("You are at home page")
 else if (req.url === "/contract")
 res.end("You are at contacts")
 else
 res.writeHead(404)
 res.end()
})
server.listen(4002, "127.0.0.1", () => {
 console.log("Listening to the graphic era server")
})

PRACTICAL
ques1.html
ques2.js

```
JS ques2.js > ...
1  const http = require("http")
2  const server = http.createServer((req,res) =>{
3      if(req.url=="/")
4          res.end("You are at home page")
5      else if(req.url=="/contact")
6          res.end("You are at contacts")
7      else
8          res.writeHead(404)
9          res.end()
10     })
11     server.listen(4002,"127.0.0.1",()->{
12         console.log("Listening to the graphic era server....")
13     })
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

node + - [] ^ >

Try the new cross-platform PowerShell <https://aka.ms/pscore6>

```
PS C:\Users\FrostBite\Desktop\practical> node ques2.js
Listening to the graphic era server....
█
```