

Date / /
Page No.

Name - Himanshu Rawat
Class - MCA3B
Sec - B, Sem-3
Roll No - 2001069
Stu-Id - 2011096
Sub - Full Stack Development
Practical

Q2.

```
var http = require("http")
var server = http.createServer(
    (req, res) => {
        if (req.url === "/")
            res.end("You are at homepage")
        else if (req.url === "/contact")
            res.end("You are at contacts")
        else
            res.writeHead(404)
            res.end()
    }
)
server.listen(4002, "127.0.0.1", () => {
    console.log("connecting to the server")
})
```

Hbunt

angular.html req.js

tets > req.js > server > http.createServer() callback

```
1 var http = require("http")
2 var server = http.createServer((req,res)=>{
3     if(req.url="/")
4         res.end("You are at homepage")
5     else if(req.url == "/contact")
6         res.end("You are at contacts")
7     else
8         res.writeHead(404)
9         res.end()
10 })
11 server.listen(4002,"127.0.0.1",()=>{
12     console.log("conncting to the server")
13 })
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell <https://aka.ms/pscore6>

PS D:\Projects> node "d:\Projects\tets\req.js"
conncting to the server

Q1. <html>
<head>

<title> AngularJS directive </title>
</head>

<body>

<h1> Collections & Clone </h1>

<div ng-app="" ng-init="Countries =
[{ locale: 'en-Incra', name: 'India',
{ locale: 'en-ESP', name: 'Spain',
{ locale: 'en-AUS', name: 'Australia' }]">

<p> Enter your name : <input type="text"
ng-model="name"> </p>

<p> Hello
 </p>

<p> List of Countries with locale: </p>

<li ng-repeat="Country in Countries">

<div> Country: ' + Country.name + ', Locale: ' +
Country.locale </div>


</div>

<script src="http://ajax.googleapis.com/
ajax/libs/angularjs/1.3.14/
angular.min.js">


</script>

</body> </html>

12/11



```
angular.html x  req.js
tets > angular.html > html
1 <html>
2 <head>
3 <title>AngularJS Directives</title>
4 </head>
5
6 <body>
7 <h1>Collections and Clone </h1>
8
9 <div ng-app = "" ng-init = "countries = [{locale:'en-India',name:'India'},
10 {locale:'en-ESP',name:'Spain'}, {locale:'en-AUS',name:'Australia'}]">
11 <p>Enter your Name: <input type = "text" ng-model = "name"> </p>
12 <p>Hello <span ng-bind = "name"> </span>!</p>
13 <p>List of Countries with locale:</p>
14
15 <ol>
16 <li ng-repeat = "country in countries">
17 {{ 'Country: ' + country.name + ', Locale: ' + country.locale }}
18 </li>
19 </ol>
20 </div>
21
22 <script src = "https://ajax.googleapis.com/ajax/libs/angularjs/1.3.14/angular.min.js">
23 </script>
24
25 </body>
26 </html>
```



Collections and Clone

Enter your Name:

Hello Himanshu Rawat!

List of Countries with locale:

1. Country: India, Locale: en-India
2. Country: Spain, Locale: en-ESP
3. Country: Australia, Locale: en-AUS