

Act<sup>o</sup> 20712066 MCA3B 3<sup>rd</sup> Sem  
Full Stack Web Development.

Q1

Ans ⇒

```
<html>
  <head>
    <title> Angular JS Directives</title>
  </head>
  <body>
    <h1>Sample </h1>
    <div ng-app="" ng-init="countries=
      [{ locale: 'en-India', name: 'India' },
      { locale: 'en-IndiaGB', name:
        'United Kingdom' },
      { locale: 'en-FR', name: 'France' }]>
      <p>Enter your Name: <input type=
        "text" ng-model="name"></p>
      <p>Hello <span ng-bind="name">
        </span>! </p>
      <p>List of Countries with locale:
        </p>
      <ol>
        <li ng-repeat="country in countries">
          - {{ 'Country': ' + country.name + ;
            locale: ' + country.locale }}
        </li>
```

Act<sup>o</sup>

</ol>

</div>

<script src = "https://ajax.googleapis  
.com/ajax/libs/angularjs/  
1.3.14/angular.min.js">

</script>

</body>

</html>

Arslan<sup>2</sup>

[11:07 AM, 1/31/2022] arti:

## Sample

Enter your Name:

Hello !

List of Countries with locale:

1. Country: India, Locale: en-India
2. Country: United Kingdom, Locale: en-GB
3. Country: France, Locale: en-FR



Arshi  
20712066  
MCA 3B 3<sup>rd</sup> Sem  
Full Stack development

Q2 =>

Ans =>

```
const http = require("http")  
const server = http.createServer((req, res) => {
```

```
  if (req.url === "/")  
    res.end("You are at home page")  
  else if (req.url === "/contact")  
    res.end("You are at contacts")  
  else  
    res.writeHead(404)  
    res.end()  
})
```

```
server.listen(4002, "127.0.0.1", () => {  
  console.log("listening to the  
    graphic era server...")  
})
```

})

Arshi

