Ankit Phondani Full Stack Development

Roll No: 2001031

Q1.

Date
01) Source Code ?
<html></html>
61001>
<pre>Khead ></pre>
1 title > Angular JS Diractives <1 title >
<pre></pre>
 <a "="" href="https://www.c</td></tr><tr><td></td></tr><tr><td>'div ng-app=" ng-init="countries=[\$locale:'en- India', name: 'India'?, \$locale: 'en-(nR', name: 'United kingdom'?, \$locale: en-FR', name: 'fronce']] ">
Todia, nome: 'Todia'? Slad il (2)
United kingdom ? Shale is 581
"> (xocase . en - FR. nome . Fronce)
Hello Kspan ma-19-1-4 " " Chi
Mello < span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The span ong - bind = "name" > < Ispan > 1 The s
p> List of Countries with locale:
< ol>
<pre></pre>
\$\foods \country: '+ (ountry. name +, Locale: '+ country: locale 33
country locale 33
100
< ol>
2 (18r>
Script src = " https://ajax.googleapie-com/ajax/liks/
agular 15/1.3.14/angular. minijs"> (15/hpt)
Spiral

Full Stack Question 1

Hello!

List of Countries with locale:

1. Country: India, Locale: en-India

Country: United Kingdom, Locale: en-GB
 Country: France, Locale: en-FR

Q2.

Date
Q2) Source Code :
const http = require ("http")
const server = http: create Server((reg, res) => §
of (reg. usl == "/") res. end (" You are at home page")
elcei (regiurl == "/contact")
resiend ("You are at contacts") else
res. write Head (404)
res.end()
3) server, listen (4002,"127.0.0.1", ()=> §
consolering ("Isstering to the server")
3)



